

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N 0105-904-1000

Handwritten initials



DECK LOG BOOK

OF THE

U.S.S. MULLINNIX

DD-944

IDENTIFICATION NUMBER

Attached to	{	<u>1ST</u> Division,
		<u>14TH</u> Squadron,
		<u>4TH</u> Flotilla,
		<u>1ST</u> Fleet,
		<u>5TH</u> Naval District,

Commencing 0000 - 9I 1 JULY, 19 69,
(zone time and date)

at SEA UNDERWAY FROM SASEBO, JAPAN, TO R.V.N.,
(location)

and ending 2400 - 11 31 JULY, 19 69,
(zone time and date)

at SEA UNDERWAY FROM YOKOSUKA, JAPAN, TO MIDWAY
(location)

Approved by: *Del F. Kinsley, Sr.* Commanding
Cdr., USN.

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -9T DATE TUESDAY 1 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO NHA TRANG, REPUBLIC VIETNAM

POSITION	ZONE	TIME
0800		
L <u>27°51'N</u>	BY <u>2</u>	
λ <u>125°29'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>26°47'N</u>	BY <u>2</u>	
λ <u>104°37'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>24°39'N</u>	BY <u>2</u>	
λ <u>123°21'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.

REMARKS

0800-0840 UNDERWAY INDEPENDENTLY ENROUTE FROM SASEBO, JAPAN TO VICINITY OF NHA TRANG, REPUBLIC OF VIETNAM IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OP-SKED. BOILERS 1A, 2A, 1B, 2B AND 5/5 GENERATORS 1 AND 3 ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. BASE COURSE 215 BASE SPEED 32.5 KNOTS. THE SHIP IS CONDUCTING A FULL POWER TRIAL. SOPA IS COMMANDING OFFICER THIS SHIP. 0810 9/5 TO 30 KNOTS. SECURED FULL POWER TRIAL. 0819 9/5 TO 29 KNOTS. 0825 9/5 TO 28 KNOTS. 0835 9/5 TO 27 KNOTS. 0840 9/5 TO 25 KNOTS. 0847 9/5 TO 23 KNOTS. 0857 9/5 TO 21 KNOTS. 0906 9/5 TO 18 KNOTS. 0923 SECURED FIRES UNDER 1A AND 2B BOILERS.

F.D. Dyches
F.D. DYCHES, LT, USN

0940-0948 UNDERWAY AS BEFORE. 0941 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

S.F. Weston
S.F. WESTON, LTJG, USN

0948-1200 UNDERWAY AS BEFORE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

1216 UNDERWAY AS BEFORE. 1500 WENT TO GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA. 1537 9/5 TO 20 KNOTS.

F.D. Dyches
F.D. DYCHES, LT, USN

1620-2000 UNDERWAY AS BEFORE. 1716 SECURED FROM GENERAL QUARTERS. SET MATERIAL CONDITION YOKE. 1729 C/L TO 210°T.

S.F. Weston
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944)

DATE TUESDAY, 1 JULY, 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2218 C/C 2200T

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT. (jg) U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (00-944) ZONE DESCRIPTION -9I DATE WEDNESDAY, 2 JULY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO NHA TRANG, REPUBLIC VIETNAM

POSITION	ZONE	TIME
0800		
L <u>21°40'N</u>	BY <u>2</u>	
λ <u>120°55'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>20°54'N</u>	BY <u>2</u>	
λ <u>119°49'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>18°52'N</u>	BY <u>2</u>	
λ <u>117°04'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0840 UNDERWAY INDEPENDENTLY ENROUTE FROM SASEBO, JAPAN TO VICINITY OF NHA TRANG, REPUBLIC OF VIETNAM IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OP-SKED. BOILERS 1B AND 2A, 2/3 GENERATORS 1 AND 3 ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKI ARE SET. BASE COURSE 210. BASE SPEED 20 KNOTS. SOPA IS COMMANDING OFFICER THIS SHIP.

F. D. Dyches
F. D. DYCHES, LT, USN

0840-0858 UNDERWAY AS BEFORE. 08526 C/C TO 210°. 0741 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

S. F. Weston
S. F. WESTON, LTJG, USN

0858-1200 UNDERWAY AS BEFORE. 0819 C/C 232°T

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

1200-1216 UNDERWAY AS BEFORE. 1300 1/2 TO 22 KNOTS. 1304 1/2 TO 230.

F. D. Dyches
F. D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE WEDNESDAY, 7 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 UNDERWAY AS BEFORE. 1600 RETARDED CLOCKS ONE HOUR TO CONFORM TO -8 HOTEL TIME ZONE. 1530 WENT TO GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA. 1551 COMMENCED TEST FIRING ALL MOUNTS. 1600 C/G TO 270°T. 1615 C/G TO 230°T. 1650 SECURED FROM GENERAL QUARTERS. SET MATERIAL CONDITION YOKE.

S.F. Weston

S.F. WESTON, LTJG, USN

20-24 UNDERWAY AS BEFORE. 2255 LIGHTED FIRES UNDER IA BOILER.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr.
LT USNTR

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT (jg)

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE THURSDAY 3 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO NHA TRANG, REPUBLIC VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16°20'N</u>	BY	<u>4</u>
λ <u>113°58'E</u>	BY	<u>4</u>

POSITION	ZONE	TIME
1200		
L <u>15°31'N</u>	BY	<u>2</u>
λ <u>113°02'E</u>	BY	<u>2</u>

POSITION	ZONE	TIME
2000		
L <u>14°11'N</u>	BY	<u>2</u>
λ <u>111°47'E</u>	BY	<u>2</u>

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

$\phi\phi$ - $\phi 4$ UNDERWAY INDEPENDENTLY ENROUTE FROM SASEBO, JAPAN TO VICINITY OF NHA TRANG, REPUBLIC OF VIETNAM IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OP-SKED. BOILERS 1B AND 2A, $\frac{5}{8}$ S GENERATORS 1 AND 3 ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. BASE COURSE 23 ϕ BASE SPEED 20 KNOTS. SOPA IS COMMANDING OFFICER THIS SHIP. $\phi\phi 46$ BROUGHT 1A BOILER ON THE LINE SECURED FIRES UNDER 1B BOILER.

F. D. Dyckes
F. D. DYCKES, LT, USN

$\phi 4$ - $\phi 8$ UNDERWAY AS BEFORE. $\phi 553$ OBSERVED SUNRISE. $\phi 63\phi$ LIGHTED FIRES UNDER 1B BOILER. $\phi 74\phi$ MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

S. F. Weston
S. F. WESTON, LTJG, USN

$\phi 8$ -12 UNDERWAY AS BEFORE. $\phi 8\phi 1$ SECURED FIRES UNDER 1A BOILER $\phi 945$ C/S 2 ϕ .5 KTS.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

12-16 UNDERWAY AS BEFORE 1415 $\frac{9}{10}$ CTO 17 ϕ . 142 ϕ $\frac{9}{10}$ CTO 15 ϕ . 1436 STATIONED THE REFUELING DETAIL. 1442 $\frac{9}{10}$ CTO 14 ϕ . 1444 $\frac{9}{10}$ STO 22 KNOTS. 1453 MANEUVERING TO TAKE STATION ASTERN USS GUADALUPE (AO-32) 15 $\phi 2$ ON STATION, REPLENISHMENT COURSE 1 $\phi\phi$, SPEED 12 KNOTS. 15 $\phi 4$ COMMENCED APPROACH, CAPTAIN CONNING. 15 $\phi 6$ FIRST LINE OVER. 15 $\phi 8$ RECEIVED FIRST FUEL HOSE. 1522 COMMENCED RECEIVING FUEL.

F. D. Dyckes
F. D. DYCKES, LT, USN

16-2 ϕ UNDERWAY AS BEFORE. 1615 ALL LINES CLEAR. C/S TO 22 KTS. C/S TO 1 $\phi 5^{\circ}$ T. CLEARING AWAY FROM GUADALUPE. 1616 C/S TO 23 ϕ° T. 1619 C/S TO 18 KTS. 1855 C/S TO 24 KTS. CONDUCTING SONAR NOISE LEVEL TESTS. 1859 DARKENED SHIP. 19 $\phi 6$ C/S TO 22 KTS. 19 $\phi 7$ OBSERVED SUNSET. TURNED ON NAVIGATION LIGHTS. 1915 C/S TO 2 ϕ KTS. 1922 C/S TO 18 KTS. 1926 1936 C/S TO 15 KTS. 1945 C/S TO 17 KTS.

S. F. Weston
S. F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD 944)

DATE THURSDAY, 3 JULY 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE. 2002 C/S 10 KTS. 2012 C/S 8 KTS. 2017
C/S 5 KTS. 2030 C/S 18.5 KTS. SECURED FROM SONAR NOISE LEVEL
TEST.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USN72

EXAMINED:

R.M. Butterworth

R.M. BUTTERWORTH, LT. (jg)

U. S. N.R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -84 DATE FRIDAY 4 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO NHA TRANG, REPUBLIC VIETNAM

POSITION	ZONE	TIME
0800		
L <u>12°13'N</u>	BY <u>3</u>	
λ <u>109°14'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>12°42'N</u>	BY <u>3</u>	
λ <u>109°29'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>12°52'N</u>	BY <u>2</u>	
λ <u>109°36'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.

REMARKS

04-04 UNDERWAY INDEPENDENTLY ENROUTE FROM SASEBO, JAPAN TO VICINITY OF NHA TRANG, REPUBLIC OF VIETNAM IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OP-SKED. BOILERS 1B AND 2A, SYS GENERATORS 1 AND 3 ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. BASE COURSE 230 BASE SPEED 18.5 KNOTS. SOPA IS COMMANDING OFFICER THIS SHIP.

J.D. Dyche
F.D. DYCHES, LT, USN

04-08 UNDERWAY AS BEFORE. 0527 C/C TO 235°T. C/S TO 22 KTS. 0532 C/S TO 23 KTS. 0618 C/C TO 240°T. 0622 OBSERVED SUNRISE. 0629 STATIONED THE ANCHOR DETAIL. 0645 C/C TO 283°T. ENTERING NHA TRANG HARBOR. 0659 C/S TO 18 KTS. 0704 C/C TO 270°T. 0705 C/C TO 233°T. C/S TO 15 KTS. 0706 LIGHTED FIRES UNDER 2B BOILER. 0707 C/C TO 240°T. 0710 C/C TO 245°T. 0717 C/C TO 180°T. 0720 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0738 ANCHORED IN NHA TRANG HARBOR IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON FOLLOWING BEARINGS MUI NAM 030.5°T. HON MOT 128.5°T, MUI CHUT 241.5°T. 0745 MUSTERED CREW ON STATION. ABSENTEES: NONE.

J.F. Weston
J.F. WESTON, LTJG, USN

08-12 ANCHORED AS BEFORE. 0919 2B BOILER ON THE LINE. 0923 SECURED FIRES UNDER 2A BOILER. 1026 ANCHOR IS AWAY, C/S 10 KTS, C/C 353°T, MANEUVERING TO STAND OUT OF NHA TRANG HARBOR. 1057 C/S 22 KTS, C/C 019°T.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr., LT, USNR

12-16 UNDERWAY AS BEFORE. 1209 C/C TO 000. 1226 C/C TO 330. 1238 C/S TO 15 KNOTS. 1242 C/C TO 320. 1255 C/S TO 5 KNOTS. C/C TO 326. 1256 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. STATIONED THE ANCHOR DETAIL. STATIONED THE GUN FIRE SUPPORT TEAM. 1328 ANCHORED IN 12 FATHOMS OF WATER MUD BOTTOM WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON DECK ON THE FOLLOWING ANCHORAGE BEARINGS: HON NHA 333, MUI LA OOS, ROCK 352. 1420 PROVIDING GUN FIRE SUPPORT.

J.D. Dyche
F.D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE FRIDAY, 4 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1825 COMMENCED HEAVING AROUND ON STARBOARD ANCHOR. 1833 ANCHORS A-WEIGH. 1834 C/C TO 110°T. C/S TO 5 KTS. PROCEEDING TO BARRIER PATROL STATION. 1841 C/C TO 090°T. C/S TO 10 KTS. 1845 C/S TO 15 KTS. 1849 SECURED THE GUNFIRE SUPPORT TEAM. 1906 DARKENED SHIP. 1917 C/C TO 009°T. ASSUMED BARRIER PATROL. 1919 C/S TO 10 KTS. *sfw*

S.F. Weston

S.F. WESTON, LTJG, USN

20-24 UNDERWAY AS BEFORE. 1952 C/C 189°T. 2105 C/C 009°T. 2118 C/C 189°T. 2157 C/C 009°T. 2213 C/C 189°T. 2305 C/C 009°T. 2333 C/S 15 KTS.

L.G. Lindgren, Jr.

L.G. LINDGREN, JR.

LT

USNR

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT. (A)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE SATURDAY 5 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM NHA TRANG, REPUBLIC VIETNAM TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~04-04~~ UNDERWAY INDEPENDENTLY PROVIDING BARRIER PATROL IN VICINITY OF NHA TRANG, REPUBLIC OF VIETNAM IN ACCORDANCE WITH VERBAL ORDERS OF THE COMMANDING OFFICER. BOILERS 1B AND 2A AND S/S GENERATORS 1 AND 3 ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKO ARE SET. PATROL COORDINATES CQ 2818 TO CP 4080. SOPA IS COMMANDING OFFICER THIS SHIP. 0012 C/T 0 009. 0023 S/T 10 KNOTS. 0025 C/T 189. 0030 C/T 009. 0111 C/T 189. 0124 C/T 009. 0206 C/T 189. 0221 C/T 009. 0310 C/T 189. S/T 15 KNOTS.

F. D. Dyche
F. D. DYCHES, LT, USN

04-08 UNDERWAY AS BEFORE. 0421 C/S TO 10 KTS. 0445 C/C TO 009°T. 0501 C/C TO 189°T. 0541 C/C TO 009°T. 0619 C/S TO 15 KTS. 0627 OBSERVED SUNRISE. 0641 C/C TO 298°T. 0645 C/S TO 17 KTS. 0651 C/C TO 280°T. 0708 C/C TO 280°T C/S TO 10 KTS. 0720 STATIONED THE ANCHOR DETAIL. MANEUVERING FOR ANCHORAGE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. STATIONED THE GUNFIRE SUPPORT TEAM.

S. F. Weston
S. F. WESTON, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0747 ANCHORED IN 13 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: MUI LE 7080 YDS, HON NHA 4460 YDS, HON GIOM 5600 YDS, MUI HON NGANG 10660 YDS. PROVIDING GUNFIRE SUPPORT.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR., 2T, USNR

12-16 ANCHORED AS BEFORE. 1406 UNDERWAY TO SHIFT ANCHORAGES 1,000 YARDS IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1428 ANCHORED IN 13.5 FATHOMS OF WATER, MUD BOTTOM WITH 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: MUI LE 7200 YARDS, MUI NHA 5430, HON GIOM 6650.

F. D. Dyche
F. D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE SATURDAY, 5 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1912 DARKENED
SHEP.

S.F. Weston
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. 2021 COMMENCED HEAVING AROUND
ON THE ANCHOR. 2027 ANCHOR IS AWEIGH, SHIFTING ANCHORAGE. C/C 095⁰,
C/S 5 KTS. 2048 C/C 100⁰T. 2056 C/C 105⁰T. 2057 WALKING OUT THE
STARBOARD ANCHOR. 2103 LET GO THE ANCHOR. ANCHORED IN 15 FATHOMS
OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE
FOLLOWING RANGES: MUI LE 7570 YDS, HON NUA 8270 YDS, HON GIOM
10450 YDS, MUI HON NGANG 11,100 YDS. PROVIDING GUNFIRE SUPPORT.

T.G. Lindgren, Jr.
T.G. LINDGREN, JR.
LT USNR

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT-(jg) U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE SUNDAY 6 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM NHATRANG, REPUBLIC VIETNAM TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>12°51'N</u>	BY <u>2</u>	
λ <u>109°39'E</u>	BY <u>2</u>	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

04-04 ANCHORED IN 15 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: MUI LE 7570 YARDS, HON NUA 8270 YARDS, HON GIOM 10450 YARDS, MUI HON NGANG 11, 100 YARDS. PROVIDING GUNFIRE SUPPORT. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. BOILERS 1B AND 2B, S/G GENERATORS 2 AND 3 ARE ON THE LINE. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. THE SHIP IS DARKENED. SOPA IS COMMANDING OFFICER THIS SHIP

F.D. Dyche
F.D. DYCHES, LT, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT, 0459 LIGHTED FIRES UNDER 2A BOILER. 0623 OBSERVED SUNRISE. 0701 COMMENCED HEAVING AROUND ON STARBOARD ANCHOR. 0710 ANCHORS AWEIGH. UNDERWAY TO SHEET ANCHORAGES. 0712 C/S 10 KTS. C/G TO 050°T. 0722 C/S TO 15 KTS. 0736 C/S TO 10 KTS. 0744 C/S TO 5 KTS. 0745 ALL STOP. MUSTERED THE CREW ON STATION. ABSENTEES: NONE. BROUGHT 2A BOILER ON THE LINE.

S.F. Weston
S.F. WESTON, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0850 C/C 180°T. 0859 C/S 1 KT. PROVIDING GUNFIRE SUPPORT. 1110 C/C 240°T, C/S 20 KTS. 1113 C/C 245°T. 1115 C/C 251°T. 1123 LET GO THE STARBOARD ANCHOR IN 17 FATHOMS OF WATER, SAND BOTTOM, ON THE FOLLOWING RANGES: MUI NAY 6860 YDS, MUI NUA 8720 YDS, HON GIOM 11760 YDS, MUI HON NGANG 13260 YDS. 45 FATHOMS OF CHAIN ON DECK.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

12-16 ANCHORED AS BEFORE.

F.D. Dyche
F.D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE SUNDAY, 6 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 ANCHORED AS BEFORE. 1600 STATIONED THE ANCHOR DETAIL. 1603 COMMENCED HEAVING IN ON STARBOARD ANCHOR. 1607 ANCHORS AWEIGH. MANEUVERING AT VARIOUS COURSES AND SPEEDS FOR NEW ANCHORAGE. 1623 COMMENCED WALKING OUT THE STARBOARD ANCHOR. 1625 ANCHORED IN 76 FEET OF WATER, SAND BOTTOM, WITH 45 FATHOMS ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: MUI LE 8850 YDS., HON HUA 8,650 YDS., HON GIOM 10,650 YDS. IN VICINITY OF VUNG RO HARBOR. 1738 STATIONED ANCHOR DETAIL. 1745 ANCHORS AWEIGH. 1747 C/S TO 5KTS. C/C TO 090°T. 1749 C/S TO 10KTS. 1752 C/S TO 15KTS. 1756 C/C TO 085°T.

S. F. WESTON, S.F. WESTON, ATG, USN

18-20 UNDERWAY AS BEFORE. 1805 SECURED THE GUNFIRE SUPPORT TEAM, SET CONDITION III WATCH. 1825 C/S 10 KTS. 1829 C/C 009°T, COMMENCED MARKET TIME PATROL. 1849 C/C 006°T. 1912 DARKENED SHIP 1917 C/C 186°T. 1955 C/C 006°T.

L. G. LINDGREN, JR.
L. G. LINDGREN, JR.
LT USNR

20-24 UNDERWAY AS BEFORE. 2007 C/C TO 186. 2043 C/C TO 006. 2057 C/C TO 186. 2125 C/C TO 006. 2136 C/C TO 186. 2236 C/C TO 215. SECURED MARKET TIME PATROL. 2240 C/C TO 220. 2244 C/C TO 225 STATIONED THE REFUELING AND REARMING DETAIL. 2254 C/C TO 230. 2259 C/C TO 240. MANEUVERING TO TAKE STATION ASTERN OF USS ASHTABULA (AO-51). 2309 ON STATION, REPLENISHMENT COURSE 015 SPEED 12 KNOTS. 2313 COMMENCED APPROACH, EXECUTIVE OFFICER AT THE CONN. 2317 ON STATION ALONGSIDE STARBOARD SIDE OF ASHTABULA. 2318 FIRST LINE OVER. 2324 RECEIVED FIRST FUEL HOSE. 2326 RECEIVED HOUSEFALL AMMUNITIONS. 2327 COMMENCED RECEIVING AMMUNITION. 2333 COMMENCED RECEIVING FUEL. 2354 FUELING COMPLETED.

F. D. DYCHES
F. D. DYCHES, LT, USN

EXAMINED:

R. M. Butterworth
R. M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -8H DATE MONDAY 7 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM UNDERWAY REPLENISHMENT TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~87~~ 08-04 UNDERWAY IN REPLENISHMENT STATION ALONGSIDE STARBOARD ~~87~~ 87 ~~SIDE~~ ^{OF} USS ASHTABULA (AO-51). BASE COURSE $\phi 15^{\circ}T$. BASE SPEED 12 KTS. 1B AND 2A BOILERS AND 2 AND 3 SHIP'S SERVICE GENERATORS ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKO ARE SET. SOPA IS COMMANDING OFFICER THIS VESSEL. 2358 FIRST LOAD ON DECK. $\phi 144$ ALL LINES CLEAR. C/S TO 18 KTS. C/C TO $\phi 2\phi^{\circ}T$. PULLING AWAY FROM ASHTABULA. $\phi 145$ C/C TO $\phi 25^{\circ}T$. $\phi 146$ C/C TO $2\phi\phi^{\circ}T$. $\phi 148$ C/C TO $189^{\circ}T$. $\phi 212$ C/C TO $2\phi 2^{\circ}T$. $\phi 215$ DARKENED SHIP $\phi 227$ ASSUMED BARRIER PATROL STATION BETWEEN UTM GRID COORDINATES CQ 553 ϕ AND CP 5 $\phi 8\phi$. BASE COURSE $186^{\circ}T$ AND $\phi\phi 6^{\circ}T$. BASE SPEED 1 ϕ KTS. C/C TO $189^{\circ}T$. C/S TO 1 ϕ KTS. $\phi 3\phi 6$ C/C TO $\phi\phi 6^{\circ}T$. $\phi 322$ C/C TO $2\phi\phi^{\circ}T$. $\phi 331$ C/C TO $189^{\circ}T$.

877 Weston
S. F. WESTON
LTJG USN

04-08 UNDERWAY AS BEFORE. $\phi 4\phi 5$ C/C $\phi\phi 9^{\circ}T$. $\phi 411$ TURNED OFF NAVIGATION LIGHTS. $\phi 414$ C/C $189^{\circ}T$. $\phi 453$ C/C $\phi\phi 6^{\circ}T$. $\phi 5\phi 5$ C/C $186^{\circ}T$. $\phi 546$ C/C $\phi\phi 6^{\circ}T$. $\phi 6\phi\phi$ C/S 13 KTS. $\phi 623$ C/C $317^{\circ}T$. $\phi 7\phi 3$ C/C $315^{\circ}T$. $\phi 725$ C/C $3\phi 5^{\circ}T$. $\phi 74\phi$ C/S 5 KTS, C/C $3\phi 3^{\circ}T$. $\phi 741$ C/C $287^{\circ}T$. $\phi 741$ MUSTERED THE CREW ON STATION. ABSENTIEES: NONE. $\phi 746$ WALKING OUT THE STARBOARD ANCHOR. $\phi 75\phi$ ANCHORED IN 15 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: MUI LA 875 ϕ YDS, HON NUA 875 ϕ YDS, HON GIOM 1 $\phi 95\phi$ YDS, MUI HON NGANG 1 $\phi 8\phi\phi$ YDS.

L. G. Lindgren, Jr.
L. G. LINDGREN, Jr.
LT USNR

08-12 ANCHORED AS BEFORE. $\phi 912$ BROUGHT 1A BOILER ON THE LINE. $\phi 916$ SECURED FIRES UNDER 1B BOILER. 1124 UNDERWAY TO SHIFT ANCHORAGES IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER. MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 114 ϕ ANCHORED IN 17 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: MUI LA 9 $\phi\phi\phi$ YARDS, HON NUA 917 ϕ YARDS, HON GIOM 11 $\phi 2\phi$ YARDS, HON NGANG 9600 YARDS.

F. O. Dyche
F. O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

USS MULLINAEX (DD-944)DATE MONDAY, 7 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE.S.F. WestonS.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. 1608 COMMENCED HEAVING AROUND ON THE ANCHOR 1612 UNDERWAY, SHIFTING ANCHORAGE. 1614 C/S 20 KTS, C/C 294°T. 1618 C/C 300°T. 1628 LET GO THE STARBOARD ANCHOR IN 12 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: MUI LE 6900 YDS, HON NUA 4100 YDS, HON GIOM 5220 YDS, MUI HON NGANG 11,000 YDS. PROVIDING GUNFIRE SUPPORT. 1914 DARKENED SHIP.

L.G. Lindgren, Jr.L.G. LINDGREN, JR.LT USNR

20-24 ANCHORED AS BEFORE. 2020 UNDERWAY TO SHIFT ANCHORAGES IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. MANUEVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2038 ANCHORED IN 45 14 FATHOMS OF WATER, SAND BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: MUI LE 7200 YARDS, HON NUA 4840 YARDS, HON GIOM 6250 YARDS, MUI HON NGANG 10,420 YARDS. 2114 UNDERWAY TO SHIFT ANCHORAGES. MANUEVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2130 ANCHORED IN 13 FATHOMS OF WATER, SAND BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: MUI LE 7850 YARDS, HON NUA 4500 YARDS, HON GIOM 5380 YARDS, MUI HON NGANG 10,350 YARDS.

F.D. DycheF.D. DYCHES, LT, USN

EXAMINED:

R.M. ButterworthR.M. BUTTERWORTH, LT. (jg)

U. S. N. & NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION - 8H DATE TUESDAY 8 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM VUNG RO, RVN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>11°48'N</u>	BY <u>2</u>	
λ <u>109°15'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>11°17'N</u>	BY <u>2</u>	
λ <u>109°03'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 ANCHORED IN THE VICINITY OF VUNG RO HARBOR IN 14 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RADAR RANGES: MUI LE 78.5Φ YDS., HON NUA 45ΦΦ YDS., HON GIOM 538Φ YDS., MUI HON NGANG 10,35Φ YDS. 1B AND 2A BOILERS AND 2 AND 4 S/S GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. SHIP IS DARKENED. PROVIDING GUNFIRE SUPPORT. SOPA IS COMMANDING OFFICER THIS VESSEL. ΦΦ45 COMMENCED HEAVING AROUND ON STARBOARD ANCHOR. ΦΦ49 ANCHORS AWEIGH. ΦΦ58 C/C TO 118°T. Φ1Φ1 C/S TO 5 KTS. Φ1Φ4 C/S TO 1Φ KTS. Φ1Φ6 C/S TO 15 KTS. Φ11Φ C/C TO 121°T. Φ111 C/S TO 2Φ KTS. Φ116 C/S TO 22 KTS. Φ12Φ C/C TO 118°T. Φ122 C/C TO 12Φ°T. Φ128 C/C TO 16Φ°T. Φ134 C/C TO 192°T. Φ147 C/S TO 2Φ KTS. Φ2ΦΦ C/C TO 286°T. Φ2Φ1 C/S TO 15 KTS. Φ213 MANEUVERING FOR ANCHORAGE IN BAIE DE VAN FONG. Φ3ΦΦ WALKING OUT STARBOARD ANCHOR. Φ3Φ2 ANCHORED IN 12 FATHOMS OF WATER, MUD BOTTOM, WITH 3Φ FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: HON LON 13,Φ5Φ YDS., HON TAI 95ΦΦ YDS., MUI BA LON 572Φ YDS., MUI MUONG 532Φ YDS.

S.F. Weston
S. F. WESTON, LTJG, USN

Φ4-Φ8 ANCHORED AS BEFORE. Φ526 COMMENCED HEAVING AROUND ON THE ANCHOR. Φ532 UNDERWAY ENROUTE TO CAM RANH BAY, C/S 5 KTS, C/C 1ΦΦ°T. Φ549 C/C 1Φ2°T, C/S 2Φ KTS. Φ6Φ6 C/C 155°T. Φ622 C/C 191°T. Φ7Φ6 C/C 187°T. Φ721 C/C 191°T. Φ746 MUSTERED THE CREW ON STATION, ABSENTEES, NONE. Φ748 C/C 2Φ2°T.

L.G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

300 Φ8-12 UNDERWAY AS BEFORE. Φ948 C/C Φ823 C/S TO 10 KNOTS. C/C TO 285. Φ827 C/C TO 3Φ8. Φ831 C/C TO 298. Φ834 C/C TO 295. Φ841 C/S TO 5 KNOTS. Φ842 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1Φ1Φ ANCHORED IN 22 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HON CO TRONG 42ΦΦ YARDS, MUI BAI NOM 385Φ, HON MUI 542Φ YARDS, HON CHUT 31ΦΦ YARDS - ANCHORED IN CAM RANH BAY. PROVIDING GUN FIRE SUPPORT.

F.O. Dyches
F. O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE TUESDAY, 8 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.SF WestonS.F. WESTONLTJG USN10-20 ANCHORED AS BEFORE. 1634 COMMENCED HEAVING AROUND ON THE ANCHOR. 1636 UNDERWAY ENROUTE TO BAIE DE PADARAN, C/S 5 KTS, C/C 150°T. 1641 C/S 20 KTS. 1647 C/C 165°T. 1658 C/C 192°T. 1725 C/C 223°T. 1744 C/C 219°T. 1825 C/S 10 KTS. 1840 C/C 039°T. 1851 C/C 260°T. 1857 C/C 250°T. 1900 C/C 039°T. 1905 C/C 060°T. 1914 DARKENED SHIP. 1921 C/S 22 KTS, C/C 032°T. 1925 C/S 10 KTS. 1937 C/C 225°T, C/S 5 KTS.L. G. Lindgren, Jr.L. G. LINDGREN, JR.LTUSNR20-24 UNDERWAY AS BEFORE. 2058 9/8 TO 18 KNOTS. 2059 9/8 TO 26. 2105 9/8 TO 26.5. 2107 9/8 TO 26.7. 2113 9/8 TO 26.8. 2116 9/8 TO 26.9. 2119 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2139 ANCHORED IN 18 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: DIEM HAI 5480 YARDS, MUI SUNG TRAU 4880 YARDS, MIEU LANG LOCH 9140 YARDS, POWLO CECLR DE TERRE 10,280 YARDS. PROVIDING GUNFIRE SUPPORT.F. D. DycheeF. D. DYCHEE, LT, USN

EXAMINED:

R.M. ButterworthR.M. BUTTERWORTH, LT. (jg)U. S. N. & NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION - 8H DATE WEDNESDAY 9 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM BAIE DE PADAREN, RVN TO _____

POSITION	ZONE	TIME
0800		
L <u>11°48'N</u>	BY <u>2</u>	
λ <u>109°22'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 ANCHORED OFF BAIE DE PADAREN, RVN, IN 18 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: DIEM HAI 5480 YDS., MUI SUNG TRAU 4880 YDS., MIEU LANG LOCH 9140 YDS., POULO CECIR DE TERRE 10280 YDS. 1B AND 2A BOILERS AND 2 AA AND 4 S/S GENERATORS ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. SHIP IS DARKENED. SOPA IS COMMANDING OFFICER THIS VESSEL. Φ15Φ COMMENCED HEAVING IN STARBOARD ANCHOR. Φ2ΦΦ ANCHORS AWEIGH UNDERWAY IN ACCORDANCE WITH COMMANDING OFFICER'S VERBAL ORDERS. Φ2Φ7 C/S TO 5 KTS. C/C TO 130°T. Φ2Φ9 C/S TO 10 KTS. Φ218 C/C TO 135°T. Φ224 C/C TO 057°T. C/S TO 5 KTS. Φ317 C/C TO 240°T.

S.F. Weston
S.F. WESTON, LTJG, USN

Φ4-Φ8 UNDERWAY AS BEFORE. Φ419 C/C 060°T. Φ436 C/C 043°T, C/S 19 KTS. Φ439 TURNED ON NAVIGATION LIGHTS. Φ546 C/C 012°T. Φ618 STATIONED THE REPLENISHMENT DETAIL, MANEUVERING TO TAKE STATION 500 YDS. ASTERN OF U.S.S. GRAFFIAS (AF-29). Φ651 ON STATION, REPLENISHMENT COURSE 200°T, SPEED 10 KTS. Φ652 COMMENCED APPROACH ON GRAFFIAS' STARBOARD SIDE. Φ655 ALONGSIDE, FIRST LINE OVER, Φ747 ALL LINES CLEAR, C/S 22 KTS, STANDING AWAY FROM GRAFFIAS ENROUTE TO BAIE DE PHAN RANG, C/C 200°T. Φ748 C/C 233°T. Φ750 MUSTERED ON STATION ABSENTEES: NONE. Φ754 C/S 21 KTS.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

Φ8-12 UNDERWAY AS BEFORE. Φ822 C/C TO 253. Φ824 C/C TO 254. Φ828 C/S TO 18 KNOTS. Φ829 STATIONED THE GUN FIRE SUPPORT TEAM. Φ830 C/C TO 257. STATIONED THE ANCHOR DETAIL. Φ836 C/C TO 256. Φ840 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. Φ900 ANCHORED IN 22 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HONCHONG 18,060 YARDS, HUN DO 15,400 YARDS, THON HAI CHU 11,320 YARDS, MUI DINH 11,880 YARDS. PROVIDING GUN FIRE SUPPORT.

F.O. Dyches
F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)DATE WEDNESDAY, 9 JULY 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1318 COMMENCED HEAVY-
ING AROUND ON STARBOARD ANCHOR. 1322 ANCHORS AWEIGH. UNDERWAY FOR RE-
PLENISHMENT WITH USS TAPPAHANNOCK (AO-43). 1325 C/S TO 5 KTS. C/C TO $\phi 90^{\circ}$ T.
1327 C/S TO 7.5 KTS. 1335 C/S TO 8 KTS. 1355 C/C TO 179° T. 1424 C/S TO 8.5 KTS. C/C
TO 180° T. 1447 C/C TO 185° T. 1459 C/S TO 10 KTS. 1504 C/S TO 18 KTS. 1507 STATION-
ED THE REFUELING DETAIL. 1511 MANEUVERING TO CLOSE TAPPAHANNOCK. 1520
COMMENCED APPROACH ON TAPPAHANNOCK. 1524 ALONGSIDE TAPPAHANNOCK PORT SIDE TO
BASE COURSE $\phi 25^{\circ}$ T. BASE SPEED 12 KTS. FIRST LINE OVER. 1532 FIRST LOAD ON DECK.
1536 COMMENCED RECEIVING FUEL.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 UNDERWAY AS BEFORE. 1608 ALL LINES CLEAR, C/S 20
KTS, STANDING AWAY FROM TAPPAHANNOCK ENROUTE TO BAIE DE
PHAN RANG, C/C $\phi 27^{\circ}$ T. 1612 C/C 285° T, SECURED THE REFUELING
DETAIL. 1649 C/S 10 KTS. 1656 LET GO THE STARBOARD ANCHOR
IN 22 FATHOMS OF WATER, MUD BOTTOM, 60 FATHOMS OF CHAIN ON DECK
ON THE FOLLOWING RANGES: HON DO 14020 YDS, THON PHU THO 9520 YDS,
NUI DA DEN 6580 YDS, MUI DINH 12740 YDS. CONDUCTING GUNFIRE SUPPORT.

L.G. Lindgren, Jr.

L.G. LINDGREN, JR.

LT

USNR

20-24 ANCHORED AS BEFORE. 2228 UNDERWAY TO SHIFT ANCHORAGES. MANEUVERING
VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2258 ANCHORED IN 20 FATHOMS OF
WATER SAND BOTTOM WITH 60 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR
ON THE FOLLOWING ANCHORAGE RANGES: HON DO 11,770 YARDS, NUI QUIT 12,250
YARDS, LANG CO 7720 YARDS, NUI CHO BANG 15,650 YARDS, UUNG TRUN 8950
YARDS.

F.O. Dyches

F.O. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth

R.M. BUTTERWORTH, LT. (jg),

U. S. N.R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944) ZONE DESCRIPTION -8H DATE THURSDAY, 10 JULY, 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM PHAN RANG BAY TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>11° 14' N</u>	BY <u>2</u>	
λ <u>109° 16' E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 ANCHORED IN 21 FATHOMS OF WATER, MUD BOTTOM, WITH 6Φ FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: HON DO 11,77Φ YDS., NUI QUI 12,25Φ YDS., LANG CO 7,72Φ YDS., NUI CHO BANG 15,65Φ YDS., VUNG TRUN 895Φ YDS. PROVIDING GUNFIRE SUPPORT. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. SHIP IS DARKENED. 1A AND 2A BOILERS AND 2 AND 4 SHIP'S SERVICE GENERATORS ARE ON THE LINE. ENGINEERING DEPARTMENT ON ONE MINUTE'S NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. SOPA IS COMMANDING OFFICER THIS VESSEL.

S.F. Weston
S.F. WESTON, LTJG, USN

Φ4-Φ8 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. Φ74Φ MUSTERED THE CREW ON STATION. ABSENTEES: NONE

L.G. Lindgren Jr.
L.G. LINDGREN, JR.
LT USNR

Φ8-12 ANCHORED AS BEFORE. Φ813 UNDERWAY TO SHIFT ANCHORAGES, MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. Φ831 ANCHORED IN 2Φ FATHOMS OF WATER, SAND BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HON DO 11,92Φ YARDS, NUI QUI 12,14Φ YARDS, LANG CO 746Φ YARDS, NUI CHO BANG 15,21Φ YARDS, VUNG TRUN 8,9Φ YARDS.

F.O. Dyches
F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

USS MULLINEX (DD-944)DATE THURSDAY, 10 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1345 ANCHORS AWEIGH. 1347 C/S TO 5 KTS. 1349 C/S TO 10 KTS. 1350 C/C TO $\phi 90^{\circ}$ T. 1355 C/S TO 17 KTS. 1421 C/C TO $\phi 15^{\circ}$ T. 1423 LIGHTED FIRES UNDER 2B BOILER. 1425 C/C TO $\phi 3^{\circ}$ T. 1428 C/S TO 22 KTS. 1443 C/S TO 10 KTS. 1444 C/S TO 10 KTS. 1446 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 1455 WALKING OUT STARBOARD ANCHOR. 1500 ANCHORED 5300 YDS. OFF NUI BAU ONG GI IN 34 FATHOMS OF WATER, MUD BOTTOM, WITH 60 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: HON DEO 5280 YDS., NUI BAU ONG GI 5120 YDS., HON CHOING 8950 YDS., AND HON DO 11,600 YDS.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1655 COMMENCED HEAVING AROUND ON THE ANCHOR. 1700 ANCHOR IS AWEIGH. 1705 C/C 100° T, C/S 5 KTS. 1709 C/S 20 KTS. 1713 2B BOILER IS ON THE LINE. 1716 C/C 120° T. 1719 C/C 110° T. SECURED FIRES UNDER 2A BOILER. 1725 C/C 100° T. 1727 SECURED THE GUNFIRE SUPPORT TEAM, SET THE REARMING DETAIL. MANEUVERING TO TAKE STATION 500 YDS ASTERN OF U.S.S. VIRGO (AE 30). 1748 ON STATION. 1750 COMMENCED APPROACH ON VIRGO'S STARBOARD SIDE. REPLENISHMENT COURSE 210° T, SPEED 12 KTS. 1751 ALONGSIDE, FIRST LINE OVER. 1802 RECEIVED FIRST LOAD. 1943 ALL LINES CLEAR. C/S 20 KTS, C/C 220° T. 1944 C/S 16 KTS. 1945 C/S 12 KTS. 1947 C/C $\phi 16^{\circ}$ T. 1950 C/S 18 KTS. 1958 C/S 18.5 KTS.

L. G. Lindgren, Jr.

L. G. LINDGREN, JR.

LT USNR

20-24 UNDERWAY AS BEFORE. 2014 C/T $\phi 11$. 2109 C/T $\phi 35$. 2110 C/T $\phi 11$. 2125 C/T $\phi 05$. 2130 SIGHTED MONTRE LIGHT BEARING 357, DISTANCE 30 MILES. 2248 C/T $\phi 21$. 2317 C/T 9 KNOTS. 2330 C/T $\phi 24$.

F. D. Dyches

F. D. DYCHES, LT, USN

EXAMINED:

Rm Butterworth

R.M. BUTTERWORTH, LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE FRIDAY, 11 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM BAIE DE PHANG RANG, RVN TO PT. JOEY, RVN

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
1200		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.

REMARKS

0800-0800 UNDERWAY INDEPENDENTLY FROM ENROUTE FROM BAIE DE PHANG RANG, RVN TO PT. JOEY, RVN. COURSE 024°T. SPEED 9 KTS. CONDITION OF READINESS III AND MATERIAL CONDITION YORE ARE SET. 1A AND 2B BOILERS AND 2 AND 4 S/S GENERATORS ARE ON THE LINE. SHIP IS DARKENED WITH THE EXCEPTION OF NAVIGATION LIGHTS. SOPA IS COMMANDING OFFICER THIS VESSEL. 0215 C/C TO 000°T. 0345 C/C TO 357°T.

S.F. Weston
S.F. WESTON, LTJG, USN

0800-0800 UNDERWAY AS BEFORE. 0426 C/C 355°T. 0440 C/C 357°T. 0505 LIGHTED FIRES UNDER 1B BOILER. 0611 C/C 005°T. 0630 C/C 357°T. 0639 C/S 18 KTS. 0652 C/S 21 KTS. 0719 C/C 354°T. 0738 1B BOILER IS ON THE LINE. 0740 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0745 SECURED FIRES UNDER 1A BOILER. 0755 C/C 347°T.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

0800-1200 UNDERWAY AS BEFORE. 0825 C/C TO 304. 0843 C/C TO 297. 0845 C/S TO 22 KNOTS. 0846 STATIONED THE ANCHOR DETAIL. 0855 C/C TO 290. STATIONED THE GUNFIRE SUPPORT TEAM. 0900 C/C TO 295. 0901 C/C TO 298. MANUVERING VARIOUS COURSES AND SPEED FOR ANCHORAGE. 0923 ANCHORAGE SHIFTED BY NGLO. 0928 C/S TO 15 KNOTS C/C TO 130. 0932 C/S TO 20 KNOTS. 0954 C/C TO 196. 1027 C/C TO 254. 1030 C/C TO 253. 1032 C/S TO 15 KNOTS. 1033 MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1048 CAPTAIN AT THE CONN. 1052 ANCHORED IN QUI NHON BAY IN ACCORDANCE WITH VERBAL ORDER FROM COMMANDING OFFICER IN 8 FATHOMS OF WATER, SAND BOTTOM, WITH 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HAI KHAN 3960 YARDS, XDAN VAN 5920 YARDS, HOA DAT 5720 YARDS, POULO GAMBIR 14,960 YARDS.

F.O. Dyche
F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE FRIDAY, 11 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1454 STATIONED THE ANCHOR DETAIL. 1458 COMMENCED HEAVING AROUND ON THE STARBOARD ANCHOR. 1501 ANCHORS AWAY UNDERWAY IN ACCORDANCE WITH COMMANDING OFFICER'S VERBAL ORDERS. 1502 C/S TO 10 KTS. C/C TO 140°T. 1506 C/C TO 090°T. C/S TO 20 KTS. 1515 C/C TO 030°T. 1540 C/C TO 000°T.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 UNDERWAY AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1605 C/C 320°T. 1617 C/S 15 KTS. 1624 C/S 3 KTS. 1625 C/C 180°T. 1655 C/C 000°T, C/S 15 KTS. 1659 C/C 340°T, C/S 4 KTS. 1738 C/C 180°T. 1739 C/C 220°T, 1740 C/C 180°T. 1818 C/S 15 KTS, C/C 240°T. 1823 C/C 000°T, C/S 2 KTS. 1855 C/S 15 KTS, C/C 090°T. 1900 C/S 8 KTS, C/C 000°T. 1905 C/C 349°T. 1908 C/C 345°T. 1920 DARKENED SHIP. 1924 C/C 180°T. 1943 C/C 185°T.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

20-24 UNDERWAY AS BEFORE. 2017 C/C TO 355. 2026 C/C TO 350. 2028 C/C TO 245. 2058 C/C TO 355. 2112 C/C TO 000. 2116 C/C TO 183. 2135 C/C TO 177. 2137 C/C TO 173. 2148 C/C TO 180. 2211 C/C TO 000. 2215 C/C TO 3 KNOTS. 2259 C/C TO 8 KNOTS. 2345 C/C TO 180.

F.O. Dyches
F.O. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT. (JG)

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -8H DATE SATURDAY, 12 JULY 19 69
(Day) (Date) (Month)AT/PASSAGE FROM QUI NHON, RVN TO _____

POSITION	ZONE	TIME
0800		
L <u>14° 02' N</u>	BY <u>2</u>	
λ <u>109° 19' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>14° 02' N</u>	BY <u>2</u>	
λ <u>109° 19' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>13° 49'</u>	BY <u>2</u>	
λ <u>109° 21'</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0804 UNDERWAY INDEPENDENTLY IN THE VICINITY OF QUI NHON, RVN, IN GUNFIRE SUPPORT PATROL STATION BETWEEN UTM GRID COORDINATES CR 1742 AND CR 1758. BASE COURSE, 180°T - 0800°T. BASE SPEED 8 KTS. 1B AND 2B BOLLERS AND 1 AND 3 S/S GENERATORS ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. SHIP IS DARKENED. PROVIDING GUNFIRE SUPPORT. SOPA IS COMMANDING OFFICER THIS VESSEL. 2345 C/C TO 180°T. 0811 C/S TO 3 KTS. 0815 C/C TO 0800°T. 0827 C/S TO 8 KTS. 0831 C/S TO 3 KTS.

S.F. Weston
S.F. WESTON, LTJG, USN

0804-0808 UNDERWAY AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0808 C/S 8 KTS, C/C 180°T. 0858 C/C 0800°T. 0857 C/C 180°T. 0853 C/C 0800°T. 0845 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0853 C/C 180°T

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

0812 UNDERWAY AS BEFORE. 0801 C/C TO 197. 0804 C/S TO 10 KNOTS. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 0822 ANCHORED IN 28 FATHOMS OF WATER, SAND BOTTOM, IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER, WITH 60 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NUI DON 17, 350 YARDS, VINH HOI 10, 050 YARDS, THANH HI 7660 YARDS, PROVIDING GUNFIRE SUPPORT.

F.O. Dyches
F.O. DYCHES, LT, USN

12-16 ANCHORED AS BEFORE. 1235 COMMENCED HEAVING AROUND ON THE STARBOARD ANCHOR. 1240 ANCHORS AWEIGH. UNDERWAY TO SHIFT ANCHORAGE IN ACCORDANCE WITH COMMANDING OFFICER'S VERBAL ORDERS. 1242 MANEUVERING FOR ANCHORAGE. 1250 WALKING OUT STARBOARD ANCHOR TO 15 FATHOMS ON DECK. 1253 LET GO STARBOARD ANCHOR. 1255 ANCHORED IN 28 FATHOMS OF WATER, SAND BOTTOM, WITH 60 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: VINH HOI 10, 100 YDS., THANH HI 7940 YDS., CHANH OAI 6400 YDS. 1428 HEAVING AROUND ON THE STARBOARD ANCHOR. 1432 ANCHORS AWEIGH. UNDERWAY IN ACCORDANCE WITH COMMANDING OFFICER'S VERBAL ORDERS. 1435 C/S TO 5 KTS. 1437 C/S TO 10 KTS. C/C TO 140°T.

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINEX (DD-944)DATE SATURDAY, 12 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

1438 c/s TO 15 KTS. 1440 c/s TO 20 KTS. 1500 c/c TO 180°T. 1514 c/c TO 215°T. 1515 c/c TO 205°T. 1518 c/c TO 232°T. c/s TO 5 KTS. 1523 c/c TO 180°T.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 UNDERWAY AS BEFORE. 1609 c/s 15 KTS, c/c 000°T. 1611 c/s 5 KTS. 1652 WALKING OUT THE STARBOARD ANCHOR. 1654 ANCHORED IN 31 FATHOMS OF WATER, SAND BOTTOM, 60 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NIGHIEM KINH CHIEU 10550 YDS, HUI DA DEN 7950 YDS, COZAO HON KHO 10000 YDS. 1912 DARKENED SHIP.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

20-24 ANCHORED AS BEFORE. 2036 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER. 2037 c/s TO 000 2039 c/s TO 4 KNOTS. 2043 c/s TO 5 KNOTS. 2109 c/s TO 6 KNOTS. c/s TO 185. 2135 c/s TO 000. 2138 c/s TO 7 KNOTS. 2205 c/s TO 180. c/s TO 5.5 KNOTS. 2211 c/s TO 185. 2235 c/s TO 000. 2238 c/s TO 6.5 KNOTS. c/s TO 355. 2256 c/s TO 000. 2307 c/s TO 180. 2340 c/s TO 000. 2343 c/s TO 6 KNOTS.

F.D. Dyches
F.D. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE SUNDAY 13 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM VICINITY QUI NHON, RVN TO _____

POSITION	ZONE	TIME
0800		
L <u>14°23.5' N</u>	BY <u>2</u>	
λ <u>109°23' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>13°43' N</u>	BY <u>2</u>	
λ <u>109°16' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>13°49' N</u>	BY <u>2</u>	
λ <u>109°21' E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 STEAMING INDEPENDENTLY IN THE VICINITY OF QUI NHON, REPUBLIC OF VIETNAM, IN GUNFIRE SUPPORT PATROL STATION BETWEEN UTM GRID COORDINATES CR 2432 AND CR 2425. BASE COURSE ΦΦΦ°T-18Φ°T. BASE SPEED 5-7 KTS. 18 AND 28 BOILERS AND 1 AND 3 S/S GENERATORS ARE ON THE LINE. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. THE SHIP IS DARKENED. SOPA IS COMMANDING OFFICER THIS VESSEL. ΦΦ12 C/C TO 18Φ°T. ΦΦ23 C/S TO ~~6.5~~^{5.5} KTS. ΦΦ54 C/S TO 5 KTS. C/C ^{Spw} TO ΦΦΦ°T. Φ1Φ1 C/S TO 6.5 KTS. Φ137 C/C TO 18Φ°T. Φ145 C/S TO 5 KTS. Φ219 C/C TO ΦΦΦ°T. Φ222 C/S TO 7 KTS. Φ253 C/C TO 18Φ°T. Φ255 C/S TO 6 KTS. Φ316 C/C TO 175°T. Φ323 C/C TO 18Φ°T. Φ328 C/C TO ΦΦΦ°T. Φ334 C/S TO 5 KTS.

S.F. Weston
S.F. WESTON, LTJG, USN

Φ4-Φ8 UNDERWAY AS BEFORE. Φ425 C/C 185°T. Φ435 C/S 6 KTS. Φ443 C/C ΦΦΦ°T. Φ459 C/C Φ25°T, ENROUTE TO RENDEZVOUS WITH USS GUADALOUPE (AO 32). Φ5ΦΦ C/S 22 KTS. Φ5Φ2 C/C Φ4Φ°T. Φ5Φ8 TURNED ON NAVIGATION LIGHTS. Φ51Φ C/C ΦΦΦ°T. Φ526 C/C 356°T. Φ53Φ C/C 352°T. Φ643 STATIONED THE LIFE-GUARD DETAIL. Φ644 C/S 1Φ KTS. IN WAITING STATION 5ΦΦ YDS ASTERN OF GUADALOUPE. Φ7Φ9 C/S 15 KTS. Φ71Φ C/S 12 KTS. Φ711 C/S 15 KTS, SECURED THE LIFE GUARD DETAIL Φ715 C/C 17Φ°T. COMMENCING APPROACH ON GUADALOUPE'S STARBOARD SIDE. Φ719 ALONGSIDE. FIRST LINE OVER. Φ727 FIRST LOAD ON DECK. Φ729 RECEIVING FUEL. Φ818 ALL LINES CLEAR

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USN12

Φ8-12 UNDERWAY AS BEFORE. Φ819 C/C TO 179. Φ821 C/S TO 21 KNOTS. SECURED THE REPLENISHMENT DETAIL AND SET CONDITION OF READINESS III. Φ839 C/C TO 185. Φ842 C/S TO 18 KNOTS. C/S TO 2Φ KNOTS. Φ915 C/C TO 182. Φ916 C/C TO 18Φ. Φ953 C/C TO 2Φ5. Φ953 C/C TO 2Φ5. Φ954 C/C TO 2Φ8. Φ956 C/C TO 2Φ1. 1ΦΦ4 C/C TO 194. C/C TO 192. 1ΦΦ9 C/S TO 15 KNOTS. 1Φ12 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. STATIONED THE GUNFIRE SUPPORT TEAM. STATIONED THE ANCHOR DETAIL. 1Φ26. ANCHORED AT QUI NHON IN 1Φ FATHOMS OF WATER, SAND BOTTOM, WITH 3Φ FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: MUI YEN 452Φ YARDS, POINTE SUD 62ΦΦ YARDS, HOI POI 565Φ YARDS, HON DAT 478Φ YARDS. PROVIDING GUNFIRE SUPPORT.

F.D. Dyckes
F.D. DYCKES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE SUNDAY, 13 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1320 COMMENCED HEAVING AROUND ON THE STARBOARD ANCHOR. 1323 ANCHORS AWEIGH. UNDERWAY IN ACCORDANCE WITH COMMANDING OFFICER'S VERBAL ORDERS. 1325 C/S TO 5 KTS. C/C TO 059°T. 1331 C/S TO 2 KTS. 1336 C/C TO 050°T. 1346 C/S TO 10 KTS. 1347 C/S TO 18 KTS. 1400 C/S TO 16 KTS. 1403 C/C TO 021°T. 1433 C/C TO 330°T. 1435 C/S TO 20 KTS. 1447 C/C TO 325°T. 1457 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 1522 COMMENCED WALKING OUT THE STARBOARD ANCHOR. 1528 ANCHORED OFF THE COAST OF CHANH THIEN IN 20 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: HON TRAU 5650 YDS., VINH LOI 5050 YDS., AND HON HEO 9900 YDS.

S.F. Weston

S.F. WESTON, LTJG, USN

16-18 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1720 HEAVING AROUND ON THE STARBOARD ANCHOR. 1724 UNDERWAY ENROUTE TO THE VICINITY OF QUI NHON. C/C 150°T, C/S 10 KTS. 1730 C/S 15 KTS.

L.G. Lindgren, Jr.

L.G. LINDGREN, JR.

LT USNR

18-20 UNDERWAY AS BEFORE. 1800 C/C TO 145. 1826 C/C TO 180. ~~C/S TO 10 KTS~~ 1832 C/C TO 190. 1839 C/C TO 195. 1845 C/C TO 185. 1846 C/C TO 180. 1847 C/C TO 185. 1848 C/C TO 175. 1850 C/C TO 180. 1859 C/C TO 175. 1903 C/C TO 000. 1907 C/C TO 005. 1908 C/C TO 015. 1910 C/C TO 000. C/S TO 7 KNOTS. 1915 DARKENED SHIP. 1924 C/C TO 180. 1925 C/S TO 7.5 KNOTS. 1931 C/S TO 5 KNOTS. 1935 C/C TO 200. 1938 C/C TO 203. 1940 C/C TO 205. 1945 C/C TO 201.

F.O. Dyches

F.O. DYCHES, LT, USN

20-24 UNDERWAY AS BEFORE. 1959 C/C TO 201°T. 2020 C/S TO 2 KTS. 2023 C/C TO 000°T. C/S TO 1 KT. 2059 COMMENCED PROVIDING GUNFIRE SUPPORT. 2120 C/S TO 4 KTS. C/C TO 005°T. ASSUMED GUNFIRE SUPPORT PATROL STATION VICINITY OF QUI NHON. BASE COURSE 000°T - 180°T. 2220 C/C TO 180°T. 2333 C/C TO 000°T.

S.F. Weston

S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LT, JG

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944) ZONE DESCRIPTION -8H DATE MONDAY, 14 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM QUI NHON, RVN TO _____

POSITION	ZONE	TIME
0800		
L <u>13°44' N</u>	BY <u>2</u>	
λ <u>109°17' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>13°-44' N</u>	BY <u>2</u>	
λ <u>109°-19' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>13°-57' N</u>	BY <u>2</u>	
λ <u>109°-18' E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY IN THE VICINITY OF QUI NHON, REPUBLIC OF VIETNAM, IN GUNFIRE SUPPORT PATROL STATION BETWEEN VTM GRID COORDINATES CR 2330 AND CR 2320. BASE COURSE 180°T, SPEED 4 KTS. 1B AND 2B BOILERS ARE ON THE LINE, #1 AND #3 S/S GENERATORS. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. THE SHIP IS DARKENED. 0030 C/C 000°T. 0036 C/S 4.5 KTS. 0057 C/C 180°T. 0155 C/C 005°T. 0207 C/S 5 KTS. 0257 C/C 180°T. 0304 C/S 4.5 KTS. 0335 C/S 4 KTS. 0355 C/C 005°T.

L. G. Lindgren, Jr.
L. G. LINDGREN, Jr.
LT USNR

04-08 UNDERWAY AS BEFORE. 0458 C/S TO 4.5 KNOTS. 0506 C/C TO 000. 0527 C/C TO 180. 0537 C/S TO 5 KNOTS. 0604 C/C TO 170. C/S TO 6 KNOTS. 0605 C/C TO 180. 0609 C/C TO 000. 0642 C/S TO 5 KNOTS. 0650 C/C TO 180. 0706 LIT FIRES UNDER 2A BOILER. 0733 C/C TO 230. C/S TO 10 KNOTS. 0737 C/C TO 220. 0738 C/C TO 220. 0745 MUSTERED THE CREW ON STATION; ABSENTEES: NONE. 0747 C/C TO 255. 0749 C/C TO 250. 0750 C/C TO 255.

F. O. Dyche
F. O. DYCHES, LT, USN

08-12 UNDERWAY AS BEFORE. 0803 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS. 0955 BROUGHT 1A BOILER ON THE LINE. 0957 SECURED FIRES UNDER 2A BOILER. 1010 ANCHORED OFF COAST OF QUI NHON IN 25 FATHOMS OF WATER, MUD BOTTOM, WITH 60 FATHOMS OF CHAIN ON DECK TO THE STRD. ANCHOR, ON FOLLOWING RANGES: CHANH OAI 8750 YDS, THANH HI 6350 YDS, VINH HOI 3050 YDS, NAE DOM 8320 YDS. 1100 PROVIDING GUNFIRE SUPPORT. 1000 HELD CAPTAIN'S MAST: FN LOUIS VARGAS, USN, 8151943, ART. 86 UCMJ, ABSENT FROM APPOINTED PLACE OF DUTY. AWARDED 60 DAYS RESTRICTION AND 45 DAYS EXTRA DUTY. BM3 RONNIE E. GANN, USN, 8516175, ART. 121 UCMJ, POSSESSION OF ONE PERCUSSION HAND GRENADE. AWARDED REDUCTION TO NEXT INFERIOR PAY GRADE. SUSPENDED FOR 3 MONS. AND 30 DAYS EXTRA DUTY. SN GARY L. DAUPHINAIS, USN, 8528190, ART. 121 UCMJ, WRONGFUL APPROPRIATION OF ONE PERCUSSION HAND GRENADE. AND ART. 92, UCMJ, POSSESSION OF ONE PERCUSSION HAND GRENADE. AWARDED RESTRICTION TO THE SHIP FOR 30 DAYS. FTG-2 PAUL O. CAIL, USN, 773518, ART. 86, UCMJ, ABSENT FROM APPOINTED PLACE OF DUTY; AWARDED RESTRICTION TO THE SHIP FOR 40 DAYS.

S. F. Weston
S. F. WESTON, LTJG, USN

12-16 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

L. G. Lindgren, Jr.
L. G. LINDGREN, Jr.
LT USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLENIX (DD-944)DATE MONDAY, 14 JULY 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE, 1915 DARKENED SHIP.F.D. Dykes
F.D. DYKES, LT, USN20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT, 2039 ANCHORS
AWAY. 2045 ~~ON~~ UNDERWAY IN ACCORDANCE WITH COMMANDING OFFICER'S
VERBAL ORDERS. 2045 C/L TO 119°T. 2048 C/S TO 10 KTS. 2102 TURNED ON NAVI-
GATION LIGHTS. 2107 C/L TO 118°T. 2119 C/L TO 180°T. C/S TO 4 KTS. ASSUMED
GUNFIRE SUPPORT PATROL STATION. 2121 TURNED OFF NAVIGATION LIGHTS.
2155 C/L TO 183°T. 2222 C/L TO 180°T. 2232 C/L TO 000°T. 2239 C/L TO
345°T. 2246 C/L TO 000°T. 2345 C/L TO 180°T.S.F. Weston
S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LTJG

U. S. N. K. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944) ZONE DESCRIPTION -8H DATE TUESDAY, 15 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM QUI NHON, RVN TO OKINAWA

POSITION	ZONE	TIME
0800		
L <u>14°-47' N</u>	BY <u>2</u>	
λ <u>111°-10' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>15°-21' N</u>	BY <u>2</u>	
λ <u>112°-15' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16°-46' N</u>	BY <u>2</u>	
λ <u>114°-29' E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0845 STEAMING INDEPENDENTLY IN THE VICINITY OF QUI NHON, REPUBLIC OF VIETNAM, IN GUNFIRE SUPPORT PATROL STATION. BASE COURSE 180°T, SPEED 4 KTS. 1B AND 2A BOILERS, #1 AND #3 S/S GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS ~~IN~~ ARE SET. THE SHIP IS DARKENED. 0853 C/C 0800T. 0920 C/C 0620T, C/S 19.1 KTS. TURNED ON NAVIGATION LIGHTS EXCEPT STERN LIGHTS. 0923 TURNED ON STERN LIGHT. SECURED THE GUNFIRE SUPPORT TEAM.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr.
LT USNR

0845-0858 UNDERWAY AS BEFORE. 0700 LIT FIRES UNDER 1A BOILER. 0740 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE

F.D. Oyches
F.D. OYCHES, LT, USN

0858-12 UNDERWAY AS BEFORE. 0909 BROUGHT 1A BOILER ON THE LINE. 0914 SECURED FIRES UNDER 1B BOILER.

S.F. Weston
S.F. WESTON, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1524 C/L TO 056°T.

F.A. Kerrigan Jr.
F.A. KERRIGAN JR.
LTJG USNR

1620 UNDERWAY AS BEFORE

D.M. Twonny
D.M. TWONNY
LTJG USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)

DATE TUESDAY, 15 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2029 C/G TO 058°T.

S.F. Weston

S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth

R.M. BUTTERWORTH, LTJG,

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX DD-944 ZONE DESCRIPTION -8H DATE WED 16 July 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM QUI NHON, RVN TO OKINAWA

POSITION	ZONE	TIME
0800		
L <u>18°53'N</u>	BY <u>2</u>	
λ <u>118°03'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>19°31'N</u>	BY <u>2</u>	
λ <u>119°01'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>21°08'N</u>	BY <u>1</u>	
λ <u>121°14'E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY ENROUTE BUCKNER BAY OKINAWA, BASE COURSE 058°T, BASE SPEED 19.1 KTS. OTC IS USS MULLINNIX, SOPA IS USS MULLINNIX, FLAGSHIP IS USS MULLINNIX. BOILERS 1-A & 2-A, GENERATORS 1 & 3 ON THE LINE, PLANT IS SPLIT, SHIP DARKENED, MATERIAL CONDITION YOKE, CONDITION III, GUNS MANVED ONE, EMCON CONDITION ECHO.

[Signature]
F. A. KERRIGAN JR
LTJG USNR

04-08 UNDERWAY AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

[Signature]
D M TUOHY
LTJG USNR

08-12 UNDERWAY AS BEFORE. 0843 C/C TO 055°T.

[Signature]
S. F. WESTON, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1419 HIGH WATER CASUALTY 2A BOILER. 1431 2A BACK.

[Signature]
F. A. KERRIGAN JR
LTJG USNR

16-20 UNDERWAY AS BEFORE

[Signature]
D M TUOHY
LTJG USNR

20-24 UNDERWAY AS BEFORE. 2349 C/C TO 080°T. 2350 C/C TO 070°T. 2354 C/C TO 051°T.

[Signature]
S. F. WESTON, LTJG, USN

EXAMINED

[Signature]
R. M. BUTTERWORTH, LTJG U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX DD944 ZONE DESCRIPTION -9T DATE THURSDAY 17 July 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM QUI NHON RUN TO OKINAWA

POSITION	ZONE	TIME
0800		
L <u>23°08.5' N</u>	BY <u>1</u>	
λ <u>124°04' E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>23°56' N</u>	BY <u>2</u>	
λ <u>125°13' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>25°49' N</u>	BY <u>2</u>	
λ <u>127°42' E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY EN ROUTE FROM QUI NHON RUN TO OKINAWA. BASE COURSE 051°T BASE SPEED 19.1 KTS. OTC \$ SODA USS MULLINIX DD944. 1A & 2A BOILERS AND 1 & 3 GENERATORS ON THE LINE. PLANT IS SPIT SHIP IS DARKENED EXCEPT NAVIGATION LIGHTS YORES SET. CONDITION OF READINESS III. EMCON CONDITION ECHO. 0000 ADVANCED ALL CLOCKS ONE HOUR TO CONFORM WITH -9I TIME ZONE.

J. K. Ryan
FAKERRIGAN
LTJG USNR

04-08 UNDERWAY - AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

D. M. Tuohy
DM TUOHY
LTJG USNR

08-12 UNDERWAY AS BEFORE. 0829 C/S TO 20 KTS.

S. F. Weston
S.F. WESTON, LTJG, USN

12-16 UNDERWAY AS BEFORE. C/S TO 21.1 KTS. 1400 SOUNDED GENERAL QUARTERS DRILL.

J. K. Ryan
FAKERRIGAN JR
LTJG USNR

16-20 UNDERWAY AS BEFORE, SECURED FROM GENERAL QUARTERS

D. M. Tuohy
DM TUOHY
LTJG USNR

EXAMINED

R. M. Butterworth
R. M. BUTTERWORTH, LTJG U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLENNIX (DD-944)DATE THURSDAY, 17 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

20 - 24 UNDERWAY AS BEFORE. 1959 C/C TO $\phi 54^{\circ}T$. 2002 C/C TO $\phi 51^{\circ}T$.
 2032 RAISED KUDAKA SHIMA LIGHT, BEARING $\phi 12^{\circ}T$, RANGE 15.4 MILES.
 2102 C/S TO 20 KTS. 2111 C/C TO $\phi \phi \phi^{\circ}T$. 2118 RAISED TSUKEN SHIMA LIGHT
 BEARING $337^{\circ}T$, RANGE 11 MILES. 2144 C/C TO $267^{\circ}T$. C/S TO 10 KTS.
 2148 C/C TO $264^{\circ}T$. 2149 C/C TO $261^{\circ}T$. 2151 C/S TO 15 KTS. 2152
 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL. 2153 C/C TO $259^{\circ}T$.
 2202 C/S TO 10 KTS. 2211 MANEUVERING ON VARIOUS COURSES AT VAR-
 IOUS SPEEDS STANDING INTO BUCKNER BAY, OKINAWA. 2247 MOORED
 STARBOARD SIDE TO, NAVY FUELING PIER, BUCKNER BAY, OKINAWA,
 WITH STANDARD MOORING LINES DOUBLED. 2257 SECURED THE SPECIAL
 SEA AND ANCHOR DETAIL. 2308 COMMENCED RECEIVING FUEL ~~P~~ FORE ~~S~~
 AND AFT. $\phi \phi 25$ SECURED REFUELING. $\phi \phi 30$ STATIONED THE SPECIAL
~~S~~ SEA ~~A~~ AND ANCHOR DETAIL. $\phi \phi 43$ ALL LINES CLEAR. UNDERWAY ENROUTE
 OKINAWA TO KOBE, JAPAN IN ACCORDANCE WITH COMSEVENTHFLT'S
~~S~~ QUARTERLY OP. SCHEDULE. ~~O~~ $\phi \phi 45$ MANEUVERING ON VARIOUS COURSES
 AT VARIOUS SPEEDS STANDING OUT OF BUCKNER BAY. $\phi 105$ STATIONED
 THE LOW VISIBILITY NAVIGATION DETAIL. $\phi 145$ SECURED THE SPEC-
 IAL SEA AND ANCHOR DETAIL. C/S TO 22 KTS. C/C TO $\phi 58^{\circ}T$.

S.F. Weston
 S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth
 R.M. BUTTERWORTH, LTJG

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX DD944 ZONE DESCRIPTION -9I DATE FRIDAY 18 July 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM OKINAWA TO KOBE JAPAN

POSITION	ZONE	TIME
0800		
L <u>27°50'N</u>	BY <u>2</u>	
λ <u>129°47'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>28°55'N</u>	BY <u>2</u>	
λ <u>130°49'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>31°28'N</u>	BY <u>2</u>	
λ <u>132°53'E</u>	BY <u>2</u>	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

00-04 UNDERWAY FROM OKINAWA TO KOBE JAPAN. OTC 500A USS MULLINIX
BASE COURSE 058°T SPEED 20KTS. 1A & 2A BOILERS 1 & 3 GENERATORS
ON THE LINE. PLANT IS SPLIT. SHIP IS DARKENED MATERIAL
CONDITION YOKE IS SET. CONDITION OF READINESS III. EMC ON
CONDITION ECHO. 0312 C/C TO 043°T. 0342 C/C 044°T

F. A. Kerrigan Jr.
FA KERRIGAN JR
LTJG USNR

04-08 UNDERWAY AS BEFORE 0431 C/C 065°T 0441 C/C 041°T 0617 C/C 043°T
0713 C/C 045°T

D. M. Tuohy
DM TUOHY
LTJG USNR

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STA-
TION. ABSENTEES: NONE. 0933 C/C TO 037°T.

S. F. Weston
S. F. WESTON, LTJG, USNR

12-16 UNDERWAY AS BEFORE. 1437 C/C 036°T

F. A. Kerrigan Jr.
FA KERRIGAN JR
LTJG USNR

16-20 UNDERWAY AS BEFORE 1637 C/C 025°T 1641 C/C 036°T 1841 C/C 037°T

D. M. Tuohy
DM TUOHY
LTJG USNR

~~20-24 UNDERWAY~~

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)

DATE FRIDAY, 18 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2026 C/S TO 20 KTS.

S.F. Weston

S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX DD944 ZONE DESCRIPTION -9I DATE SAT 19 July 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM OKINAWA TO KOBE JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 ENROUTE TO KOBE JAPAN ON BASE COURSE 039°T SPEED 20 KTS. STEAMING INDEPENDENTLY 1A & 2B BOILERS 1 & 3 GENERATORS ON THE LINE. PLANT IS SPLIT, SHIP IS DARKENED MATERIAL CONDITION YOKE IS SET, CONDITION OF READINESS III FACON CONDITION ECHO. 0045 SIGHTED MUROTO ZAKI LIGHT 004°T 30 MILES. 0121 C/C TO 032°T C/S TO 18 KTS. 0138 C/C TO 047°T TO AVOID SHIPPING. 0147 C/C TO 032°T. 0246 C/C TO 030°T.
FAKERIGAN JR LTJG USNR

04-08 UNDERWAY AS BEFORE. 0445 SIGHTED I SHIMA LIGHT 046°T 18 mi. 0410 SIGHTED KAMAYA SAKI LIGHT 047°T 16.5 mi. 0422 SIGHTED HINO MISKAI LIGHT 036°T 18.5 mi. 0455 C/C 030°T C/S 15 KTS. 0646 C/C 015°T 0648 C/C 010°T 0655 C/C 000°T 0704 C/C 011°T 0717 C/C 050°T 0718 C/C 049°T 0720 C/C 048°T 0735 C/C 044°T
DMTucker
DMTucker
LTJG USNR

08-12 UNDERWAY AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0746 C/S TO 5 KTS. C/C TO 040°T. 0749 C/S TO 13 KNOTS. 0751 C/C TO 025°T. 0754 C/C TO 010°T. 0755 C/C TO 000°T. 0802 C/C TO 048°T. 0803 C/C TO 050°T. 0826 C/S TO 8 KNOTS. 0845 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL. 0855 C/S TO 16 KNOTS. 0902 C/C TO 330°T. 0906 C/C TO 318°T. 0908 C/C TO 325°T. 0911 C/C TO 331°T. 0915 C/C TO 355°T. 0916 C/S TO 5 KNOTS. 0918 C/C TO 317°T. C/S TO 10 KTS. 0920 C/C TO 300°T. 0923 ALL STOP. 0937 QUARANTINE BOAT ALONGSIDE PORT QUARTER. QUARANTINE OFFICERS ON BOARD. 0954 QUARANTINE OFFICERS DEPARTED SHIP. 1012 PILOT BOAT ALONGSIDE PORT QUARTER. PILOT, CAPTAIN SASAKI, IS ABOARD. 1015 C/S TO 5 KNOTS. 1016 C/S TO 10 KTS. 1017 C/C TO 055°T. 1020 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO STAND INTO INNER HARBOR, KOBE, JAPAN. 1041 HARBOR TUG ALONGSIDE TO PORT. 1056 MOORED STARBOARD SIDE TO PIER NR. 6, BERTH WHESKEY, KOBE, JAPAN, WITH STANDARD MOORING LINES DOUBLED. 1103 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.
S.F. WESTON
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)

DATE SATURDAY 19 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 MOORED AS BEFORE.

F. O. Dyches
F. O. DYCHES, LT, USN

16-20 MOORED AS BEFORE.

F. O. Dyches
F. O. DYCHES

20-24 MOORED AS BEFORE.

F. O. Dyches
F. O. DYCHES, LT, USN

EXAMINED:

Rim Butterworth
Rim. BUTTERWORTH, LTJG U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -9I DATE SUNDAY 20 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM KOBE, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
1200		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER #6 KOBE, JAPAN WITH STANDARD MOORING LINES DOUBLED. BOILER 1B AND 1 AND 2 ^S GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKO AND CONDITION OF READINESS V ARE SET. SOPA IS COMMANDING OFFICER USS PERRY (DD-844). SHIPS PRESENT INCLUDE USS PERRY (DD-944) AND VARIOUS MERCHANT VESSELS.

F.O. Dyche
F.O. DYCHES, LT, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

F.O. Dyche
F.O. DYCHES, LT, USN

08-12 MOORED AS BEFORE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

12-16 MOORED AS BEFORE. 1335 CALLED AWAY DUTY FIRE PARTY, FIRE ON THE PIER, 1342 FIRE IS OUT, SECURED FIRE PARTY EXCEPT FOR REFLASH WATCH. CAUSE OF FIRE UNKNOWN. CLASS "A" FIRE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

16-20 MOORED AS BEFORE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

20-24 MOORED AS BEFORE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

EXAMINED
R.M. Butterworth
R.M. BUTTERWORTH, LSG U. S. N.R. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

Lined area for recording deck log remarks.

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -9I DATE MONDAY 21 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM KOBE, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

00-04 MOORED STARBOARD TO PIER #6 KOBE, JAPAN USING STANDARD MOORING LINES DOUBLED. #1B BOILER AND #1 & #3 GENERATORS IN USE FOR SHIPS POWER. SHIPS PRESENT INCLUDE MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS V ARE SET. SOPA IS COMMANDING OFFICER, U.S.S. PERRY (DD 844).

L.G. Lindgren, Jr.
L.G. LINDGREN, JR. LT, USNR

04-08 MOORED AS BEFORE. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES: GANN, RONNIE E., B51 61 75, BM3, USN, UA SINCE 0100 THIS DATE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR., LT, USNR

08-12 MOORED AS BEFORE

J.C. Danner
J.C. DANNER
LT USN

12-16 MOORED AS BEFORE 1429 GANN, RONNIE (NMN), B51 61 75, BM3 RETURNED ON BOARD HAVING BEEN UA SINCE 0100 THIS DATE

J.C. Danner
J.C. DANNER
LT USN

16-20 MOORED AS BEFORE

J.C. Danner
J.C. DANNER
LT USN

20-24 MOORED AS BEFORE

J.C. Danner
J.C. DANNER
LT USN

EXAMINED

R.M. Butterworth
R.M. BUTTERWORTH, LTJG

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX DD-944 ZONE DESCRIPTION -9I DATE TUESDAY ^{22 AMB} 22 JULY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM KOBE, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>33° 37' N</u>	BY <u>2</u>	
λ <u>130° 10' E</u>	BY <u>2</u>	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER #6 KOBE JAPAN USING STANDARD MOORING LINES DOUBLED. #1 & #3 S/S GENERATORS IN USE FOR SHIPS POWER SHIPS PRESENT INCLUDE UNITS OF THE SEVENTHFLT AND MERCHANT VESSELS, MATERIAL CONDITION YOKE AND READINESS CONDITION F SET. SOPA IS COMMANDING OFFICER USS PERRY (DD-844)

J. Danner
J. DANNER
LT USN

04-08 MOORED AS BEFORE 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE

J. Danner
J. DANNER
LT USN

08-12 MOORED AS BEFORE 0930 SET THE SEA DETAIL. PILOT ONBOARD. CAPTAIN AT THE COMM NAVIGATOR ON THE BRIDGE. 0919 UNDERWAY FOR YOKOSUKA IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE 1015 STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CLEAR THE HARBOR. 10430 SECURED THE SEA DETAIL BASIC COURSE 228° AT 19KTS. 1154 @ 195°

J. Danner
J. DANNER
LT USN

12-16 UNDERWAY AS BEFORE. 1203 C/C 186°T. 1206 C/C 193°T. 1208 C/C 182°T. 1228 C/C 175°T. 1232 C/C 182°T. 1317 C/C 150°T. 1320 C/C 182°T. 1332 WENT TO GENERAL QUARTERS. SET CONDITION ZEBRA. 1356 C/C 126°T. 1405 C/C 150°T. 1417 SET MATERIAL CONDITION YOKE. 1421 C/S 19 KTS. 1422 C/S 17 KTS. 1423 SECURED FROM GENERAL QUARTERS SET CONDITION III WATCH.

L. G. Lindgren, Jr.
L. G. LINDGREN, Jr.
LT USNIR

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)

DATE TUESDAY 22 JULY, 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

~~200~~ 16-20 UNDERWAY AS BEFORE. 1611 γ CTO ϕ 90 1700 γ STO 15 KNOTS. ~~#~~ 1724
 γ CTO ϕ 65.

F. O. Oychee
F. O. OYCHES, LT, USN

20-24 UNDERWAY AS BEFORE. 2238 γ C 095 2317 γ C 050 2338 γ C
065

J. C. Danner
J. C. DANNER
LT USN

EXAMINED:
R. M. Butterworth
R. M. BUTTERWORTH, LTJG U. S. N. & NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -9I DATE WEDNESDAY 23 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM KOBE, JAPAN TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 STEAMING IN COMPANY WITH U.S.S. PERRY (DD 844) ENROUTE FROM KOBE, JAPAN, TO YOKOSUKA, JAPAN, IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OPSCHED. BASE COURSE 065°T, SPEED 15.5 KTS. THIS SHIP IS GUIDE. COMMANDING OFFICER, USS PERRY IS SOPA AND OTC. 1B AND 2B BOILERS, #2 AND #3 S/S GENERATORS ARE ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED EXCEPT FOR RUNNING LIGHTS. 0800 SIGHTED OMAI ZAKI LIGHT BEARING 034°T, 0111 C/S 16.5 KTS. 0205 C/C 068°T, 0233 C/C 065°T. 0236 SIGHTED IRO SAKI LIGHT BEARING 043°T, 21.4 MILES. 0348 SIGHTED CHIGA SAKI LIGHT BEARING 050°T, 26.7 MILES.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

04-08 UNDERWAY AS BEFORE. 0526 1/2 TO 057. 0550 1/2 TO 060. 0554 1/2 TO 065. 0559 1/2 TO 057. 0623 1/2 TO 052. 0627 1/2 TO 057. 0703 1/2 TO 021. 0716 1/2 TO 030. 0723 1/2 TO 021. 0725 1/2 TO 010. 0726 1/2 TO 358. 0741 1/2 TO 350. 0743 1/2 TO 340. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0746 1/2 TO 10 KNOTS. 0750 STATIONED THE LOW VISIBILITY NAVIGATIONAL DETAIL. 0753 1/2 TO 305. 0755 1/2 TO 5 KNOTS. 0756 1/2 TO 290.

F. O. Dyches
F. O. DYCHES, LT, USN

08-12 UNDERWAY AS BEFORE. 0800 STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE MANEUVERING IN TOKYO WAN. 0837 ANCHORED IN ANCHORAGE A-12 YOKOSUKA, JAPAN IN 30 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR. 0900 COMMENCED REARMING. 1037 RECEIVED PILOT ON BOARD. 1104 UNDERWAY FOR PIER, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1130 MOORED STARBOARD SIDE TO USS PERRY (DD-844) ALONG SIDE USS D. H. FOX (DD-701) PIER 7 YOKOSUKA JAPAN. 1131 SECURED THE SEA DETAIL.

J. C. Danner
J. C. DANNER
LT USN

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)

DATE WEDNESDAY 23 JULY 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 MOORED AS BEFORE.

F. D. Dyches
F. D. DYCHES, LT, USN

16-20 MOORED AS BEFORE.

F. D. Dyches
F. D. DYCHES, LT, USN

20-24 MOORED AS BEFORE.

F. D. Dyches
F. D. DYCHES, LT, USN

EXAMINED:

R. M. Butterworth

R. M. BUTTERWORTH, LTJG

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -9I DATE THURSDAY 24 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO USS PERRY (DD-844) IN A NEST OF THREE DESTROYERS AT BERTH 7, PIER 6, U.S. NAVAL BASE YOKOSUKA, JAPAN WITH STANDARD MOORING LINES DOUBLED. USS FOX (DD-779) IS MOORED INBOARD USS PERRY. THE SHIP IS ON COLD TROU AND RECEIVING ALL SERVICES FROM THE PIER. CONDITION OF READINESS V AND MATERIAL CONDITION YOKE ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET YARD AND DISTRICT CRAFT. SOPA IS COMDESRON THREE EMBARKED IN USS MAHAN (DLG-11).

F. D. Dyche
F. D. DYCHE, LT, USN

Ø4-Ø8 MOORED AS BEFORE. Ø74Ø MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE.

F. D. Dyche
F. D. DYCHE, LT, USN

Ø8-12 MOORED AS BEFORE

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

12-16 MOORED AS BEFORE

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

16-2Ø MOORED AS BEFORE

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

2Ø-24 MOORED AS BEFORE

L. G. Lindgren, Jr.
L. G. LINDGREN, JR., LT, USNR

EXAMINED

R. M. Butterworth
R. M. BUTTERWORTH, LT. JG

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944) ZONE DESCRIPTION -9I DATE FRIDAY, 25 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO U.S.S. PERRY (DD-844) IN A NEST OF THREE SHIPS AT BERTH 7, PIER 6, U.S. NAVAL BASE, YOKOSUKA, JAPAN, WITH STANDARD MOORING LINES DOUBLED. SHIPS IN THE NEST FROM INBOARD ARE U.S.S. DOUGLAS H. FOX (DD 779), PERRY, AND THIS SHIP. THE SHIP IS COLD IRON, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS I ARE SET. SOPA IS COMDESRON 3 EMBARKED IN U.S.S. MAHAN (DLG-11).

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

Ø4-Ø8 MOORED AS BEFORE. Ø74Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: WARRELL, GEORGIE S., B21 43 61, SN, USN, UA SINCE Ø73Ø, THIS DATE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR.
LT USNR

Ø8-12 MOORED AS BEFORE.

F.D. Dyches
F.D. DYCHES, LT, USN

12-16 MOORED AS BEFORE.

F.D. Dyches
F.D. DYCHES, LT, USN

16-2Ø MOORED AS BEFORE. 1825 WARRELL, GEORGE, S. B21 43 61 SN USN RETURNED TO THE SHIP HAVING BEEN UA SINCE Ø73Ø THIS DATE.

F.D. Dyches
F.D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG--REMARKS SHEET

USS MULLINIX (DD-944)

DATE FRIDAY 25 JULY 1969
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 MOORED AS BEFORE.

F.D. Dykes
F.D. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -9I DATE SATURDAY 26 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 MOORED STARBOARD SIDE TO USS PERRY (DD-844) IN A
NEST OF THREE SHIPS AT BERTH 7 U.S. NAVAL BASE, YOKOSUKA
JAPAN USING STANDARD MOORING LINES DOUBLED WITH 1" WIRE
OUT FORWARD AND 6" NYLON OUT AFT. SHIPS IN NEST ARE USS
D. H. FOX (DD-729) USS PERRY (DD-844) AND THIS SHIP #1 AND #2
G/S GENERATORS IN USE FOR SHIPS POWER. SHIPS PRESENT INCLUDE
VARIOUS UNITS OF THE US PACIFIC FLEET. MATERIAL CONDITION
GOOD AND READINESS CONDITION ARE SET SDPA IS
COMBESRON 3 EMBARKED IN USS MAHAN (DDG-11)

J. Danner
J. C. DANNER, LT USN

08-08 MOORED AS BEFORE 0705 MUSTERED THE CREW
ON STATION ABSENTEES: NONE

J. Danner
J. C. DANNER, LT USN

08-12 MOORED AS BEFORE. 1130 LIT FIRES UNDER 2B BOILER

F. D. Dyches
F. D. DYCHES, LT USN

12-16 MOORED AS BEFORE. 1430 BROUGHT 2B BOILER ON THE LINE

F. D. Dyches
F. D. DYCHES, LT USN

16-20 MOORED AS BEFORE. 1815 CAST OF FLOATING CRANE

F. D. Dyches
F. D. DYCHES, LT USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)

DATE SATURDAY 26 JULY, 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE.

F. D. Dyches
F. D. DYCHES, LTJG, USN

EXAMINED:

Rm Butterworth
R. M. BUTTERWORTH, LTJG

U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -9I DATE SUNDAY 27 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
1200		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~0800~~ ~~ON COLO IRON AND RECEIVING BOILER 2B AND 1 AND 2 3/4 GENERATORS~~
 08-04 MOORED STARBOARD SIDE TO USS PERRY (DD-844) IN A NEST OF THREE DESTROYERS AT BERTH 7, PIER 6 US NAVAL BASE, YOKOSUKA, JAPAN, WITH STANDARD MOORING LINES DOUBLED, SHIPS IN THE NEST FROM INBOARD ARE USS DOUGLAS H. FOX (DD-779), USS PERRY AND THIS SHIP. THE SHIP IS ARE ON THE LINE. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS ARE SET. SOPA IS COMDESRON 3 EMBARKED IN USS MAHAN (DLG-11).

F.D. Dyche
F.D. DYCHES, LT, USN

08-08 MOORED AS BEFORE. 0730 40-47 MOORED ALONGSIDE TO PORT.
 08-12 MUSTERED THE CREW AT QUARTER ON STATION; ABSENTEES NONE.

F.D. Dyche
F.D. DYCHES, LT, USN

08-12 MOORED AS BEFORE. 1043 40-47 IS UNDERWAY.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR., LT, USNR

12-16 MOORED AS BEFORE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR., LT, USNR

16-20 MOORED AS BEFORE.

L.G. Lindgren, Jr.
L.G. LINDGREN, JR., LT, USNR

20-24 MOORED AS BEFORE

L.G. Lindgren, Jr.
L.G. LINDGREN, JR., LT, USNR

EXAMINED
 R.M. Butterworth
 R.M. BUTTERWORTH, LTJG U. S. N. R. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD 944) ZONE DESCRIPTION -9I DATE MONDAY, 28 JULY 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO MIDWAY ISLAND

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>34° 50' N</u>	BY <u>2</u>	
λ <u>139° 43' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>34° 38' N</u>	BY <u>2</u>	
λ <u>142° 17' E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

φφ-φ4 MOORED STARBOARD SIDE TO U.S.S. PERRY (DD 844) IN A NEST OF THREE DESTROYERS AT PIER 6, BERTH 7, U.S. NAVAL BASE, YOKOSUKA, JAPAN, WITH STANDARD MOORING LINES DOUBLED. SHIPS IN THE NEST FROM INBOARD ARE U.S.S. DOUGLAS H. FOX (DD 779), U.S.S. PERRY, AND THIS SHIP. 2B BOILER AND #1 AND #2 S/S GENERATORS ARE ON THE LINE, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS V ARE SET. SOPA 15 COMDESRON 3 EMBARKED IN U.S.S. MAHAN (DLG-11).

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr.
LT USNR

φ4-φ8 MOORED AS BEFORE. φ549 40-47 ALONGSIDE TO PORT. φ665 COMMENCED RECEIVING FUEL. φ745 MUSTERED THE CREW ON STATION ABSENTEES: NONE.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr.
LT USNR

08-12 MOORED AS BEFORE. 0900 SET THE SEA DETAIL DRAFT 13'6" FWD 16'6" AFT CAPTAIN AND NAVIGATOR ON THE BRIDGE 0911 UNDERWAY FOR MIDWAY ISLAND IN ACCORDANCE WITH CTV 70.2.9 OP-ORDER 1-69. 0920 STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CLEAR THE HARBOR. 1017 SECURED THE SEA DETAIL BASE COURSE 180° 20KTS.

J. Boone
J. BOONE
LT USN

12-16 UNDERWAY AS BEFORE. 1212 C/C 1φφ°T. 1218 C/C φ9φ°T. 124φ C/C φ95°T. 1245 C/C φ9φ°T. 1247 C/C 1φφ°T. 1249 C/S 16 KTS. 1316 C/S 21 KTS, C/C φ53°T. 1333 C/S 16 KTS, C/C 1φφ°T. 1355 C/C 16φ°T, C/S 1φ KTS. 1356 C/C 18φ°T. 1414 C/C 1φφ°T, C/S 16 KTS. 1439 C/S 1φ KTS, C/C 28φ°T. 145φ C/S 18 KTS. 1451 C/C 1φ6°T. 15φ1 WENT TO GENERAL QUARTERS. 1517 C/S 17 KTS. 1535 C/C 1φφ°T. 1543 SECURED FROM GENERAL QUARTERS, SET CONDITION IV.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr., LT, USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINEX (DD-944)DATE MONDAY, 28 JULY, 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. 1748 $\frac{1}{2}$ TO $\phi 95^{\circ}$ T.S F WestonS.F. WESTON, LTJG, USN18-20 UNDERWAY AS BEFORE. 1901 $\frac{1}{2}$ 100 $^{\circ}$ T.J A Berglund
FA BerglundLTJG USNR20-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES;
SPEEDS TO MAINTAIN STATIOND M Tushy
D M TUSHY
LTJG USNR

EXAMINED:

R M ButterworthR.M. BUTTERWORTH, LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944) ZONE DESCRIPTION -9I DATE TUESDAY, 29 JULY, 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO MIDWAY ISLAND

POSITION	ZONE	TIME
0800		
L <u>34°04'N</u>	BY <u>2</u>	
λ <u>145°39'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>33°49'N</u>	BY <u>1</u>	
λ <u>147°00'E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
2000		
L <u>33°22'N</u>	BY <u>2</u>	
λ <u>149°39'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-1200 STEAMING IN COMPANY WITH CTU 70.0.7, COMPOSED OF U.S.S. DOUGLAS H. FOX (DD 779), U.S.S. PERRY (DD 844), U.S.S. JAMES W. WEEKS (DD 701), ENROUTE FROM YOKOSUKA, JAPAN, TO MIDWAY ISLAND. IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OPSCHED, THIS SHIP IN THE EAST SECTOR OF A FOUR SECTOR CIRCULAR SCREEN. FORMATION COURSE 100°T, SPEED 16 KTS. FORMATION AXIS 000°T. SOPA AND OTC IS CTU 70.0.7 IN THIS SHIP. D.H. FOX IS GUIDE BEARING 270°T, 9000 YDS. 1B AND 2B BOILERS, #1 AND #4 S/S GENERATORS ARE ON THE LINE. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. THE SHIP IS DARKENED, EXCEPT FOR RUNNING LIGHTS. 0100 ADVANCED ALL CLOCKS ONE HOUR TO CONFORM WITH -10J TIME ZONE.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

1200-1600 UNDERWAY AS BEFORE.

S. F. Weston
S. F. WESTON, LTJG, USN

1600-1800 UNDERWAY AS BEFORE. MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

F. A. Kerrigan, Jr.
F. A. KERRIGAN, JR. LTJG USNR

1800-1900 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES; SPEEDS TO MAINTAIN STATION

D. M. Toomey
D. M. TOOMEY
LTJG USNR

1900-2000 UNDERWAY AS BEFORE. 1618 SECURED FROM GENERAL QUARTERS, SET CONDITION IV.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)

DATE TUESDAY, 29 JULY 1969
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 UNDERWAY AS BEFORE. 1907 DARKENED SHIP WITH EXCEPTION OF
NAVIGATION LIGHTS

S.F. Weston
S.F. WESTON, LTJG, USN

20-24 UNDERWAY AS BEFORE.

F.A. Kerrigan, Jr.
F.A. KERRIGAN, JR. LTJG USNR

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LTJG

U. S. N. C. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -10K DATE WEDNESDAY 30 JULY 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO MIDWAY ISLAND

POSITION	ZONE	TIME
0800		
L <u>32°49'N</u>	BY <u>2</u>	
λ <u>153°26'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>32°35'N</u>	BY <u>1</u>	
λ <u>154°37'E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
2000		
L <u>32°10.5'N</u>	BY <u>1</u>	
λ <u>157°01'E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0900 UNDERWAY. ENROUTE MIDWAY IS FROM YOKOSUKA JAPAN. OPERATING WITH TU 700, 7 ON BASE COURSE 100°T, SPEED 16.3 KTS. CTU 1, SOPA, 1 CTU 70.0.7 (CONDORON 1) EMBARKED IN USS MULLINNIX (DD944) GUIDANCE FORMATION IS USS FOX (DD779). 1B, 2B BOILERS, 1, 4 GENERATORS ON THE LINE. PLANT IS SPLIT. SHIP IS DARKENED. MATERIAL CONDITION YOKE IS SET. CONDITION OF READINESS IS FOUR. EMCON CONDITION IS ECHO. STEERING VARIOUS COURSES & SPEEDS TO MAINTAIN STATION

D.M. Tuohy
D.M. TUOHY
LTJG USNR

04-08 UNDERWAY AS BEFORE. 0700 LIGHTED FIRES UNDER 2A BOILER. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr.
LT USNR

08-12 UNDERWAY AS BEFORE. 0929 EXPERIENCED WATER IN THE LINE WHILE BRINGING 2A BOILER ON THE LINE. PORT ENGINE STOP. 0930 BRIDGE LOST STEERING CONTROL. AFTER STEERING TOOK CONTROL. 0933 BRIDGE REGAINED STEERING CONTROL. 0934 BRIDGE LOST STEERING CONTROL. AFTER STEERING HAS CONTROL. 0944 SECURED FIRES UNDER 2B BOILER. 2A BOILER ON THE LINE. 0945 BRIDGE REGAINED STEERING CONTROL. 0953 CASUALTY CORRECTED. ALL CONDITIONS NORMAL.

S.F. Weston
S.F. WESTON, LTJG, USN

12-16 UNDERWAY AS BEFORE.

F.A. Ferguson, Sr.
F.A. FERGUSON, Sr.
LTJG USNR

16-18 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES & SPEEDS TO MAINTAIN STATION

D.M. Tuohy
D.M. TUOHY
LTJG USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)

DATE WEDNESDAY, 30 JULY 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 UNDERWAY AS BEFORE. 1835 DARKENED SHIP EXCEPT FOR NAVIGATION LIGHTS.

L.G. Lindgren, Jr.
L.G. LINDGREN, Jr.
LT USNR

20-24 UNDERWAY AS BEFORE.

S.F. Weston
S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth
R.M. BUTTERWORTH, LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX DD944 ZONE DESCRIPTION -11 DATE THUR 31 July 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA JAPAN TO MIDWAY IS.

POSITION	ZONE	TIME
0800		
L <u>31° 40' N</u>	BY <u>1</u>	
λ <u>160° 17' E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>31° 31' N</u>	BY <u>1</u>	
λ <u>161° 31' E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
2000		
L <u>31° 03' N</u>	BY <u>1</u>	
λ <u>164° 01' E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 UNDERWAY ENROUTE YOKOSUKA JAPAN TO MIDWAY IS. BASE COURSE 10P°T BASE SPEED 16.3KTS. OPERATING WITH TU 70.07, OTC / SOPA IS CTU 70.07, FLAGSHIP USS MULLINIX DD944, GUIDE SHIP USS FOX, BOILERS 1B&2A GENERATORS 1&4 ON THE LINE, PLANT IS SPLIT SHIP IS DARKENED MATERIAL CONDITION YOKE IS SET CONDITION IV. EMCON CONDITION ECHO. 0800 C/S TO 16.5KTS. 0100 ADVANCED ALL CLOCKS 1HR TO CONFORM WITH -11 LIMA TIME ZONE.

F. A. Kerrigan Jr.
F. A. KERRIGAN JR. LTJG USNR

04-08 UNDERWAY AS BEFORE. 0352 C/C 10P°T 0440 C/S 16.25KTS
0603 C/S 16.1KTS

D. M. Tuohy
D. M. TUOHY
LTJG USNR

08-12 UNDERWAY AS BEFORE.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
AT USNR

12-16 UNDERWAY AS BEFORE. 1545 SOUNDED GENERAL QUARTERS. SET CONDITION IASW.

S. F. Weston
S. F. WESTON, LTJG, USN

16-18 UNDERWAY AS BEFORE.

F. A. Kerrigan Jr.
F. A. KERRIGAN JR.
LTJG USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)

DATE THURSDAY 31 JULY 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 UNDERWAY AS BEFORE 1753 C/C 100°T 1901 DARKENED SHIP

DM Tuohy
HTJ8 USNR

20-24 UNDERWAY AS BEFORE.

L. G. Lindgren, Jr.
L. G. LINDGREN, JR.
LT USNR

EXAMINED:

Rm Butterworth
R.M. BUTTERWORTH, LTJG

U. S. N.C. NAVIGATOR