

FOR OFFICIAL USE ONLY  
DECK LOG-TITLE PAGE  
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N 0105-904-1000



# DECK LOG BOOK

OF THE

U.S.S. MILLINNIX  
DD-944  
IDENTIFICATION NUMBER

Attached to { \_\_\_\_\_ Division,  
74<sup>TH</sup> \_\_\_\_\_ Squadron,  
\_\_\_\_\_ Flotilla,  
\_\_\_\_\_ Fleet,  
\_\_\_\_\_ Naval District,

Commencing 0000 1 MAY, 19 69,  
(zone time and date)

at DA NANG, R.V.N.,  
(location)

and ending 2400 31 MAY, 19 69,  
(zone time and date)

at PT. ALLISON, DMZ, R.V.N.  
(location)

Approved by: DW Amstutz Commanding  
Cdr USN.



DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE THURSDAY 1 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM POINT CAROL, DANANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

ΦΦ-Φ4 ANCHORED IN DANANG HARBOR, REPUBLIC VIETNAM IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 3Φ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE BEARINGS RANGES: POINT ISABELLE 4980 YARDS, YELLOW ROCK POINT 428Φ YARDS, POINT DE NAMO 4Φ60 YARDS, SOUTH HARBOR ENTRANCE 79ΦΦ YARDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1B AND 2B, 2/3 GENERATORS 1 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, MERCHANT AND RUN CRAFT. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. Φ214 UNDERWAY TO SHIFT ANCHORAGE 8ΦΦ YARDS NORTH EAST. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. Φ233 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 3Φ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE BEARINGS RANGES: POINT ISABELLE 444Φ YARDS, YELLOW ROCK POINT 4240 YARDS, POINT DE NAMO 460Φ YARDS, SOUTH HARBOR ENTRANCE 724Φ YARDS.

J. D. Dyches  
F. D. DYCHES, LT, USN

Φ4-Φ8 ANCHORED AS BEFORE. CONDUCTING GUNFIRE SUPPORT AS BEFORE. Φ5Φ6 COMPLETED NIGHT GUNFIRE SUPPORT MISSION. Φ55Φ HEAVING ANCHOR AROUND TO SHORT STAY Φ559 ANCHORS AWEIGH. Φ6ΦΦ C/S TO 1Φ KTS. Φ6Φ2 C/C TO Φ45° T. Φ6Φ3 C/S TO 2Φ KTS. Φ6Φ6 C/C TO Φ52° T. Φ6Φ9 C/C TO Φ54° T. Φ613 C/C TO Φ45° T. MAKING ALL PREPARATIONS TO REFUEL. Φ618 C/C TO Φ9Φ° T. Φ628 C/S TO 24 KTS. Φ632 C/C TO 115° T. Φ633 C/C TO 11Φ° T. Φ645 STATIONED REPLENISHMENT DETAIL. Φ655 C/S TO 1Φ KTS. Φ656 C/S TO 15 KTS. Φ658 C/C T 31Φ°. C/S TO 1Φ KTS. TAKING STATION WAITING STATION <sup>for</sup> 8ΦΦ5Φ YDS. OFF ASTERN OF USS PONCHATOUA (AO-148) Φ659 C/S TO 15 KTS. Φ7ΦΦ C/S TO 1Φ KTS. Φ7Φ1 C/S TO 5 KTS. Φ7Φ2 C/S TO 1Φ KTS. Φ7Φ6 C/C TO 312° T. Φ7Φ7 STEERING VARIOUS COURSES AND SPEEDS TO MAINTAIN WAITING STATION. BASE COURSE 31Φ° T. BASE SPEED 1Φ KTS.

S. F. Weston  
S. F. WESTON, LTJG, USN

Φ8-12 UNDERWAY AS BEFORE. Φ74Φ COMMENCED APPROACH ON STARBOARD SIDE OF USS PONCHATOUA. Φ741 ALONGSIDE. Φ745 FIRST LINE OVER. Φ755 COMMENCED TAKING ON FUEL. Φ816 SECURED FROM TAKING ON FUEL. Φ83Φ ALL LINES CLEAR, STANDING AWAY FROM

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD 944)DATE THURSDAY 1 MAY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

PONCHATOUA. MANEUVERING TO ASSUME GUNFIRE SUPPORT STATION 10 MILES NORTH OF DANANG. C/C 325°. 0833 C/C 310°. 0835 C/C 250°. 0837 C/S 18 KTS. 0840 C/S 22 KTS. 0846 C/C 259°. 0902 STATIONED THE BLUE GUNFIRE SUPPORT TEAM. 0913 C/C 140°. C/S 3 KTS. 0923 LET GO THE STARBOARD ANCHOR IN 14 FATHOMS OF WATER, SAND BOTTOM, 30 FATHOMS OF CHAIN ON DECK. 0934 COMMENCED HEAVING AROUND ON THE ANCHOR. 0938 ANCHOR IS AWAY. C/C 147°. C/S 5 KTS. 0957 C/C 305°. 1010 LET GO STARBOARD ANCHOR IN 13 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK. 1116 FIRING GUNFIRE SUPPORT.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR., LT, USNR

12-16 ANCHORED AS BEFORE. 1329 UNDERWAY FOR DANANG HARBOR IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. 1331 1/2 TO 10.5. 1333 1/2 TO 22 KNOTS. 1354 1/2 TO 14. COMMENCED PREPARATIONS FOR ENTERING PORT. 1356 1/2 TO 20 KNOTS. 1357 1/2 TO 16. 1359 1/2 TO 18. 1400 1/2 TO 20. 1417 1/2 TO 20.8. 1/2 TO 20.5. 1418 1/2 TO 10 KNOTS. 1420 1/2 TO 2 KNOTS. 1423 CAPTAIN ASSUMED THE CONN. 1430 OFFICER OF THE DECK ASSUMED THE CONN. 1520 MANEUVERING FOR ANCHORAGE. 1525 CAPTAIN ASSUMED THE CONN. 1530 ANCHORED IN DANANG HARBOR REPUBLIC VIETNAM IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER IN 7 FATHOMS OF WATER MUD BOTTOM WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 4,440 YARDS, YELLOW ROCK POINT 4,230 YARDS, POINT DE NAM 4,540 YARDS, POINT BAN DAO TIEN SA 7,250 YARDS.

*F.O. Dyches*  
F.O. DYCHES, LT, USN

16-20 ANCHORED AS BEFORE. 1838 STATIONED MWB RECOVERY DETAIL 1850 MWB IN DAVIT AND SECURED FOR SEA. 1907 STATIONED SECURITY DECK PATROL. OBSERVED SUNSET. DARKENED SHIP.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT. USNR

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (ig) U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -8H DATE FRIDAY 2 MAY 1969  
(Day) (Date) (Month)

AT/PASSAGE FROM POINT CAROL, DANANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~08-04~~ ANCHORED IN DANANG HARBOR, REPUBLIC VIETNAM IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 4,440 YARDS, YELLOW ROCK POINT 4230 YARDS, POINT DENAM 4540 YARDS, POINT BAN DAO TIEN SA 7,250 YARDS. SHIP IS DARKENED. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKO SET. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1B, 2B AND 5'S GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, MERCHANT AND RVN CRAFT. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. 0307 UNDERWAY TO SHIFT ANCHORAGES, MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 0320 ANCHORED IN 6 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 4320 YARDS, YELLOW ROCK POINT 3940 YARDS, POINTE DE NAMO 4210 YARDS, POINT DAO TIEN SA 7580 YARDS.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

04-08 ANCHORED AS BEFORE. CONDUCTING NIGHT GUNFIRE SUPPORT MISSION. TWISTING SHIP AT ANCHORAGE. 0528 COMPLETED NIGHT GUNFIRE SUPPORT MISSION. 0609 ENGINES ALL STOP. 0621 OBSERVED ~~SUN~~ SUNRISE. SECURED SECURITY DECK PATROL.

*S. F. Weston*  
S. F. WESTON, LTJG, USN

08-12 ANCHORED AS BEFORE. 1015 LIGHTED FIRES UNDER 1A BOILER. 1150 COMMENCED HEAVING AROUND ON THE ANCHOR. 1155 ANCHOR IS AWAY, SHIFTING ANCHORAGE. C/C 180°, C/S 5 KTS. 1203 LET GO THE STARBOARD ANCHOR. IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: POINT ISABELLE 4460 YDS, YELLOW ROCK POINT 3950 YDS, POINTE DE NAMO 4120 YDS, PT. BAN DAO TIEN SA 7740 YDS.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE FRIDAY 2 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1312 1A BOILER IS ON THE LINE, SECURED FIRES UNDER 1B BOILER.

*F.O. Dyches*  
F.O. DYCHES, LT, USN

16-20 ANCHORED AS BEFORE. 1836 ANCHORS AWEIGH. 1840 ALL BACK  $\frac{1}{3}$ . C/LC 180°T. 1843 ALL STOP 1845 LET GO STBD. ANCHOR. ANCHORED ON FOLLOWING RANGES: PT. ISABELLE 4400 YDS., YELLOW ROCK PT. 4000 YDS., PT DE NAMO 4180 YDS., BAN DAO TIEN SA 7625 YDS. 30 FATHOMS OF CHAIN ON DECK IN 6 FATHOMS OF WATER, MUD BOTTOM. 1907 DARKEN SHIP. STATIONED SECURITY DECK PATROL.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (jg) U. S. N.R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -814 DATE SATURDAY 3 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM POINT CAROL, DANANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°14.5 N</u>	BY <u>2</u>	
λ <u>108°24.5 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16°17.5 N</u>	BY <u>2</u>	
λ <u>108°17.0 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~04-04~~ ANCHORED IN DANANG HARBOR, REPUBLIC VIETNAM IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 4400 YARDS, YELLOW ROCK POINT 4000 YARDS, POINT DE NAMO 4180 YARDS, BAN DAO TIEN SA 7675 YARDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A, 2B AND 3/5 GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, MERCHANT AND RVN CRAFT. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. ~~035~~ UNDERWAY TO SHIFT ANCHORAGES. MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. ~~045~~ ANCHORED IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 4460 YARDS, YELLOW ROCK POINT 3930 YARDS, POINTE DE NAMO 3960 YARDS, POINT BAN DAO TIEN SA 7760 YARDS.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

~~04-08~~ ANCHORED AS BEFORE, CONDUCTING GUNFIRE SUPPORT. ~~0530~~ COMPLETED NIGHT GUNFIRE SUPPORT MISSION. ~~0638~~ ANCHORS AWAY. STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF DANANG HARBOR. ~~0702~~ SECURED GUNFIRE SUPPORT TEAM. ~~0706~~ C/C ~~0910~~ T ~~0709~~ C/C TO ~~1150~~ T ~~0713~~ C/S TO 18 KTS. ~~0714~~ C/C TO ~~1250~~ T. ~~0715~~ C/C ~~1200~~ T. ~~0723~~ C/C TO ~~0950~~ T. ~~0726~~ C/C TO ~~0750~~ T. ~~0732~~ STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE WAITING STATION 500 YDS ASTERN OF USS MAZAMA (AE-9) ~~0734~~. STATIONED REAMMING *S. F. Weston* DETAIL. *S. F. WESTON, LTJG, USN*

~~08-12~~ UNDERWAY AS BEFORE. IN WAITING STATION 500 YDS ASTERN OF USS MAZAMA. BASE COURSE ~~3100~~ T, SPEED 12 KTS. ~~0805~~ COMMENCED MAKING APPROACH ON MAZAMA'S STARBOARD SIDE ~~0807~~ FIRST LINE OVER ~~0817~~ RECEIVED FIRST LOAD. ~~1017~~ ALL LINES CLEAR. ~~1021~~ C/S 22 KTS, C/C ~~3170~~ T, STANDING CLEAR OF MAZAMA ENROUTE TO DANANG. ~~1025~~ C/C ~~1430~~ T. ~~1043~~ LIGHTED FIRES UNDER 2A BOILER. ~~1113~~ C/C ~~1300~~ T, C/S 18 KTS. ~~1115~~ C/S 12 KTS.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE SATURDAY, 3 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE, 1215 MANEUVERING VARIOUS COURSES AND SPEEDS WHILE STANDING INTO DANANG HARBOR, RUN. 1253 BROUGHT 2A BOILER ON THE LINE, 1255 SECURED FIRES UNDER 2B BOILER, 1338 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM WITH 3 $\phi$  FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 347 $\phi$  YARDS, YELLOW ROCK POINT 44 $\phi$  YARDS, POINT DE DAMO 5980 YARDS, POINT BAN DAO TIEN SA 624 $\phi$  YARDS.

F. O. Dykes

F. O. DYKES, LT, USN

~~16-24~~ 16-2 $\phi$  ANCHORED AS BEFORE.

S. F. Weston

S. F. WESTON, LTJG, USN

2 $\phi$ -24 UNDERWAY AS BEFORE. 2 $\phi$ 1 C/C 2 $\phi$ 1 $^{\circ}$ T. 2 $\phi$ 8 LET GO THE STARBOARD ANCHOR IN 7 FATHOMS OF WATER, MUD BOTTOM, 3 $\phi$  FATHOMS OF CHAIN ON DECIC ON THE FOLLOWING BEARINGS: PT. ISABELLE 375 $\phi$  YDS, YELLOW ROCK PT. 42 $\phi$  YDS, PT. DE NAMO 524 $\phi$  YDS, BAN DAO TIEN SA 675 $\phi$  YDS. 2 $\phi$ 18 COMMENCED GUNFIRE SUPPORT.

L. G. Lindgren, Jr.  
L. G. LINDGREN, JR.  
L.T. USNR

EXAMINED:

Rm Butterworth

R. M. BUTTERWORTH LT. (ig)

U. S. N. R. NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINNIX (09-944) ZONE DESCRIPTION -8A DATE SUNDAY 4 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM POINT CAROL, DANANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

0800-0804 ANCHORED IN DANANG HARBOR, REPUBLIC VIETNAM IN 7 FATHOMS OF WATER, MUD BOTTOM WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 3750 YARDS, YELLOW ROCK POINT 4200 YARDS, POINT DE NAMO 5240 YARDS, BAN DAO TIEN SA 6750 YARDS. SHIP IS IN CONDITION OF READINESS III CONDUCTING GUNFIRE SUPPORT, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, 3/4 GENERATORS 1 AND 3 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, MERCHANT, AND RVN CRAFT. SOPA IS COMPHIBRON 11 IN USS VALLEY FORGE (LPH-8) 0212 UNDERWAY TO SHIFT ANCHORAGE, MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 0236 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: POINT ISABELLE 3600 YARDS, YELLOW ROCK POINT 3580 YARDS, POINT DE NAMO 4480 YARDS, POINT BAN DAO TIEN SA 7460 YARDS.

*F.D. Dyche*  
F.D. DYCHES, LT, USN

04-08 ANCHORED AS BEFORE. CONDUCTING GUNFIRE SUPPORT. 0530 COMPLETED NIGHT GUNFIRE SUPPORT.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

08-12 ANCHORED AS BEFORE. 0825 COMMENCED HEAVING AROUND ON THE ANCHOR. 0827 ANCHOR IS AWEIGH, C/C 225°T, C/S 5 KTS. 0833 LET GO THE STARBOARD ANCHOR IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: PT. ISABELLE 3700 YDS, YELLOW ROCK PT. 3500 YDS, PT. DE NAMO 4320 YDS, BAN DAO TIEN SA 7525 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE SUNDAY 4 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1524 STATIONED THE HELO DETAIL, 1530  
SECURED THE HELO DETAIL.

*F.D. Dyches*  
F. D. DYCHES, LT, USN

16-18 ANCHORED AS BEFORE. 1617 VEERED OUT TO 45 FATHOMS CHAIN  
ON DECK. 1741 UNDERWAY TO SHIFT ANCHORAGES. <sup>MANUEURING AT VARIOUS</sup> ~~MANUEURING~~ <sup>SPW</sup>  
COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 1746 ANCHORED IN 6 FATHOMS  
OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD  
ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 3900 YDS.,  
YELLOW ROCK PT. 3700 YDS., PT. DE NAMO 4300 YDS., BAN DAO TEEN SA 7600 YDS.

*S.F. Weston*  
S. F. WESTON, LTJG, USN

18-20 ANCHORED AS BEFORE. 1908 SET DARKENED SHIP.

*L.G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

20-24 ANCHORED AS BEFORE.

*F.D. Dyches*  
F. D. DYCHES, LT, USN

EXAMINED:

*R.M. Butterworth*  
R. M. BUTTERWORTH, LT. (ig)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE MONDAY, 5 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM DANANG HARBOR, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>15°52.0'N</u>	BY <u>2</u>	
λ <u>108°37.7'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>15°52.3'N</u>	BY <u>2</u>	
λ <u>108°29.3'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>15°48.8'N</u>	BY <u>2</u>	
λ <u>108°30.7'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 ANCHORED IN DANANG HARBOR, REPUBLIC VIETNAM IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH ~~44~~ 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 39ΦΦ YDS., YELLOW ROCK PT. 37ΦΦ YDS., PT. DE NAMO 43ΦΦ YDS., BAN DAO TIEN SA 76ΦΦ YDS. SHIP IS IN CONDITION OF READINESS III, CONDUCTING GUNFIRE SUPPORT, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, S/S GENERATORS 1 AND 3 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT, AND RUN CRAFT. OTC AND SOPA ES CTU 7Φ.8.9 EMBARKED THIS VESSEL. ΦΦ29 UNDERWAY TO SHIFT ANCHORAGE. MANUEVERING <sup>ON</sup> AT VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. ΦΦ35 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 3Φ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 436Φ YDS., YELLOW ROCK PT. 4Φ5Φ YDS., PT. DE NAMO 442Φ YDS., PT. BAN DAO TIEN SA 744Φ YDS.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

Φ4-Φ8 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. Φ555 COMMENCED HEAVING AROUND ON THE ANCHOR. Φ6ΦΦ ANCHOR IS AWAY, C/C Φ45°T, C/S 1Φ KTS, STANDING OUT OF DANANG. Φ6Φ7 C/S 2Φ KTS. Φ616 C/S 22 KTS. Φ62Φ C/C Φ8Φ°T, ENROUTE TO VICINITY OF POINT DEDE TO PARTICIPATE IN OPERATION DARING REBEL. Φ628 C/C Φ88°T. Φ648 C/C 14Φ°T. Φ735 C/C 18Φ°T. Φ75Φ C/C 16Φ°T, C/S 1Φ KTS. Φ754 C/S 2Φ KTS, C/C 18Φ°T. Φ755 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR., LT, USNR

Φ8-12 UNDERWAY AS BEFORE. Φ75Φ <sup>1</sup>/<sub>5</sub> TO 10 KNOTS. <sup>1</sup>/<sub>5</sub> TO 16Φ Φ752 <sup>1</sup>/<sub>5</sub> TO 15 KNOTS. Φ754 <sup>1</sup>/<sub>5</sub> TO 2Φ KNOTS. Φ758 <sup>1</sup>/<sub>5</sub> TO 15 KNOTS. <sup>1</sup>/<sub>5</sub> TO 18Φ Φ814 <sup>1</sup>/<sub>5</sub> TO ΦΦΦ. Φ818 <sup>1</sup>/<sub>5</sub> TO ΦΦ7. Φ819 <sup>1</sup>/<sub>5</sub> TO 328. Φ826 <sup>1</sup>/<sub>5</sub> TO 18 KNOTS. Φ83Φ WENT TO GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA. Φ83Φ MANUEVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. Φ91Φ ANCHORED IN 11 FATHOMS OF WATER, MUD BOTTOM, WITH 3Φ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, ON THE FOLLOWING ANCHORAGE RANGES: HOW MO 7450 YARDS, MIDDLE OF CU LAO CHAM 89ΦΦ YARDS, HOW TAI 69ΦΦ YARDS. Φ947 CONTINUING GUNFIRE SUPPORT.

*F.D. Oyches*  
F.D. OYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE MONDAY 5 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE.S.F. WestonS.F. WESTON, LTJG, USN16-20 ANCHORED AS BEFORE. 1938 COMMENCED HEAVING AROUND  
ON THE ANCHOR. 1942 ANCHOR IS AWAY, C/C 155°T, C/S 15 KTS.  
1951 C/S 10 KTS. 1958 C/C 160°T. 2002 C/S 5 KTSL.G. Lindgren, Jr.  
L.G. LINDGREN, JR.  
LT USNR20-24 UNDERWAY AS BEFORE. 2007 ANCHORED IN 10 FATHOMS OF WATER, MUD  
BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, ON THE FOLLOWING  
ANCHORAGE RANGES: HAN MO 14,700 YARDS, CU LAO CAM 15,100 YARDS, HON TAI 11,180 YARDS,  
HON ONG 21,500 YARDS.F.D. Dycles  
F.D. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT. (jg)

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE TUESDAY 6 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM UTM GRID COORD BT337498 TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>15°48.8'N</u>	BY <u>2</u>	
λ <u>108°30.6'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>15°48.8'N</u>	BY <u>2</u>	
λ <u>108°30.6'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

87 Φ4-Φ4 ANCHORED AS BEFORE. IN AREA OF OPERATION FOR OPERATION DURING REBEL AT UTM GRID COORDINATE BT 337498 IN 10 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HON MO 14,700 YDS., CU LAO CHAM (MID. PT.) 15,100 YDS., CU LAO CHAM (SO. PT.) 13,400 YDS., HON TAI II, 180 YDS., HON ONG 21,500 YDS. SHIP IS IN CONDITION OF READINESS III, CONDUCTING GUNFIRE SUPPORT, MATERIAL CONDITION YOKE SET, AND DARKENED. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A AND 1, 3, AND 4 S/S GENERATORS ON THE LINE. OTC AND SOPA IS CTU 76.4 EMBARKED USS OKINAWA (LPH-3). OTHER SHIPS PRESENT INCLUDE: USS WHITE RIVER (LSMR-536), USS DULUTH (LPD-6), AND USS WINSTON (LKA-94).

S.F. Weston  
S.F. WESTON, LTJG, USN

Φ4-Φ8 ANCHORED AS BEFORE. Φ6Φ LIGHTED FIRES UNDER 1B BOILER. Φ74Φ MUSTERED THE CREW ON STATION. ABSENTEES: NONE

L.G. Lindgren, Jr.  
L.G. LINDGREN, JR.  
LT USN

Φ8-12 ANCHORED AS BEFORE. Φ849 BROUGHT 1B BOILER ON THE LINE. SECURED FIRES UNDER 1A BOILER.

F.O. Dyches  
F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)DATE TUESDAY 6 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1201 STATIONED THE ANCHOR DETAIL. 1211 UNDERWAY. C/S TO 22 KTS. 1212 C/C TO  $\phi 85^{\circ}T$  1213 C/C TO  $\phi 92^{\circ}T$ . 1215 C/C TO  $\phi 5\phi^{\circ}T$ . 1216 SECURED GUNFIRE SUPPORT TEAM. MAKING ALL PREPARATIONS FOR REARMING. 1223 C/S TO 18 KTS. 1231 C/C TO  $\phi\phi\phi^{\circ}T$ . 1239 C/C  $350^{\circ}T$ . 1316 C/C TO  $328^{\circ}T$ . 1328 STATIONED THE REARMING DETAIL. 1329 C/C TO  $34\phi^{\circ}T$ . 1334 C/S TO  $322^{\circ}T$ . 1339 C/S TO 20 KTS. 1342 C/C TO  $138^{\circ}T$ . MAKING APPROACH ON USS MAZAMA (AE-9) PORT SIDE TO. 1345 ALONG-SIDE USS MAZAMA. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN REPLENISHMENT STATION. BASE COURSE  $137^{\circ}T$ . BASE SPEED 12 KTS. FIRST LINE OVER. 1355 FIRST LOAD ON DECK. 1509 ALL LINES CLEAR. 1512 C/C TO  $298^{\circ}T$ . C/S TO 18 KTS. STANDING CLEAR OF MAZAMA ENROUTE TO DANANG HARBOR. 1536 C/S TO 20 KTS. 1543 C/S TO 22 KTS. C/C TO  $3\phi\phi^{\circ}T$

*S.F. Weston*  
S.F. WESTON, LTJG, USN

16-20 UNDERWAY AS BEFORE. 1629 C/C  $269^{\circ}T$ . 1635 C/C  $248^{\circ}T$ . 1640 STATIONED THE ANCHOR DETAIL AND GUNFIRE SUPPORT TEAM. 1641 C/C  $21\phi^{\circ}T$ , C/S 15 KTS. MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE ENTERING DANANG HARBOR. 1724 LET GO THE STARBOARD ANCHOR IN 6 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: PT. ISABELLE 2.7 MILES, YELLOW ROCK POINT 2.6 MILES, PT. DE NAMO 2.5 MILES, PT. BAN DAO TIEN SA 3.5 MILES. 1908 SET DARKENED SHIP. STATIONED THE DECK SECURITY PATROL.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

20-24 ANCHORED AS BEFORE. 2050 COMMENCED FIRING GUN FIRE SUPPORT.

*F.D. Dyches*  
F.D. DYCHES, LT, USN

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (ja)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE WEDNESDAY 7 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DANANG HARBOR, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°33.4 N</u>	BY <u>2</u>	
λ <u>107°54.0 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16°33.4 N</u>	BY <u>2 RMB</u>	
λ <u>107°54.0 E</u>	BY <u>2 RMB</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM, IN 6 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 53ΦΦ YDS., YELLOW ROCK PT. 512Φ YDS., PT. DE NAMO 5Φ2Φ YDS., BAN DAO TIEN SA 7Φ5Φ YDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. CONDUCTING GUNFIRE SUPPORT. 1B + 2A BOILERS, 1 AND 3 S/S GENERATORS ON THE LINE. SOPA AND OTC IS 2Φ. 8.9 FLAGSHIP THIS VESSEL. SHIPS PRESENT INCLUDE UNITS OF THE U.S. PACIFIC FLEET, MERCHANT, AND RVN CRAFT. ΦΦΦ7 UNDERWAY TO SHEET ANCHORAGE. STEERING ΦΦ15 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 3Φ FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 5Φ8Φ YDS., YELLOW ROCK PT. 494Φ YDS., PT. DE NAMO 484Φ YDS., PT. BAN DAO TIEN SA 698Φ YDS.,

*S.F. Weston*

S.F. WESTON, LTJG, USN

Φ4-Φ8 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. Φ6ΦΦ ANCHOR IS <sup>AWEIGH</sup> AWAY, C/C Φ42°T, C/S 1Φ KTS, MANEUVERING TO STAND OUT OF DANANG HARBOR ENROUTE TO VICINITY OF POINT ALLISON. Φ6Φ7 C/S 2Φ KTS. Φ621 C/C Φ23°T. Φ626 C/C ΦΦΦ°T. Φ637 C/C 31Φ°T. Φ652 C/C 3Φ9°T. Φ74Φ MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*

L.G. LINDGREN, JR.  
LT USNR

Φ8-12 UNDERWAY AS BEFORE. Φ8Φ6 %CTO 313. Φ8Φ7 %CTO 3Φ9. Φ82Φ BROUGHT 2B BOILER ON THE LINE. Φ915 %STO 21 KNOTS. Φ936 %CTO 315. Φ937 %CTO 3Φ9. Φ943 %CTO 212. Φ945 %CTO 276. Φ952 %STO 10 KNOTS. Φ954 %STO 21 KNOTS. Φ955 MANUVERING VARIOUS COURSES TO TAKE GUNFIRE SUPPORT STATION. 1Φ27 ON STATION. MANUVERING VARIOUS COURSES AND SPEEDS WHILE CONDUCTING GUN FIRE SUPPORT. SECURED FIRES UNDER 2A BOILER.

*F.D. Dyche*

F.D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE WEDNESDAY, 7 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN POSITION FOR GUNFIRE SUPPORT. 1406 STATIONED THE ANCHOR DETAIL. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO ANCHORAGE. 1426 ANCHORED IN 10 FATHOMS OF WATER, SANDY BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON UTM GRID POSITION YD 379 763 IN ORDER TO CHECK GUNFIRE CONTROL SYSTEMS.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1911 STATIONED THE SECURITY PATROL ON THE MAIN DECK AND IN THE MOTOR WHALE BOAT. SET DARKENED SHIP

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

20-24 ANCHORED AS BEFORE. 2046 UNDERWAY TO SHIFT ANCHORAGES. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2052 ANCHORED IN 10 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: BUOY 1B 6750 YARDS, SOUTH RIVER 7500 YARDS, NORTH RIVER 15,750 YARDS, NOB 17,500 YARDS. 2158 UNDERWAY TO SHIFT ANCHORAGES. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2157 ANCHORED IN 10 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: BUOY 1B 4550 YARDS, SOUTH RIVER 6070 YARDS, NORTH RIVER 17,450 YARDS, NOB 18,950 YARDS.

*F.D. Dyches*  
F.D. DYCHES, LT, USN

## EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (jg)

U. S. N. NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE THURSDAY 8 MAY 1969  
(Day) (Date) (Month)

AT/PASSAGE FROM PT. ALLISON, REPUBLIC OF VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16°52.5'N</u>	BY <u>2</u>	
λ <u>107°53.0'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

0800-0844 ANCHORED VICINITY PT. ALLISON, REPUBLIC OF VIETNAM, UTM GRID POSITION YD 386736, IN 10 FATHOMS OF WATER, SANDY BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: 1B BUOY 4550 YDS., SOUTH RIVER 6070 YDS., NORTH RIVER 17,450 YDS., NOB 18,950 YDS. CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, SHIP IS DARKENED. CONDUCTING GUNFIRE SUPPORT. 1B AND 2B BOILERS AND 1 AND 3 S/S GENERATORS ON THE LINE. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. SECURITY PATROL ON DECK AND ~~IN THE~~ <sup>IN THE</sup> ~~WATER~~ <sup>WATER</sup>. MOTOR WHALEBOAT. OTC AND SOPA IS CTU 70-8.9 EMBARKED THIS VESSEL.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

0844-0848 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0852 COMMENCED HEAVING AROUND ON THE ANCHOR, SHIFTING BERTHS. 0852 ANCHOR IS AWAY, C/C 337°T, C/S 5 KTS. 0857 C/S 10 KTS. 0858 C/S 5 KTS. 0854 LET GO THE STARBOARD ANCHOR IN 10 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: BOUY #1 6,000 YDS, SOUTH RIVER 6720 YDS, NORTH RIVER 16,080 YDS, NOB 17,550 YDS. 0823 COMMENCED HEAVING AROUND ON THE ANCHOR. 0829 ANCHOR IS AWAY, C/C 135°T, C/S 3 KTS. 0838 C/C 120°T. 0857 C/S 10 KTS, C/C 105°T. 0700 C/C 095°T, C/S 20 KTS. 0703 C/C 097°T ENROUTE TO RENDEZVOUS WITH USS CALIENTE (AO-72), 0720 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0725 STATIONED THE REFUELING DETAIL. C/C 105°T. 0727 C/C 100°T, C/S 15 KTS. IN STATION ASTERN OF CALIENTE., C/C 120°T. 0735 COMMENCED APPROACH ON CALIENTE'S STARBOARD SIDE. BASE COURSE 120°T, SPEED 12 KTS. 0738 ALONGSIDE. 0739 FIRST LINE OVER. 0745 LIGHTED FIRES UNDER 1A BOILER. 0750 COMMENCED RECEIVING FUEL.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

0872 UNDERWAY AS BEFORE. 0846 FUELING COMPLETED. 0900 ALL LINES AND HOSES CLEAR. MANEUVERING TO CLEAR PORTSIDE OF CALIENTE. 0902 CLEAR OF CALIENTE. 0905 SECURED THE REPLENISHMENT DETAIL. 0909 C TO 305 C/S TO 20 KNOTS. 0914 C TO 280. 0950 MANEUVERING VARIOUS COURSES AND SPEEDS WHILE PROVIDING GUN FIRE SUPPORT.

*F.D. Dyches*  
F.D. DYCHES, LT USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE THURSDAY 8 MAY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN GUNFIRE SUPPORT POSITION. 1226 STATIONED THE ANCHOR DETAIL. 1238 ANCHORED IN 10 FATHOMS OF WATER, SANDY BOTTOM, WITH 14 FATHOMS OF CHAIN TO STARBOARD ANCHOR ON FOLLOWING ANCHORAGE RANGES: BUOY #1 8,340 YDS., SO. RIVER 8,450 YDS., NO. RIVER 14,530 YDS., NOB 15,760 YDS., 1249 UNDERWAY TO SHIFT ANCHORAGE. 1253 ANCHORED IN 10 FATHOMS OF WATER, SANDY BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON FOLLOWING ANCHORAGE RANGES: BUOY #1, 8,130 YDS., SO. RIVER 7,980 YDS., NO. RIVER 14,530 YDS., NOB 15,870 YDS.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1912 SET DARKENED SHIP. STATIONED THE SECURITY WATCH.

L. G. Lindgren  
L. G. LINDGREN, JR.  
LT USN

20-24 ANCHORED AS BEFORE. 2023 UNDERWAY TO SHIFT ANCHORAGE, MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2032 ANCHORED IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: BUOY 1 8,200 YARDS, SOUTH RIVER 8,250 YARDS, NORTH RIVER 14,650 YARDS, CAP LAY 15,850 YARDS.

F. D. Dyches

F. D. DYCHES, LT, USN

EXAMINED:

R. M. Butterworth

R. M. BUTTERWORTH, LT (jg) U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLENNIX (DD-944) ZONE DESCRIPTION -8H DATE FRIDAY 9 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

~~04-04~~ <sup>875</sup> ~~ANCHORED~~ OFF THE COAST OF REPUBLIC OF VIETNAM VICIN-  
ITY PT. ALLISON IN ~~68~~ <sup>8</sup> FATHOMS OF WATER, SANDY BOTTOM, WITH 45  
FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING AN-  
CHORAGE RANGES: BUOY #1 8200 YDS., SOUTH RIVER 8250 YDS., NORTH RIVER  
14,650 YDS., NOB 15,850 YDS. CONDITION OF READINESS III, MATERIAL  
CONDITION YOKE SET, AND SHIP IS DARKENED. 1A AND 2B BOILERS ~~ON~~ <sup>OFF</sup>  
~~AND 1 AND 3 SHIPS SERVICE GENERATORS ON THE LINE. ENGI-~~  
NEERING DEPARTMENT ON 1 MINUTE ~~IN~~ NOTICE FOR GETTING UNDER-  
WAY. ANCHOR DETAIL STANDING BY. OTC AND SOPA IS CTU 70.8.9  
FLAGSHIP THIS VESSEL. SECURITY PATROL ON DECK AND IN THE MOTOR  
WHALE BOAT. CONDUCTING GUNFIRE SUPPORT. 0225 UNDERWAY TO  
SHIFT ANCHORAGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS FOR  
ANCHORAGE. 0252 ANCHORED IN 10 FATHOMS OF WATER, SAND BOTTOM,  
WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE  
FOLLOWING ANCHORAGE RANGES: BUOY #1 6,900 YDS., SO. RIVER 7820  
YDS., NO. RIVER 15,940 YDS., NOB 17,200 YDS.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0740  
MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

08-12 ANCHORED AS BEFORE. 0912 UNDERWAY PROCEEDING SEAWARD TO PUMP  
TRASH 0917 1/2 TO 305 1/2 TO 20 KNOTS. 0932 1/2 TO 100. 0943 1/2 TO 280 1/2 TO 5 KNOTS.  
<sup>300</sup> 0959 1/2 TO 28-270. 1/2 TO 15 KNOTS. 1003 1/2 TO 20 KNOTS. 1005 MANEUVERING VARIOUS  
COURSES AND SPEEDS FOR ANCHORAGE. 1007 ANCHORED IN 8 FATHOMS OF WATER, MUD  
BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING  
ANCHORAGE RANGES: BUOY 1 5800 YARDS, SOUTH RIVER 7250 YARDS, NORTH RIVER 16900  
YARDS, CAPLAY 18,200 YARDS.

*F.D. Dyches*  
F.D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE FRIDAY 9 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. ON STATION FOR GUNFIRE SUPPORT. 1436 SET THE HELD DETAIL FOR MAIL TRANSFER. 1445 SECURED HELD DETAIL.

*S.F. Weston*

S.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1909 SET DARKENED SHIP. STATIONED THE SECURITY GUARD.

*L.G. Lindgren, Jr.*

L.G. LINDGREN, JR.

LT

USNTR

20-24 ANCHORED AS BEFORE. 2028 UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2036 ANCHORED IN 8 FATHOMS OF WATER MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGE: BUOY 1 5500 YARDS, SOUTH RIVER 7300 YARDS, NORTH RIVER 17050 YARDS, CAP LAY 18,400 YARDS.

*F.O. Dyches*

F.O. DYCHES, LT, USN

EXAMINED:

*R.M. Butterworth*

R.M. BUTTERWORTH, LT(jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION - 8H DATE SATURDAY 10 MAY 1969  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>16°54'0N</u>	BY <u>2</u>	
λ <u>107°24'2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

04-04 ANCHORED OFF COAST OF THE ~~REPUBLIC~~ <sup>REPUBLIC</sup> OF VIETNAM, VICIN-  
ITY PT. ALLISON, UTM GRID POSITION YD 389752, IN 8 FATHOMS OF  
WATER, SANDY BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STAR-  
BOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: BUOY #1, 5500  
YDS., SO. RIVER 7300 YDS., NO. RIVER 17,050 YDS., CAP LAY 18,400 YDS.  
CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND  
SHIP IS DARKENED. 1A AND 2B BOILERS AND 1 AND 3 SHIP'S SERVICE GEN-  
ERATORS ON THE LINE. ENGINEERING DEPARTMENT ON 1 MIN. ~~NO~~ NOTICE FOR <sup>sfw</sup>  
FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. SECURITY PATROL IN  
THE MOTOR WHALE BOAT. SHIP IS PROVIDING GUNFIRE SUPPORT. OTC AND  
SOPA IS CTU 70.8.9 FLAGSHIP THIS VESSEL.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.  
0740 MUSTERED THE CREW ON STATION. ABSENTEES:  
NONE.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

08-12 ANCHORED AS BEFORE. 1104 MADE PREPARATIONS FOR GETTING UNDERWAY.  
1130 UNDERWAY FOR REPLENISHMENT IN ACCORDANCE WITH VERBAL ORDERS FROM  
COMMANDING OFFICER. 1132 <sup>9</sup>/STO 22 KNOTS. <sup>9</sup>/CTO 110.

*F.D. Dyches*  
F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE SATURDAY, 10 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1234 C/C TO 127°T. 1258 C/S TO 21  
KTS. 1357 C/C C/S TO 20 KTS. 1517 C/S TO 19 KTS. 1521 C/S TO 18 KTS.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 UNDERWAY AS BEFORE. 1602 C/C 100°T. 1604 080°T.  
1610 C/S 22 KTS. 1613 STATIONED THE REARMING DETAIL.  
1618 C/C 095°T. 1621 C/S 18 KTS. 1623 C/S 14 KTS, C/C 294°T.  
1625 C/C 300°T. IN WAITING STATION ASTERN OF U.S.S. FIREDRAKE  
(AE-14) 500 YDS. REPLENISHMENT COURSE 310°T, SPEED 14 KTS.  
1626 C/C 310°T. 1627 C/S 22 KTS. COMMENCING APPROACH ON  
FIREDRAKE'S STARBOARD SIDE. 1629 ALONGSIDE. 1630 FIRST  
LINE ON DECK. 1640 RECEIVED FIRST LOAD. 1804 ALL LINE CLEAR  
STANDING AWAY FROM FIREDRAKE. C/S 22 KTS. 1855 C/C 167°T  
1900 C/C 170°T. 1910 C/C 168°T. SET DARKENED SHIP. 1914 C/S  
24 KTS. 1928 C/S 20 KTS, C/C 163°T. 1934 C/S 22 KTS 1936 C/C 170°T.  
1940 STATIONED THE GUNFIRE SUPPORT TEAM. 1944 C/C 175°T.  
1949 C/C 190°T, C/S 20 KTS. 1950 C/S 15 KTS, C/C 200°T.  
MANEUVERING TO ANCHORAGE IN DANANG HARBOR. 1956 C/C 220°T.

L.G. Lindgren, Jr.  
L.G. LINDGREN, Jr.  
LT USNR

20-24 UNDERWAY AS BEFORE. 2020 ANCHORED IN 6 FATHOMS OF WATER, MUD  
BOTTOM WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING  
ANCHORAGE RANGES: POINT ISABELLE 3800 YARDS, YELLOW ROCK POINT 3580 YARDS,  
POINT NAMO 4220 YARDS, BAN DAO TIEN SA 7980 YARDS. 2148 PROVIDING  
GUN FIRE SUPPORT.

F.D. Dyche  
F.D. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE SUNDAY 11 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DANANG HARBOR, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16° 11.5' N</u>	BY <u>2</u>	
λ <u>108° 15.0' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16° 26.6' N</u>	BY <u>N</u>	
λ <u>108° 19.8' E</u>	BY <u>E</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

~~04-04~~ ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM, IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 380 YDS., YELLOW ROCK PT. 358 YDS., PT. DE NAMO 418 YDS., BAN DAO TIEN SA 798 YDS. CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, SHIP IS DARKENED. 1A AND 2B BOILERS AND 1 AND 3 SHIPS SERVICE GENERATORS ON THE LINE. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. OTC AND SOPA IS CTU 70-8.9 FLAGSHIP THIS VESSEL. SHIPS PRESENT INCLUDE UNITS OF U.S. PACIFIC FLEET, MERCHANT, AND RVN CRAFT. 0200 UNDERWAY TO SHIFT ANCHORAGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0211 ANCHORED IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 340 YDS., YELLOW ROCK PT. 342 YDS., PT. DE NAMO 443 YDS., BAN DAO TIEN SA 760 YDS., PROVIDING GUNFIRE SUPPORT.

*S.F. Weston*

S.F. WESTON, LTJG, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0731 ANCHOR IS AWAY, C/C 051°T. 0737 C/S 15 KTS STANDING OUT OF DANANG HARBOR TO RENDEZVOUS WITH U.S. TOLOVANA (AO-64). 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*

L.G. LINDGREN, JR.

LT

USNR

0812 UNDERWAY AS BEFORE. 0802 1/2 CT TO 090. 0813 1/2 ST TO 21 KNOTS. 0813 1/2 TO 18 KNOTS. 0815 1/2 CT TO 125. 0836 1/2 CT TO 130. 0841 1/2 CT TO 125. BROUGHT 2A BOILER ON THE LINE. SECURED FIRES UNDER 2B BOILER. 0855 1/2 CT TO 013. 0856 1/2 ST TO 22 KNOTS. 0939 1/2 CT TO 000. 0940 MANUEVERING TO TAKE WAITING STATION ON USS TOLOVANA (AO-64). 0950 ON STATION. STATIONED THE REPLENISHMENT DETAIL. COMMENCED PREPARATION FOR REFUELING FROM TOLOVANA. REPLENISHMENT COURSE 310, SPEED 10 KNOTS. 1031 COMMENCED APPROACH, EXECUTIVE OFFICER CONNING. 1033 ON STATION, ALONGSIDE STARBOARD SIDE OF TOLOVANA. 1034 FIRST LINE OVER. 1046 RECEIVED FIRST FUEL HOSE. 1049 COMMENCED RECEIVING FUEL. 1110 FUELING COMPLETED. 1125 ALL LINES AND HOSES CLEAR, MANUEVERING TO CLEAR STARBOARD SIDE OF TOLOVANA. 1127 CLEAR OF TOLOVANA. 1126 1/2 CT TO 200. 1/2 ST TO 22 KNOTS. 1130 SECURED THE REPLENISHMENT DETAIL.

*F.O. Dyche*

F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE SUNDAY 11 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

<sup>1200</sup>  
12-16 UNDERWAY AS BEFORE. C/S TO 15 KTS. C/L 200°T. 1220 C/S TO 22 KTS. 1226 STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING INTO DANANG HARBOR, REPUBLIC OF VIETNAM. 1250 STATIONED GUNFIRE SUPPORT TEAM. ~~1215~~ 1253 STATIONED THE ANCHOR DETAIL. 1322 ANCHORED IN 6 1/2 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 3620 YDS., YELLOW ROCK PT. 3670 YDS., PT DE NAMO 4570 YDS., BAN DAO TIEN SA 7460 YDS.

S.F. Weston

S.F. WESTON, LTJG, USN

16-18 ANCHORED AS BEFORE.

L.G. Lindgren, Jr.

L.G. LINDGREN, JR.  
LT USNR

18-20 ANCHORED AS BEFORE. 1857 DARKENED SHIP.

F.D. Dyches

F.D. DYCHES, LT, USN

20-24 ANCHORED AS BEFORE. 2036 UNDERWAY TO SHIFT ANCHORAGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 2042 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 4160 YDS., YELLOW ROCK PT. 3950 YDS., PT. DE NAMO 4450 YDS., BAN DAO TIEN SA 7450 YDS.

S.F. Weston

S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT(jg)

U. S. N. R. NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE MONDAY 12 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. CAROL, DA NANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM, IN 6.5 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: PT. ISABELLE 4160 YDS, YELLOW ROCK PT. 3950 YDS, PT. DE NAMO 4450 YDS, BAN DAO TIEN SA 7450 YDS. 1A AND 2A BOILERS AND #2 AND #3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. SOPA IS CTU 7089 EMBARKED IN THIS VESSEL. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. 0315 ANCHOR IS AWEIGH. SHIFTING ANCHORAGE, C/C 155°T, C/S 5 KTS. 0325 LET GO THE STARBOARD ANCHOR IN 6 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: PT. ISABELLE 5050 YDS, YELLOW ROCK PT. 4700 YDS, BAN DAO TIEN SA 7370 YDS, NORTH HARBOR ENTRANCE 9440 YDS

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, Jr.  
LT USNR

04-08 ANCHORED AS BEFORE. 0609 LIT FIRES UNDER 1B BOILER. 0740 MUSTERED THE CREW AT QUARTERS ABSENTEES; NONE.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

08-12 ANCHORED AS BEFORE. 0842 BROUGHT 1B BOILER ON THE LINE. 0844 SECURED FIRES UNDER 1A BOILER. 1112 STATIONED THE ANCHOR DETAIL. 1120 UNDERWAY TO SHIFT ANCHORAGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 1127 ANCHORED IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: PT. ISABELLE 5200 YDS, YELLOW ROCK PT. 4900 YDS, BAN DAO TIEN SA 7220 YDS, NO. HARBOR ENTRANCE 9400 YDS, HON SON CHA 11,000 YDS.

*S. F. Weston*  
S. F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD 944)DATE MONDAY, 12 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1228 COMMENCED HEAVING AROUND ON THE ANCHOR. 1231 ANCHOR IS AWEIGH, C/C  $\phi 25^{\circ}T$ , C/S 15 KTS. STANDING OUT OF DANANG HARBOR. 1238 C/C  $\phi 46^{\circ}T$ , C/S 20 KTS. 1252 C/C  $\phi 10^{\circ}T$ . 1254 C/C  $\phi \phi \phi^{\circ}T$ . 1303 C/C  $\phi 30^{\circ}T$ . 1305 C/C  $295^{\circ}T$ . 1307 C/S 22 KTS. 1317 C/C  $288^{\circ}T$ . 1321 C/S 15 KTS. 1326 C/C  $\phi 32^{\circ}T$ . 1328 C/S 5 KTS. 1334 LET GO THE STARBOARD ANCHOR IN 10 FATHOMS OF WATER, SAND BOTTOM, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 12,600 YDS, BAI CHUOI 10,310 YDS, THON AN CU DONG 10,300 YDS, MAI TRON 10,560 YDS. PROVIDING GUNFIRE SUPPORT.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, Jr.  
LT USNR

16-20 ANCHORED AS BEFORE. 1648 UNDERWAY FOR DANANG IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. 1650  $\phi$  22 KNOTS.  $\phi$  120. 1705  $\phi$  118. 1712  $\phi$  178. 1720  $\phi$  210. 1725  $\phi$  205.  $\phi$  15 KNOTS. 1736  $\phi$  2 KNOTS.  $\phi$  220. MANUEVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1755 ANCHORED IN 6 FATHOMS OF WATER, SAND BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 7450 YARDS, POINT ISABELLE 3700 YARDS, BAN DAO TIEN SA 6480 YARDS. PROVIDING GUN FIRE SUPPORT. 1909 DARKENED SHIP.

*F.O. Dycles*  
F.O. DYCHES, LT, USN

20-24 ANCHORED AS BEFORE. 2025 UNDERWAY TO SHIFT ANCHORAGE. MANUEVERING VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 2032 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NO. HARBOR ENTRANCE 7650 YDS., PT. ISABELLE 3750 YDS., BAN DAO TIEN SA 6500 YDS., HON SON CHA 9380 YDS.,

*S.F. Weston*  
S.F. WESTON, LTJG, USN

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, Lt. (jg)

U. S. N. E. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -BH DATE TUESDAY 13 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PA NANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM, IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 7650 YDS, PT. ISABELLE 3750 YDS, BAN DAO TIEN SA 6500 YDS, HON SON CHA 9380 YDS. 1B AND 2A BOILERS AND #2 AND #4 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED. SOPA IS CTU 70.8,9 EMBARKED IN THIS VESSEL. 0131 COMMENCED HEAVING AROUND ON THE ANCHOR. 0135 ANCHOR IS AWEIGH, SHIFTING ANCHORAGE, C/C 207° T, C/S 5 KTS. 0141 LET GO THE STARBOARD ANCHOR IN 7 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 8110 YDS, PT. ISABELLE 3840 YDS, THANH PHO DANANG 6780 YDS, HON SON CHA ISLAND 9770 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, Jr.  
LT USNR

04-08 ANCHORED AS BEFORE. 0600 UNDERWAY FOR POINT DEDE IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER, MANEUVERING TO CLEAR THE ANCHORAGE. 0610 1/2 TO 20 KNOTS. 1/2 TO 040. 0617 1/2 TO 050. 0620 1/2 TO 075. 0622 1/2 TO 068. 0625 1/2 TO 090. 0640 1/2 TO 140. 0648 1/2 TO 21 KNOTS. 0652 1/2 TO 180. 0655 1/2 TO 16 KNOTS. 0700 1/2 TO 181. 0711 1/2 TO 183. 1/2 TO 12 KNOTS. 0717 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 0741 ANCHORED IN 12 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HUI DA NANG 19,500 YARDS, NOB 17950 YARDS, HON CO 6420 YARDS, HON LA 8980 YARDS, 300 NUI HON GIAI 12,900 YARDS. 0745 MUSTERED THE CREW ON STATION; ABSENTEES: NONE.

*F. O. Oyches*  
F. O. OYCHES, LT, USN

08-12 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD 944)DATE TUESDAY, 13 MAY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

16-20 ANCHORED AS BEFORE. 1627 UNDERWAY FOR DANANG IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. MANEUVERING TO CLEAR THE ANCHORAGE. 1631  $\frac{1}{2}$  CT 040.  $\frac{1}{2}$  ST 20 KNOTS. 1640  $\frac{1}{2}$  CT 040. 1650 TESTING MK 19 GYRO WITH 7° RUDDER. 1703  $\frac{1}{2}$  CT 334.  $\frac{1}{2}$  ST 22 KNOTS. 1715  $\frac{1}{2}$  CT 345. 1719  $\frac{1}{2}$  CT 320. 1723  $\frac{1}{2}$  CT 319. 1726  $\frac{1}{2}$  CT 274. 1728  $\frac{1}{2}$  CT 269. 1730  $\frac{1}{2}$  CT 273. 1733  $\frac{1}{2}$  ST 10 KNOTS. 1734  $\frac{1}{2}$  ST 22 KNOTS. 1735  $\frac{1}{2}$  CT 280. 1742  $\frac{1}{2}$  CT 235. 1747  $\frac{1}{2}$  CT 215. 1748  $\frac{1}{2}$  ST 20 KNOTS. 1749 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1810 ANCHORED IN DANANG HARBOR IN 7 FATHOMS OF WATER, SAND BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 7140 YARDS, POINT ISABELLE 3420 YARDS, BAN DAO TIEN SA 6425 YARDS, HON SON CHA 8900 YARDS. PROVIDING GUNFIRE SUPPORT.

*F. O. D. Dyche*  
F. O. D. DYCHES, LT, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 2055 UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 2110 ANCHORED IN 6.5 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: NB. HARBOR ENTRANCE 8300 YDS., PT. ISABELLE 3500 YDS., BAN DAO TIEN SA 7440 YDS., HON SON CHA 10000 YDS.

*S. F. Weston*  
S. F. WESTON, LTJG, USN

EXAMINED:

*Rm Butterworth*  
Rm. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD 944) ZONE DESCRIPTION - 8H DATE WEDNESDAY, 14 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DANANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°13.7' N</u>	BY	<u>2</u>
λ <u>108°15.0' E</u>	BY	<u>2</u>

POSITION	ZONE	TIME
1200		
L <u>16°42' N</u>	BY	<u>2</u>
λ <u>108°07' E</u>	BY	<u>2</u>

POSITION	ZONE	TIME
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

0800-0844 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM, IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 830 YDS, PT. ISABELLE 350 YDS, BAN DAO TIEN SA 744 YDS, HON SON CHA 10,000 YDS. 1B AND 2A BOILERS, #1 AND #3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS ARE SET. SHIP IS DARKENED. SOPA IS CTU 708.9 EMBARKED IN THIS VESSEL. 0815 COMMENCED HEAVING AROUND ON THE ANCHOR. 0855 ANCHOR IS AWEIGH, SHIFTING ANCHORAGE, C/C 160°, C/S 5 KTS. 0907 LET GO THE STARBOARD ANCHOR IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: PT. ISABELLE 426 YDS, NORTH HARBOR ENTRANCE 886 YDS, BAN DAO TIEN SA 738 YDS, HON SON CHA 10,320 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

0944-0958 ANCHORED AS BEFORE. 0930 UNDERWAY FOR REPLENISHMENT IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER, MANEUVERING TO CLEAR THE ANCHORAGE. 0935 C/C TO 097, C/S TO 15 KNOTS. 0941 C/C TO 095, C/S TO 20 KNOTS. 0942 C/S TO 22 KNOTS. 0945 MUSTERED THE CREW ON STATION; ABSENTEES: NONE.

*F.O. Dyches*  
F. O. DYCHES, LT, USN

08-12 UNDERWAY AS BEFORE. 0751 C/S TO 23 KTS. 0755 C/C TO 350°T. 0758 C/C TO 314°T. 0928 STATIONED THE HELD DETAIL 0848 C/S TO 24 KTS. 0928 STATIONED HELD DETAIL. 0929 C/C TO 324°T. 0931 C/C 327°T. 0935 STATIONED REFUELING DETAIL. 0937 C/C TO 320°T. 0947 C/C TO 327°T. SECURED REFUELING DETAIL AND HELD DETAIL. STATIONED REARMING DETAIL. 0954 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CLOSE USS MAUNA KEA (AE-22) 1007 COMMENCED APPROACH ON MAUNA KEA 1011 ALONGSIDE, PORT SIDE TO USS MAUNA KEA, IN REPLENISHMENT STATION. BASE COURSE 116°T. BASE SPEED 12 KTS. 1014 FIRST LINE OVER. 1021 FIRST LOAD ON DECK.

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944)DATE WEDNESDAY, 14 MAY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

S.F. Weston

S.F. WESTON, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1206 ALL LINES CLEAR, STANDING AWAY FROM MAUNA KEA ENROUTE TO A POINT 7 MILES NORTH OF DANANG TO PROVIDE GUNFIRE SUPPORT. C/C 155°T, C/S 22 KTS. 1209 C/C 175°T. 1210 C/S 24 KTS, C/C 183°T. 1216 C/S 26 KTS, C/C 184°T. 1245 C/C 193°T. 1250 C/C 190°T. 1253 STATIONED THE ANCHOR DETAIL, C/S 23 KTS. 1258 C/C 183°T. 1300 C/S 20 KTS, C/C 175°T. 1305 C/S 15 KTS, C/C 170°T. 1306 C/S 5 KTS. 1307 C/C 130°T. 1308 LET GO THE STARBOARD ANCHOR IN 10 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF WATER CHAIN ON DECK, ON THE FOLLOWING RANGES: HON SON CHA 13,880 YDS, BAI CHUOI 10,200 YDS, THON AN CU DONG 9000 YDS, NUI TRON 8660 YDS. 1531 COMMENCED HEAVING AROUND ON THE ANCHOR. 1534 ANCHOR IS AWEIGH, C/C 114°T, C/S 10 KTS. 1539 C/S 18 KTS.

L.G. Lindgren, Jr.  
L.G. LINDGREN, JR.  
LT USNR

16-20 UNDERWAY AS BEFORE. 1605 1/2 TO 174. 1608 1/2 TO 177. 1607 1/2 TO 215. 1614 1/2 TO 224. 1620 1/2 TO 226. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1639 ANCHORED IN 7 FATHOMS OF WATER, SAND BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 7730 YARDS, POINT ISABELLE 3340 YARDS, BAN DAO TIEN SA 6950 YARDS, HON SON CHA 9510 YARDS. 1907 DARKENED SHIP.

F.O. Oyches  
F.O. OYCHES, LT, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 2041 UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 2053 ANCHORED IN 6.5 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 9000 YDS., PT. ISABELLE 4160 YDS., BAN DAO TIEN SA 7500 YDS., HON SON CHA 10,550 YDS.

S.F. Weston  
S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT.(jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION - 8H DATE THURSDAY 15 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DA NANG HARBOR, R.V.N. TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0840 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIET NAM IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 9000 YDS, PT. ISABELLE 4160 YDS, BAN DAO TIEN SA 7500 YDS, HON SON CHA 10,550 YDS. 1B AND 2A BOILERS, #1 AND #3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT, MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED. SOPA IS CTU 70.8.9 EMBARKED IN THIS VESSEL. PROVIDING GUNFIRE SUPPORT. 0245 COMMENCED HEAVING AROUND ON THE ANCHOR. 0251 ANCHOR IS AWEIGH, SHIFTING ANCHORAGE, C/C 140°T, C/S 5 KTS. 0258 LET GO THE STARBOARD ANCHOR IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 9200 YDS, PT. ISABELLE 4520 YDS, BAN DAO TIEN SA 7570 YDS, HON SON CHA 10,760 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

04-08 ANCHORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE.

*F.D. Oyches*  
F.D. OYCHES, LT, USN

08-12 ANCHORED AS BEFORE. 0824 HEAVING IN ANCHOR TO SHORT STAY. 0831 ANCHORS AWEIGH. 0832 UNDERWAY TO SHIFT ANCHORAGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0842 ANCHORED IN 6 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHOR RANGES: NO. HARBOR ENTRANCE 9020 YDS., PT. ISABELLE 3700 YDS., BAN DAO TIEN SA 8000 YDS., HON SON CHA 10,620 YDS., YELLOW ROCK PT. 3340 YDS., PT. DE NAMO 3980 YDS. 0835 BROUGHT 2B BOILER ON THE LINE. 0856 SECURED FIRES UNDER 2A BOILER.

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE THURSDAY, 15 MAY, 1969  
(Day) (Date) (Month)

REMARKS—CONTINUED

*S.F. Weston*

S.F. WESTON, LTJG, USN

12-16-ANCHORED AS BEFORE. 1432 COMMENCED HEAVING AROUND ON THE ANCHOR. 1442 ANCHOR IS AWEIGH, SHIFTING ANCHORAGE, C/C  $\phi 43^{\circ}$ , C/S 5 KTS. 1451 LET GO THE STARBOARD ANCHOR IN 6.3 FATHOMS OF WATER, MUD BOTTOM, 3 $\phi$  FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 834 $\phi$  YDS, PT. ISABELLE 362 $\phi$  YDS, BAN DAO TIEN SA 765 $\phi$  YDS, HON SON CHA ISLAND 1 $\phi$ , 2 $\phi$  YDS

*L.G. Lindgren, Jr.*

L.G. LINDGREN, Jr.

LT

USNR

16-2 $\phi$  ANCHORED AS BEFORE. 19 $\phi$ 6 DARKENED SHIP.

*F.D. Dyche*

F.D. DYCHES, LT, USN

2 $\phi$ -24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 21 $\phi$ 8 ANCHORS AWEIGH. 21 $\phi$ 9 UNDERWAY TO SHIFT ANCHORAGE. C/S TO 5 KTS. C/C TO  $\phi 17^{\circ}$ T. 2115 ALL STOP. ANCHORED IN  $\phi 6.5$  FATHOMS OF WATER, MUD  $\phi$  BOTTOM, WITH  $\phi 3$  FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NO. HARBOR ENTRANCE 896 $\phi$  YDS., PT. ISABELLE 415 $\phi$  YDS., BAN DAO TIEN SA 76 $\phi$  YDS., HON SAN CHA 1 $\phi$ , 55 $\phi$  YDS. YELLOW ROCK PT. 388 $\phi$  YDS.

*S.F. Weston*

S.F. WESTON, LTJG, USN

EXAMINED:

*R.M. Butterworth*

R.M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944) ZONE DESCRIPTION -84 DATE FRIDAY, 16 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DANANG HARBOR, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°03.7 N</u>	BY <u>2</u>	
λ <u>108°37.5 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>15°57.5 N</u>	BY <u>2</u>	
λ <u>108°22.7 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

REMARKS

08-04 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIET NAM, IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING BEARINGS: NORTH HARBOR ENTRANCE 8960 YDS, PT. ISABELLE 4150 YDS, BAN DAO TIEN SA 7600 YDS, HON SON CHA 10,550 YDS, YELLOW ROCK PT. 3880 YDS. 1B AND 2B BOILERS, #2 AND #3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED. SOPA IS CTU 7018.9 EMBARKED IN THIS VESSEL. 0206 COMMENCED HEAVING AROUND ON THE ANCHOR. 0209 ANCHOR IS AWEIGH. C/C 45°T, C/S 5 KTS. 0220 LET GO THE STARBOARD ANCHOR IN 6.5 FATHOMS OF WATER, SAND BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 9230 YDS, PT. ISABELLE 4590 YDS, BAN DAO TIEN SA 7450 YDS, CAUSEWAY 5000 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR  
LT USNR

300 04-08 ANCHORED AS BEFORE. 0600 UNDERWAY FOR <sup>REPLENISHMENT</sup> POINT DEE DEE IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. MANEUVERING TO CLEAR THE ANCHORAGE. 0612 C/C TO 043. C/S TO 15 KNOTS. 0617 C/C TO 044. 0619 C/C TO 048. 0624 C/C TO 050. 0625 C/S TO 22 KNOTS. 0626 C/C TO 070. 0628 STATIONED THE REARMING DETAIL. COMMENCED PREPARATIONS FOR REARMING FROM USS FIREDRAKE (AE-14). 0641 MANEUVERING TO TAKE STATION ASTERN USS FIREDRAKE (AE-14). 0656 ON STATION, REPLENISHMENT COURSE 125, SPEED 12 KNOTS. 0658 COMMENCED APPROACH, EXECUTIVE OFFICER CONNING. 0701 ON STATION ALONGSIDE STARBOARD SIDE FIREDRAKE. 0702 FIRST LINE OVER. 0708 COMMENCED RECEIVING AMMUNITION.

*F.D. Dyche*  
F.D. DYCHES, CT, USN

08-12 UNDERWAY AS BEFORE. 0814 ALL LINES CLEAR, C/C TO 130°T. C/S TO 22 KTS. 0816 C/C 270°T. 0855 C/C TO 217°T. 0900 STATIONED ANCHOR <sup>ON</sup> DETAIL. 0902 C/C TO 20 KTS. 0908 MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0915 ANCHORED IN 11.5 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN <sup>AT</sup> TO THE <sup>WATERS EDGE</sup> STARBOARD ANCHOR TO THE STAR- <sup>8fw</sup> BOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HON CU 7640 YDS, HON MO 14,460 YDS, SO, REVER MOUTH 11,880 YDS, CLOSEST PT. OF LAND 5960 YDS. 0942 ANCHORS AWEIGH. 0943 UNDERWAY MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO SHIFT ANCHORAGE. 1017 AN-

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINIX (DD 944)DATE FRIDAY, 16 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

~~12-16 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. CHORED IN 10.5 FATHOMS OF WATER, SAND AND MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: HON CU 5360 YDS., HON MD 11,375 YDS., SO. RIVER MOUTH 9550 YDS., CLOSEST PT. OF LAND 6250 YDS. 1109 BROUGHT 1A BOILER ON THE LINE. 1110 SECURED 1B BOILER. 1140 COMMENCED GUNFIRE SUPPORT MISSION.~~

*S.F. Weston*

S.F. WESTON, LTJG, USN

12-16 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT.

*L.G. Lindgren, Jr.*

L.G. LINDGREN, Jr.

LT USNR

16-20 ANCHORED AS BEFORE. 1605 UNDERWAY FOR REFUELING IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. MANEUVERING TO CLEAR THE ANCHORAGE. 1610 1/2 TO 020, 1/2 TO 22 KNOTS. 1620 1/2 TO 075. 1632 1/2 TO 095. 1642 1/2 TO 105. 1701 1/2 TO 137. 1702 STATIONED THE REFUELING DETAIL. COMMENCED PREPARATIONS FOR REFUELING FROM USS PONCHATOUA (AO-148). 1709 MANEUVERING TO TAKE STATION ASTERN, USS PONCHATOUA (AO-148) 1725 ON STATION, REPLENISHMENT COURSE 315, SPEED 12 KNOTS. 1726 COMMENCED APPROACH, CAPTAIN CONNING. 1728 ON STATION, ALONGSIDE STARBOARD SIDE OF PONCHATOUA. 1731 FIRST LINE OVER. 1742 COMMENCED RECEIVING FUEL. 1809 FUELING COMPLETED. COMMENCED EMERGENCY BREAKWAY DUE TO GYRO CASUALTY. 1808 ALL LINES CLEAR. MANEUVERING TO CLEAR PONCHATOUA. 1809 CLEAR OF PONCHATOUA. 1814 1/2 TO 292. 1/2 TO 22 KNOTS. SECURED REFUELING DETAIL. 1909 DARKENED SHIP. 1917 STATIONED ANCHOR DETAIL. 1923 1/2 TO 258. MANEUVERING FOR ANCHORAGE. 1944

*F.D. Dyches*

F.D. DYCHES, LT, USN

20-24 UNDERWAY AS BEFORE. 1949 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NO. HARBOR ENTRANCE 8400 YDS., PT. ISABELLE 4000 YDS., YELLOW ROCK PT. 4100 YDS., BAN DAO TIEN SA 7060 YDS. PROVIDING GUNFIRE SUPPORT. 2225 UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 2230 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NO. HARBOR ENTRANCE 8250 YDS., PT. ISABELLE 353750 YDS., YELLOW ROCK PT. 3925 YDS., BAN DAO TIEN SA 7140 YDS.

*S.F. Weston*

S.F. WESTON, LTJG, USN

EXAMINED:

*R.M. Butterworth*

R.M. BUTTERWORTH, LT(jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD 944) ZONE DESCRIPTION -8H DATE SATURDAY, 17 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DANANG, REPUBLIC OF VIETNAM TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

0800-0840 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM IN 7 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 8400 YDS, PT. ISABELLE 4000 YDS, YELLOW ROCK PT. 4100 YDS, BAN DAO TIEN SA 7000 YDS. 1A AND 2B BOILERS, #2 AND #3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED. SOPA IS CTU 708.9 EMBARKED IN THIS SHIP. 0315 COMMENCED HEAVING AROUND ON THE ANCHOR. 0322 ANCHOR IS AWEIGH. C/C 180°T, C/S 5 KTS. 0330 LET GO THE STARBOARD ANCHOR IN 6.7 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 8890 YDS, PT. ISABELLE 4320 YDS, YELLOW ROCK PT. 4250 YDS, THANH PHO DANANG 7320 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, Jr.  
LT USNR

0408 ANCHORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION; ABSENTEES: NONE.

*F.O. Dyche*  
F.O. DYCHES, LT, USN

0812 ANCHORED AS BEFORE. 1056 STATIONED THE VERTICAL REPLENISHMENT DETAIL FOR REPLENISHMENT FROM USS NIAGRA FALLS (AFS-3)

*S.F. Weston*  
S.F. WESTON, LTJG, USN

1216 ANCHORED AS BEFORE. 1304 SECURED THE HELO DETAIL. 1317 COMMENCED HEAVING AROUND ON THE ANCHOR. 1323 ANCHOR IS AWEIGH, SHIFTING ANCHORAGE, C/C 315°T, C/S 5 KTS. 1328 LET GO THE STARBOARD ANCHOR IN 6.3 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 8810 YDS, PT. ISABELLE 4080 YDS, YELLOW ROCK PT. 3810 YDS, THANH PHO DANANG 7670 YDS

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, Jr., LT, USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE SATURDAY, 17 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE. 1844 UNDERWAY TO SHIFT ANCHORAGES IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. 1902 ACH ANCHORED IN 6 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 9050 YARDS, POINT ISABELLE 4580 YARDS, YELLOW ROCK POINT 4320 YARDS, BAN DAO TIEN SA 7350 YARDS. 1912 DARKENED SHIP.

F.D. Oyche  
F.D. OYCHES, LT, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

S.F. Weston  
S.F. WESTON, LTJG, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT(jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD 944) ZONE DESCRIPTION -84 DATE SUNDAY, 18 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM DANANG, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM, IN 6.5 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 9050 YDS, PT. ISABELLE 4580 YDS, YELLOW ROCK PT. 4320 YDS., BAN DAO TIEN SA 7350 YDS. 1A AND 2B BOILERS AND #2 AND #3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT VESSELS, HARBOR AND DISTRICT CRAFT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED. SOPA IS COMDES DIV 14, CTU 708.9 EMBARKED IN THIS SHIP. 0045 COMMENCED HEAVING AROUND ON THE ANCHOR. 0053 ANCHOR IS AWEIGHT, SHIFTING ANCHORAGE, C/C 000°T, C/S 5KTS. 0106 LET GO THE STARBOARD ANCHOR IN 7 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING BEARINGS: NORTH HARBOR ENTRANCE 8150 YDS, PT. ISABELLE 3930 YDS, YELLOW ROCK PT. 4080 YDS, THANH PHO DANANG 7100 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

04-08 ANCHORED AS BEFORE. 0722 UNDERWAY TO SHIFT ANCHORAGES IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. 0731 ANCHORED IN 6.5 FATHOMS OF WATER MUD BOTTOM WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 8950 YARDS, POINT ISABELLE 4460 YARDS, YELLOW ROCK POINT 4300 YARDS, BAN DAO TIEN SA 7300 YARDS. 0740 MUSTERED THE CREW ON STATION ABSENTEES: NONE.

*F.O. Dyches*  
F.O. DYCHES, LT, USN

08-12 ANCHORED AS BEFORE. 1020 STATIONED THE ANCHOR DETAIL. 1030 ANCHORS AWEIGHT. 1033 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO STAND OUT OF DANANG HARBOR. 1103 C/S TO 22 KTS. C/C TO 090°T. 1130 C/S TO 19 KTS. C/C TO 190°T. 1133 C/C TO 200°T. 1147 C/C TO 205°T. 1150 C/C TO 185°T.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

USS MULLINNIX (DD 944)DATE SUNDAY, 18 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1203 C/C 179°T. 1205 C/S 22 KTS. 1212 C/S 20 KTS. 1215 STATIONED THE ANCHOR DETAIL. 1216 C/C 150°T, C/S 15 KTS. 1217 C/S 10 KTS. 1221 C/C 120°T 1225 LET GO THE STARBOARD ANCHOR IN 10 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NUI HON LA 8130 YDS, HONCO 5830 YDS, QUAN HIEN NHON 6050 YDS, ON STATION FOR GUNFIRE SUPPORT. 1507 COMMENCED HEAVING AROUND ON THE ANCHOR. 1516 ANCHOR IS AWAY, ENROUTE TO DANANG, C/C 000°T, C/S 10 KTS. 1520 C/S 18 KTS. 1521 C/C 010°T. 1553 C/C 305°T.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

16-18 UNDERWAY AS BEFORE. 1610 9/CTO 270. 1629 9/CTO 263. 1630 9/CTO 250. 1634 9/CTO 15 KNOTS. 1644 MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1705 ANCHORED IN DANANG HARBOR IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 8750 YARDS, POINT ISABELLE 4240 YARDS, THAN PHO DANANG 7180 YARDS. PROVIDING GUNFIRE SUPPORT.

*F.O. Dyches*  
F.O. DYCHES, LT, USN

18-20 ANCHORED AS BEFORE. 1910 DARKENED SHIP.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (ig) U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (00-944) ZONE DESCRIPTION -8H DATE MONDAY 19 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM PT. CAROL, DA NANG, R.V.N. TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

00-04 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM IN 7 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 8750 YARDS, POINT ISABELLE 4240 YARDS, THAN PHO DANANG 7180 YARDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2B, 5/8 GENERATORS 2 AND 3 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, MERCHANT AND RUN CRAFT. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. 0040 UNDERWAY TO SHIFT ANCHORAGES. 0050 ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 8900 YARDS, POINT ISABELLE 4450 YARDS, YELLOW ROCK POINT 4320 YARDS, THAN PHO DANANG 7300 YARDS.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

00-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0548 COMMENCED HEAVING ANCHOR AROUND TO SHORT STAY. 0557 ANCHORS AWEIGH. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF DANANG HARBOR. PROCEEDING TO PT. DEDE, RVN. 0624 C/K TO 085°T. C/S TO 20 KTS. 0636 C/K TO 090°T. 0644 C/K 128°T. 0650 C/K TO 135°T. 0654 C/K TO 170°T. 0657 C/K TO 188°T. 0700 LIGHTED FIRES UNDER 2A BOILER. 0711 C/K TO 195°T. 0716 C/S TO 12 KTS. 0717 STATIONED THE ANCHOR DETAIL. MANEUVERING AE ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0747 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0744 ANCHORED IN 11 FATHOMS OF WATER, MUD BOTTOM, WITH 35 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR AT UTM GRID COORDINATES BT 193650, 6200 YDS. OFF FRIENDLY BEACH AT GUNFIRE SUPPORT STATION. *S. F. Weston*

S. F. WESTON, LTJG, USN

08-12 ANCHORED AS BEFORE. ON STATION FOR GUNFIRE SUPPORT. 0910 2A BOILER ON THE LINE.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE MONDAY, 19 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

1216 ANCHORED AS BEFORE. 1223 UNDERWAY FOR REARMING. MANEUVERING TO CLEAR THE ANCHORAGE. 1229  $\frac{1}{2}$  CT TO 085.  $\frac{1}{2}$  S TO 18 KNOTS. 1238  $\frac{1}{2}$  S TO 15 KNOTS. 1304  $\frac{1}{2}$  CT TO 085. 1305  $\frac{1}{2}$  CT TO 085. 1339  $\frac{1}{2}$  CT TO 311. 1340 STATIONED THE REARMING DETAIL. COMMENCED PREPARATIONS FOR REARMING FROM USS MOUNT BAKER (AE-4) 1341 MANEUVERING TO TAKE STATION ASTERN OF USS MOUNT BAKER (AE-4). 1405 ON STATION REPLENISHMENT COURSE 310, SPEED 12 KNOTS. 1409 COMMENCED APPROACH, EXECUTIVE OFFICER CONNING. 1410 ON STATION ALONGSIDE STARBOARD SIDE OF MOUNT BAKER. 1411 FIRST LINE OVER. 1416 COMMENCED RECEIVING AMMUNITION. 1500 COMPLETED RECEIVING AMMUNITION. 300 HAVING RECEIVED FROM MOUNT BAKER 523 ROUNDS #5"154 AAC PROJECTILES, 528 ROUNDS 5"154 UNIVERSAL CHARGES. 1505 ALL LINES CLEAR. MANEUVERING TO CLEAR STARBOARD SIDE OF MOUNT BAKER. 1506 CLEAR OF MOUNT BAKER. 1508  $\frac{1}{2}$  CT TO 166.  $\frac{1}{2}$  S TO 22 KNOTS. 1513  $\frac{1}{2}$  CT TO 163. 1542  $\frac{1}{2}$  CT TO 200. 1550  $\frac{1}{2}$  CT TO 215.  $\frac{1}{2}$  S TO 18 KNOTS. 1556 MANEUVERING VARIOUS 300 COURSES AND SPEEDS FOR ANCHORAGE. SECURED THE REARMING DETAIL. 1634 ANCHORED 300 IN DANANG HARBOR

F.O. Dyches  
F.O. DYCHES, LT, USN

1620-24 UNDERWAY AS BEFORE. 1634 ANCHORED IN DANANG HARBOR IN 7 FATHOMS OF WATER, MUD BOTTOM, ON THE FOLLOWING RANGES: NO. HARBOR ENTRANCE 8000 YDS., PT. ISABELLE 3900 YDS., YELLOW ROCK PT. 4240 YDS., HON SON CHA 7000 YDS. CHAIN IS FOULED IN HAWSE PIPE. 1655 ANCHORS A-WEIGH. 1701 LET GO STARBOARD ANCHOR. ANCHORED IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: NO. HARBOR ENTRANCE 8220 YDS., PT. ISABELLE 4000 YDS., YELLOW ROCK PT. 4400, THAUN PHO DANANG 7020 YDS. 1911 DARKENED SHIP. PROVIDING GUNFIRE SUPPORT.

S.F. Weston  
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 2300 COMMENCED HEAVING AROUND ON THE ANCHOR. 2304 LET GO THE STARBOARD ANCHOR IN 7 FATHOMS OF WATER, MUD BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: NORTH HARBOR ENTRANCE 8200 YDS., PT. ISABELLE 4000 YDS., YELLOW ROCK PT. 4280 YDS., BAN DAO TIEN SA 6800 YDS.

L.G. Lindgren, Jr.  
L.G. LINDGREN, Jr.  
LT USNR

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT. (ig)

U. S. N. NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINIX (0-944) ZONE DESCRIPTION -8H DATE TUESDAY 20 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM DANANG, REPUBLIC OF VIETNAM TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 ANCHORED IN DANANG HARBOR, REPUBLIC OF VIETNAM IN 7 FATHOMS OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: NORTH HARBOR ENTRANCE 820 YARDS, POINT ISABELLE 404 YARDS, YELLOW ROCK POINT 428 YARDS, BAN DAO TIEN SA 680 YARDS. SHIP IS IN CONDITION OF READINESS TIL, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, 1/2 GENERATORS 2 AND 4 ARE ON THE LINE SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, MERCHANT AND RUN CRAFT. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. 0203 UNDERWAY FOR POINT ALLISON IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER, MANEUVERING TO CLEAR THE ANCHORAGE. 0211 1/2 TO 047, 1/2 TO 10 KNOTS. 0213 1/2 TO 040. 0216 1/2 TO 15 KNOTS. 0222 1/2 TO 20 KNOTS. 0226 1/2 TO 22 KNOTS. 0237 1/2 TO 006. 0240 1/2 TO 317. 0306 1/2 TO 22.5 KNOTS. 0355 1/2 TO 307.

*F.D. Dykes*  
F. D. DYKES, LT, USN

04-08 UNDERWAY AS BEFORE. 0525 C/C 271° T. 0605 C/S TO 5 KTS. 0607 C/S TO 2 KTS. 0610 C/C TO 310° T. C/S TO 10 KTS. 0620 C/C TO 320° T. 0622 C/C TO 329° T. 0624 C/C TO 350° T. 0625 C/C TO 346° T. 0627 C/S TO 5 KTS. C/C TO 033° T. 0630 C/C TO 080° T. 0634 STATIONED ANCHOR DETAIL. 0643 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0702 WALKED OUT STARBOARD ANCHOR. ANCHORED IN 9.5 FATHOMS OF WATER, SAND BOTTOM, WITH 15 FATHOMS TO STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SO. RIVER 6320 YDS., NO. RIVER 14,380 YDS., NOB 15,750 YDS., BUOY #1, 7725 YDS. 0740 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

*S.F. Weston*  
S. F. WESTON, LTJG, USN

08-12 ANCHORED AS BEFORE. 0808 COMMENCED HEAVING AROUND ON THE ANCHOR. 0813 ANCHOR IS AWEIGH, C/C 120° T, C/S 18 KTS, ENROUTE TO RENDEZVOUS WITH U.S.S. CALIENTE (AO-53). 0820 C/S 20 KTS. 0822 C/C 118° T. 0825 C/C 113° T. 0841 C/C 120° T. 0847 SECURED THE GUNFIRE SUPPORT TEAM. 0849 STATIONED THE REFUELING DETAIL. 0855 C/C 145° T. 0858 C/C 153° T. 0900 COMMENCED APPROACH ON STARBOARD SIDE OF CALIENTE. REPLENISHMENT COURSE 130° T, SPEED 10 KTS. 0913 ALONGSIDE. 0915 CASUALTY TO MK 23 GYRO, SHIFTED TO MK 19 GYRO. 0916 CASUALTY TO MK 19 GYRO, STEERING 134° MAGNETIC. 0922 RESUMED STEERING BY MK 23 GYRO. 0926 FIRST LINE OVER. 0932 CASUALTY TO MK 23 GYRO, STEERING BY ~~M~~ MAGNETIC COMPASS. 0936 COMMENCED RECEIVING FUEL. 0941 MAGNETIC COMPASS IRRATIC, COMMENCED EMERGENCY BREAK-AWAY. 0944 ALL LINES CLEAR,

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD 944)DATE TUESDAY, 20 MAY, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

C/S ALL STOP, STANDING AWAY FROM CALIENTE. 0946 C/S 10 KTS. 0950 SECURED THE REFUELING DETAIL, C/C 330° MAGNETIC. 0951 MK 23 GYRO IS OPERABLE, C/C 330°T, RETURNING TO VICINITY OF POINT ALLISON. 0955 C/S 20 KTS. 1000 C/C 320°T. 1013 C/S 22 KTS. 1030 C/C 290°T. 1036 1B BOILER IS ON THE LINE. 1037 SECURED FIRES UNDER 1A BOILER. 1042 C/C 285°T. 1045 SET THE GUNFIRE SUPPORT TEAM. 1048 STATIONED THE ANCHOR DETAIL. 1057 C/S 18 KTS, C/C 278°T. 1102 C/S 15 KTS. 1104 C/S 10 KTS. 1105 C/S 5 KTS. 1108 LET GO THE STARBOARD ANCHOR IN 10 FATHOMS OF WATER, MUD BOTTOM, ON THE FOLLOWING RANGES: SOUTH RIVER 6700 YDS, NORTH RIVER 15,900 YDS, NHI THONG 12,220 YDS, NUB 17,320 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR., LT, USNR

12-16 ANCHORED AS BEFORE.

*F.O. Dyches*  
F.O. DYCHES, LT, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1652 STATIONED THE ANCHOR DETAIL. 1658 ANCHORS AWEIGH. 1700 UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING FOR ANCHORAGE. 1705 ANCHORED IN 10 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING RADAR RANGES: NOB 17,500 YDS., SD. RIVER 6,900 YDS., NO. RIVER 16,000 YDS., HIU 12,370 YDS. 1907 DARKENED SHIP.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 2032 COMMENCED HEAVING AROUND ON THE ANCHOR. 2035 ANCHOR IS AWAY, SHIFTING ANCHORAGE, C/C 286°T, C/S 5 KTS. 2043 C/C 278°T. 2058 LET GO THE STARBOARD ANCHOR IN 9.5 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN ON DECK ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 6250 YDS, NORTH RIVER 14,100 YDS, NOB 15,580 YDS, NHI THUONG 14,500 YDS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT. USNR

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (IG)

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8N DATE WEDNESDAY 21 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM PT. CAROL, DA NANG, R.V.N. TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°48.2'N</u>	BY <u>2</u>	
$\lambda$ <u>107°37.7'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16°48.5'N</u>	BY <u>2</u>	
$\lambda$ <u>108°00.5'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
$\lambda$ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

0800-0844 ANCHORED AT POINT CAROL, REPUBLIC OF VIETNAM IN 9.5 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6250 YARDS, NORTH RIVER 14,100 YARDS, NOB 15,580 YARDS, NH1 THUONG 10,500 YARDS. SHIP IS IN CONDITION OF READINESS TIL, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1B AND 2A,  $\frac{5}{8}$  GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. PROVIDING GUNFIRE SUPPORT.

F. D. Dykes  
F. D. DYKES, LTJG, USN

0845-0908 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. 0841 HEAVING AROUND ON THE ANCHOR. 0845 ANCHORS AWEIGH. 0846 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 0841 LET GO STARBOARD ANCHOR. ANCHOR IS DRAGGING. 0853 ANCHORS AWEIGH. 0854 MANEUVERING FOR ANCHORAGE. 0851 ANCHORED IN 9.5 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, ON THE FOLLOWING RADAR RANGES: SO. RIVER 5300 YDS., NO. RIVER 16,300 YDS., NOB 18,000 YDS., BUOY #1 5000 YDS., MT. 11, 5000 YDS. 0621 COMMENCED HEAVING AROUND ON ANCHOR. 0626 ANCHORS AWEIGH. 0632 C/L TO 097°T. C/S TO 15 KTS. MAKING PREPARATIONS TO REFUEL FROM USS CALIENTE (AO-53). 0635 C/S TO 22 KTS. 0636 C/L TO 107°T. 0650 C/L TO 090°T. 0652 SECURED GUNFIRE SUPPORT TEAM 0711 C/L TO 070°T. 0722 C/L TO 100°T. 0729 C/L TO 140°T. 0733 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0734 STATIONED THE REFUELING DETAIL FORWARD AND AFT, MIDSHIPS HIGHLINE AND REARMING DETAIL. 0736 C/L TO 155°T. 0739 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS TO CLOSE ON CALIENTE.

S. F. Weston  
S. F. WESTON, LTJG, USN

0812 UNDERWAY AS BEFORE. 0802 ON STATION 5000 YDS ASTERN OF CALIENTE. 0820 COMMENCED APPROACH ON CALIENTE'S STARBOARD SIDE. 0825 ALONGSIDE. REPLENISHMENT COURSE 090°T, SPEED 10 KTS. 0836 FIRST LINE OVER. 0846 DIFFICULTY IN MAINTAINING STATION ALONGSIDE, COMMENCED EMERGENCY BREAK-AWAY. 0847 ALL LINES CLEAR, STANDING AWAY FROM CALIENTE. 0859 ON STATION ASTERN OF CALIENTE. 0945 CAUSE OF STEERING DIFFICULTY DETERMINED TO BE EXCESSIVE TENSION ON CALIENTE'S AFT RIG. COMMENCED APPROACH ON CALIENTE'S STARBOARD SIDE. 0949 ALONGSIDE. 0950 FIRST LINE OVER. 1004

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD 944)DATE WEDNESDAY, 21 MAY, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

COMMENCED RECEIVING FUEL. 1115 CEASED REFUELING. 1120 ALL LINES CLEAR, STANDING AWAY FROM CALIENTE ENROUTE TO THE VICINITY OF POINT ALLISON. C/S 22 KTS, C/C  $\phi 95^{\circ}$ . 1127 C/C  $297^{\circ}$ . 1154 SECURED THE REFUELING AND REARMING DETAILS.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

~~3105 16-20~~

12-16 1343 STATIONED THE ANCHOR DETAIL AND GUN FIRE SUPPORT TEAM. 1347  $\phi$  TO 28 $\phi$ . 1353  $\phi$  TO 282 1358 MANUEVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1416 ANCHORED IN 9.5 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 726 $\phi$  YARDS, NORTH RIVER 1485 $\phi$  YARDS, NOB 1632 $\phi$  YARDS. PROVIDING GUN FIRE SUPPORT.

*F.D. Dykes*  
F.D. DYKES, LT, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUN FIRE SUPPORT. 1912 DARKENED SHIP.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. 2000~~00~~ COMMENCED HEAVING AROUND THE ANCHOR. 2003 ANCHOR IS AWAY, C/S 5 KTS, C/C  $245^{\circ}$ . 2021 LET GO THE STARBOARD ANCHOR IN 9 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 690 $\phi$  YDS, NHI THUONG 10,950 $\phi$  YDS, NORTH RIVER 14,300 $\phi$  YDS, NOB 15,960 $\phi$  YDS.

EXAMINED:

*R.M. Butterworth*  
R.M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE THURSDAY, 22 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0845 ANCHORED AT POINT ALLISON, REPUBLIC OF VIETNAM IN 9 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6900 YARDS, NHI THUONG 10950 YARDS, NORTH RIVER 14300 YARDS, NOB 15980 YARDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1B AND 2A, S/S GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT VARIOUS UNITS OF THE US PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN. PROVIDING GUNFIRE SUPPORT. 0845 UNDERWAY TO SHIFT ANCHORAGES IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING OFFICER. MANEUVERING FOR ANCHORAGE. 0930 ANCHORED IN 10 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6960 YARDS, NHI THUONG 11500 YARDS, NORTH RIVER 14740 YARDS, NOB 16170 YARDS.

*F.D. Dyches*  
F. D. DYCHES, LT, USN

0945-0958 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0740 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

*S.F. Weston*  
S. F. WESTON  
LTJG USN

08-12 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0915 STATIONED THE HELO DETAIL. 0920 SECURED THE HELO DETAIL. 1030 WIND IS INCREASING, WALKED CHAIN OUT TO 60 FATHOMS ON DECK.

*L.G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

12-16 ANCHORED AS BEFORE.

*F.D. Dyches*  
F. D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944)DATE THURSDAY, 22 MAY, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1829 ANCHORS AWEIGH. 1831 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 1840 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR. ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 7300 YDS., NORTH RIVER 14,850 YDS., NOB 16, 1000 YDS., NUI THOUNG 11,500 YDS. 1916 DARKENED SHIP.

S.F. Weston

S.F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

L.G. Lindgren, Jr.

L.G. LINDGREN, JR.

LT USNR

EXAMINED:

R.M. Butterworth

R.M. BUTTERWORTH, LT.(JG)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINWIX (DD-944) ZONE DESCRIPTION -8H DATE FRIDAY 23 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RUN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°43'N</u>	BY <u>2</u>	
λ <u>107°53'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16°29'N</u>	BY _____	
λ <u>107°54'E</u>	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 ANCHORED AT POINT ALLISON, REPUBLIC OF VIETNAM IN 9 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 7300 YARDS, NORTH RIVER 14850 YARDS, NOB 16100 YARDS, NUI THOUNG 11500 YARDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKÉ SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1B AND 2A, 5/5 GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN, PROVIDING GUN FIRE SUPPORT.

*F.D. Dyche*  
F. D. DYCHES, LT, USN

04-08 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. 0559 ANCHORS AWEIGH. 0600 UNDERWAY TO RENDEZVOUS WITH USS TALUGA (AO-62). 0605 C/S TO 10 KTS. C/C TO 107°T. 0614 C/S TO 27 KTS. 0640 C/C TO 112°T. 0710 SECURED GUNFIRE SUPPORT TEAM. 0742 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

*S.F. Weston*  
S. F. WESTON, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0800 C/C 135°T. 0810 STATIONED THE REFUELING AND REARMING DETAILS. 0817 C/C 131°T. 0824 C/C 145°T. 0826 MANEUVERING TO TAKE STATION 500 YDS ASTERN OF USS TALUGA (AO-62). 0828 COMMENCED APPROACH ON TALUGA'S STARBOARD SIDE. REPLENISHMENT COURSE 310°T, SPEED 10 KTS. 0829 ALONGSIDE. 0831 FIRST LINE OVER. 0842 RECEIVED FIRST LOAD AND FUEL. 0906 CEASED RECEIVING FUEL. 0948 ALL LINES CLEAR, C/S 22 KTS, C/C 317°T, ENROUTE TO POINT CONNIE. 0950 C/C 180°T. 1005 C/C 177°T, SECURED THE REARMING AND REFUELING DETAILS. 1015 C/S 15 KTS. 1033 C/S 5 KTS. 1036 C/C 140°T. 1037 STATIONED THE GUNFIRE SUPPORT TEAM. 1041 C/C 317°T. 1055 C/C 305°T. 1056 C/S 15 KTS. 1057 C/C 310°T. ENGINEERING CASUALTY TO 1B BOILER, 1104 C/S 5 KTS. 1106 LOST FIRES IN 1B BOILER, 1116 LIGHTED FIRES UNDER 1B BOILER 1123 1B BOILER IS ON THE

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD 944)DATE FRIDAY, 23 MAY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

LINE, CASUALTY RESTORED. 1130 C/S 15 KTS, C/C 110°. 1138 C/C 120°  
1140 C/S 17 KTS, 1147 C/S 19 KTS, 1154 C/S 22 KTS.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

12-16 UNDERWAY AS BEFORE. 1202 C/S TO 25 KNOTS. 1205 C/S TO 115. 1209  
C/S TO 22 KNOTS. C/S TO 120. 1219 C/S TO 110. 1220 C/S TO 120. 1237 C/S TO 174.  
1240 C/S TO 18 KNOTS. MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE  
1310 BROUGHT 2B BOILER ON THE LINE. ANCHORED IN 9.5 FATHOMS OF WATER,  
SAND BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR,  
ON THE FOLLOWING ANCHORAGE RANGES: NUI GIUON 800 YARDS, NUI TRON  
6,500 YARDS, LOC HAI 9,940 YARDS, BAI CHUOI 12,350 YARDS. ANCHORED AT  
POINT CLAUDIA. 1311 A/R SECURED FIRES UNDER 2A BOILER. 1434 UNDERWAY  
FOR POINT ALLISON IN ACCORDANCE WITH VERBAL ORDERS FROM COMMANDING  
OFFICER. 1438 C/S TO 22 KNOTS, C/S TO 331. 1452 C/S TO 312.

*F. O. Dykes*  
F. O. DYKES, LT, USN

16-20 UNDERWAY AS BEFORE. 1653 C/C TO 315°. 1705 C/C TO 289°. 1707  
MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR AN-  
CHORAGE. 1731 STATIONED THE ANCHOR DETAIL. SET GUNFIRE SUPPORT TEAM.  
1743 COMMENCED WALKING OUT STARBOARD ANCHOR. 1746 ANCHORED IN  
10 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO  
THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: SO. RIVER 7100 YDS., NO.  
RIVER 16,320 YDS., NOB 17,550 YDS., NUI THOUNG 12,550 YDS. 1753 COM-  
MENCED FIRE FOR GUNFIRE SUPPORT. 1903 ANCHORS AWEIGH. SHIFTING ANCHOR-  
AGE. 1914 COMMENCED WALKING OUT STARBOARD ANCHOR. 1915 ANCHORED IN 9.5  
FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS TO THE STARBOARD ANCHOR, ON  
THE FOLLOWING ANCHORAGE RANGES: SO. RIVER 6550 YDS., NO RIVER 12,950 YDS., NOB  
15,400 YDS., NUI THOUNG 10,300 YDS. 1921 DARKENED SHIP.

*S. F. Weston*  
S. F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 2302  
COMMENCED HEAVING AROUND ON THE ANCHOR. 2313 UNDERWAY, C/C 130°,  
C/S 10 KTS. 2328 C/C 125°. 2337 C/S 5 KTS 2340 C/S 3 KTS, C/C 133°.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

EXAMINED:

*R. M. Butterworth*  
R. M. BUTTERWORTH, LT. (jg) U. S. N. R.-NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -811 DATE SATURDAY 24 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM PT. ALLISON, DMZ, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°32.3' N</u>		BY <u>2</u>
λ <u>107°47.5' E</u>		BY <u>2</u>

POSITION	ZONE	TIME
1200		
L <u>16°23.0' N</u>		BY <u>2</u>
λ <u>108°00.2' E</u>		BY <u>2</u>

POSITION	ZONE	TIME
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER WHILE CONDUCTING GUN FIRE SUPPORT AT POINT ALLISON SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. ~~ENGINEERING DEPARTMENT ON 1 MINUTE BASE COURSE 133, BASE SPEED 3 KNOTS.~~ ANCHOR DETAIL STANDING BY. BOILERS 1B AND 2B, 1/2 GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET. SOPA IS CTG 708 ABOARD USS NEWPORT NEWS (CA-148). 0009 1/2 TO 1 KNOT. 0030 ANCHORED IN 11 FATHOMS OF WATER, SAND-MUD BOTTOM WITH 30 FATHOMS OF CHAIN AT THE WATERS EDGE TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 11, 100 YARDS, BORTZ'S BUMP 20, 200 YARDS, NORTH RIVER 26, 250 YARDS. 0245 UNDERWAY TO SHIFT ANCHORAGES. MANUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 0344 ANCHORED IN 10 FATHOMS OF WATER, MUD BOTTOM WITH 60 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 7220 YARDS, NORTH RIVER 14, 630 YARDS, NOB 16, 070 YARDS. PROVIDING GUN FIRE SUPPORT.

J. D. Dyches  
F. O. DYCHES, LT, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0546 COMMENCED HEAVING IN ANCHOR TO SHORT STAY. 0601 ANCHORS AWEIGH. 0602 UNDERWAY IN ACCORDANCE WITH THE PLAN OF THE DAY. 0605 C/S TO 10 KTS. C/C TO 110°. 0608 C/S TO 15 KTS. 0611 C/S TO 22 KTS. 0614 C/C TO 108°. 0622 C/C TO 110°. 0642 C/C TO 135°. 0734 C/S TO 24 KTS. 0745 MUSTERED CREW <sup>ON STATION</sup> AT ~~QUARTERS~~: AB- <sup>ON STATION</sup> SENTEES: NONE. 0748 STATIONED THE ANCHOR DETAIL. 0751 STATIONED THE GUN-FIRE SUPPORT TEAM. 0757 C/C TO 124°. 0758 C/S TO 21 KTS.

S. F. Weston  
S. F. WESTON, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0800 LIGHTED FIRES UNDER 2A BOILER. 0819 C/S 12 KTS. 0835 C/C 150°. 0843 C/C 130°. 0856 C/C 248°. 0900 C/S 10 KTS. 0902 C/S 5 KTS. 0908 C/S 10 KTS. 0911 C/C 100°. 0915 1A BOILER IS ON THE LINE. 0929 C/C 265°. 1B BOILER SECURED. 0934 C/C 270°, C/S 15 KTS. 0939 C/S 5 KTS. 0944 LET GO THE STARBOARD ANCHOR IN 12 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: THON DONG DUON 11,700 YDS, MUI CHON MAY TAY 8120 YDS, MUI CHON MAY DONG 5760 YDS. 1004 2A BOILER IS ON THE LINE. 1007 SECURED 2B BOILER.

EXAMINED

L. G. Lindgren, Jr.  
L. G. LINDGREN, JR., LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE SATURDAY 24 MAY 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 ANCHORED AS BEFORE. 1152 STATIONED THE HELICOPTER DETAIL, 1209 SECURED THE HELICOPTER DETAIL. 1457 UNDERWAY FOR POINT ALLISON IN ACCORDANCE WITH VERBAL ORDERS OF COMMANDING OFFICER. 1500 C/G TO 312 C/S TO 5 KNOTS. 1505 C/S TO 21 KNOTS.

*F. O. Dyches*  
F. O. DYCHES, LT, USN

16-20 UNDERWAY AS BEFORE. 1647 C/G TO 317°T. 1715 C/G TO 290°T. 1720 C/G TO 284°T. 1730 STATIONED THE ANCHOR DETAIL. SET THE GUNFIRE SUPPORT TEAM. 1735 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR ANCHORAGE. 1754 ALL STOP. COMMENCED WALKING OUT THE STARBOARD ANCHOR. 1755 ANCHORED IN 10 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: SO. RIVER 7070 YDS., NO. RIVER 15,750 YDS., NOB 17,050 YDS., NUT THONG 17,1250 YDS. 1912 DARKENED SHIP.

*S. F. Weston*  
S. F. WESTON, LTJG, USN

20-24 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 2255 COMMENCED HEAVING AROUND ON THE ANCHOR. 2258 UNDERWAY, C/G 270°T, C/S 10 KTS. 2307 LET GO THE STARBOARD ANCHOR IN 9 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 6600 YDS, NORTH RIVER 14,620 YDS, NOB 16,400 YDS, NUT THONG 10,950 YDS.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

EXAMINED:

*R. M. Butterworth*  
R. M. BUTTERWORTH, LT (A)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE SUNDAY 25 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0845 ANCHORED AT POINT ALLISON, REPUBLIC OF VIETNAM IN 9 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6600 YARDS, NORTH RIVER 14,620 YARDS, NOB 16, 1000 YARDS, NUI THONG 10,950 YARDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON 1 MINUTE NOTICE BEFORE GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, 1/2 GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. PROVIDING GUN FIRE SUPPORT.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

0845-0900 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0701 ANCHORS AWEIGH. 0702 UNDERWAY TO SHEET ANCHORAGE. 0712 ALL STOP. COMMENCED WALKING OUT STARBOARD ANCHOR. 0713 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SO. RIVER 6850 YDS., NO. RIVER 15,250 YDS., NOB 16, 7000, NUI THUONG 11,700 YDS. 0746 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

*S. F. Weston*  
S. F. WESTON, LTJG, USN

08-12 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

12-16 ANCHORED AS BEFORE. 1225 UNDERWAY FOR REARMING. 1228 1/2 TO 110. 1/2 TO 22 KNOTS. 1249 1/2 TO 105. 1303 1/2 TO 120. 1330 SECURED THE GUN FIRE SUPPORT TEAM. 1330 1/2 TO 23 KNOTS. 1435 1/2 TO 135. 1450 STATIONED THE REARMING DETAIL. COMMENCED PREPARATIONS FOR REARMING FROM USS MAUNA KEA (AE-22). 1450 MANEUVERING TO TAKE STATION ASTERN OF USS MAUNA KEA. 1514 ON STATION, REPLENISHMENT COURSE 135 SPEED 12. 1522 COMMENCED APPROACH, CAPTAIN CONNING. 1525 ON STATION ALONGSIDE PORT SIDE OF MAUNA KEA. 1527 FIRST LINE OVER. 1535 COMMENCED RECEIVING AMMUNITION.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLENIX (DD-944)DATE SUNDAY, 25 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. ~~1749~~ ~~C/C~~ ~~T~~ 1624 COMMENCED SLOW TURN <sup>8/4</sup> TO PORT TO NEW BASE COURSE 310°T. 1655 STEADY ON 310°T. 1704 C/S TO 14 KTS. 1749 ALL LINES CLEAR. CLEARING AWAY FROM USS MAUNA KEA (AF-22) 1750 C/S TO 22 KTS. C/C TO 313°T. 1752 C/S TO 23 KTS. C/C TO 311°T. 1753 C/S TO 24 KTS. 1754 C/S TO 25 KTS. C/C TO 300°T. 1800 C/C TO 298°T.

S.F. Weston

S.F. WESTON, LTJG, USN

18-20 UNDERWAY AS BEFORE. 1806 C/C 298°T. 1900 SECURED THE REARMING DETAIL. SET CONDITION III WATCH. 1954 STATIONED THE GUNFIRE SUPPORT TEAM. 1955 C/C 289°T.

L.G. Lindgren, Jr.

L.G. LINDGREN, JR.

LT USNR

20-24 UNDERWAY AS BEFORE. 2001 STATIONED THE ANCHOR DETAIL. 2010 C/C TO 290. 2012 C/C TO 295. 2014 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2031 ANCHORED IN 9 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6950 YARDS, NORTH RIVER 14,700 YARDS, NOB 16,100 YARDS, NHI THUAN 11,325 YARDS. PROVIDING GUNFIRE SUPPORT.

F.D. Dyches

F.D. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth

R.M. BUTTERWORTH, LT(jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -8H DATE MONDAY, 26 MAY 19 69  
(Day) (Date) (Month)

AT/PASSAGE FROM PT. ALLISON, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
1200		
L _____		BY _____
λ _____		BY _____

POSITION	ZONE	TIME
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0845 ANCHORED VICINITY PT. ALLISON, REPUBLIC OF VIETNAM, IN 9 FATHOMS OF WATER, ~~MUD-BE~~ SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: SOUTH RIVER 6950 YDS., NORTH RIVER 14,700 YDS., NOB 16, 100 YDS. NHE THUONG 11,325 YDS., SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE, AND DARKENED. ENGINEERING DEPARTMENT ON ONE MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, S/S GENERATORS 2 AND 4 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. PROVIDING GUNFIRE SUPPORT. 0217 COMMENCED HEAVING AROUND ON ANCHOR. 0221 ANCHORS AWEIGH. UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING FOR ANCHORAGE. 0231 ANCHORED IN 10 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RANGES: SOUTH RIVER 6100 YDS., NORTH RIVER 15,350 YDS., CAP LAI 17,070 YDS., HILL 11,420 YDS.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

04-08 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, Jr.  
LT USNR

08-12 ANCHORED AS BEFORE. 1000 SECURED #4 S/S GENERATOR. BROUGHT #3 S/S GENERATOR ON THE LINE.

*F.D. Dyches*  
F.D. DYCHES, LT, USN

12-16 ANCHORED AS BEFORE. 1217 COMMENCED HEAVING AROUND ON THE ANCHOR. 1222 ANCHORS AWEIGH. UNDERWAY TO SHIFT ANCHORAGE. MANEUVERING FOR ANCHORAGE. 1237 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 7450 YDS., HILL 11,850 YDS., NORTH RIVER 14,600 YDS., NOB 16070 YDS. PROVIDING GUNFIRE SUPPORT.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD 944)DATE MONDAY, 26 MAY . 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1821 COMMENCED HEAVING AROUND ON THE ANCHOR. 1826 UNDERWAY, C/C 170°T, C/S 5 KTS. 1841 C/C 305°T. 1842 C/S 10 KTS. 1844 C/C 320°T C/S 5 KTS. 1846 WALKING OUT STARBOARD ANCHOR. 1849 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 6800 YDS, NORTH RIVER 14,300 YDS, NOB 15,780 YDS, NAI THUONG 10,800 YDS. 1870 DARKENED SHIP.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, Jr.  
LT USNR

20-24 ANCHORED AS BEFORE.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

EXAMINED:

*R. M. Butterworth*  
R. M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE TUESDAY, 27 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>16°55' N</u>	BY <u>2</u>	
λ <u>107°25' E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 ANCHORED VICINITY PT. ALLISON, REPUBLIC OF VIETNAM, IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: SOUTH RIVER 6800 YDS., NORTH RIVER 14,300 YDS., NDB 15,780 YDS., NUI THUONG 10,800 YDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE IS SET AND SHIP IS DARKENED. ENGINEERING DEPARTMENT ON ONE MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, S/S GENERATORS 2 AND 3 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN IN THIS SHIP, PROVIDING GUNFIRE SUPPORT. 048 COMMENCED HEAVING AROUND ON STARBOARD ANCHOR. 053 UNDERWAY TO SHIFT ANCHORAGE. 0109 ANCHORED IN 10 FATHOMS OF WATER, SAND BOTTOM, WITH 30 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RANGES: SOUTH RIVER 6400 YDS., NORTH RIVER 14,920 YDS., CAP LAZ 16,520 YDS., HILL 11,320 YDS. 0127 VEERED CHAIN TO 60 FATHOMS ON DECK.

*S.F. Weston*

S.F. WESTON, LTJG, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

*L.G. Lindgren, Jr.*

L.G. LINDGREN, JR.  
LT USNR

08-12 ANCHORED AS BEFORE. 0939 UNDERWAY FOR REFUELING. 0943 1/2 TO 10.5. 1/2 TO 15 KNOTS. 0944 1/2 TO 20 KNOTS. 1024 1/2 TO 123. STATIONED THE REFUELING DETAIL. COMMENCED PREPARATIONS FOR REFUELING FROM USS TAPPAHANOK (AO-43) 1039 MANEUVERING TO TAKE STATION ASTERN OF USS TAPPAHANOK. 1049 ON STATION, REPLENISHMENT COURSE 310 SPEED 12. 1050 COMMENCED APPROACH, CAPTAIN CANNING. 1052 ON STATION, ALONGSIDE STARBOARD SIDE OF TAPPAHANOK. 1053 FIRST LINE OVER. 1112 RECEIVED FIRST FUEL HOSE. 1113 COMMENCED RECEIVING FUEL. 1140 FUELING COMPLETED. 1153 ALL HOSES AND LINES CLEAR, MANEUVERING TO CLEAR STARBOARD SIDE OF TAPPAHANOK. 1155 CLEAR OF TAPPAHANOK. 1/2 TO 310. 1/2 TO 15 KNOTS. 1158 1/2 TO 280.

*F.O. Dyches*

F.O. DYCHES, LT, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINNIX (DD-944)DATE TUESDAY, 27 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1226 STATIONED THE ANCHOR DETAIL. 1227 STATIONED THE GUNFIRE SUPPORT TEAM. 1235 C/K TO 288°T. 1238 C/K TO 294°T. 1241 C/K TO 296°T. 1244 C/S TO 10 KTS. 1248 C/K TO 300°T. 1249 C/S TO 5 KTS. 1253 ANCHORED IN 10 FATHOMS OF WATER, <sup>SAND</sup> MUD BOT-8 fms TOM, WITH 60 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 7000 YDS., HTU 11,820 YDS., NORTH RIVER 15,300 YDS., NOB 16,830 YDS.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. 1918 DARKENED SHIP. 1945 COMMENCED HEAVING AROUND ON THE ANCHOR.

L.G. Lindgren, Jr.  
L.G. LINDGREN, Jr.  
LT USNR

Juso ~~20-24~~

20-24 ANCHORED AS BEFORE. 1954 UNDERWAY TO SHIFT ANCHORAGE, MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 2008 ANCHORED IN 9 FATHOMS OF WATER, <sup>300</sup> MUD BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6600 YARDS, NORTH RIVER 14,850 YARDS, NOB 16,250 YARDS, NH TITLUNG 11,100 YARDS.

F.O. Dykes

F.O. DYKES, LT, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LT. (jg)

U. S. N. R. NAVIGATOR



DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -8H DATE WEDNESDAY, 28 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>16°53.3 N</u>	BY <u>2</u>	
λ <u>107°33.0 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~φφ-φ4~~ ANCHORED VICINITY PT. ALLISON, REPUBLIC OF VIETNAM, IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR. ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 66φφ YDS., NORTH RIVER 14,85φ YDS., NOB 16,25φ YDS., NHZ THUONG 11,1φφ YDS. SHIP IS IN CONDITION OF READINESS III, MATERIAL CONDITION YOKE SET, AND DARKENED. ENGINEERING DEPARTMENT ON ONE MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. BOILERS 1A AND 2A, S/S GENERATORS 2 AND 3 ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN IN THIS SHIP. PROVIDING GUNFIRE SUPPORT. ~~φ222~~ UNDER ~~φ215~~ COMMENCED HEAVING AROUND ON THE ANCHOR. ~~φ222~~ ANCHORS AWEIGH. UNDERWAY TO SHIFT ANCHORAGE. ~~φ234~~ ANCHORED IN 1φ FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 68φφ YDS., HILL 1φ, 65φ YDS., NORTH RIVER 13,7φφ YDS., CAP LAI 15,26φ YDS.

*S.F. Weston*

S.F. WESTON, LTJG, USN

φ4-φ8 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. φ7φφ LIGHTED FIRES UNDER 1B BOILER. φ732 STATIONED THE HELO DETAIL. φ744 SECURED THE HELO DETAIL. φ745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*

L.G. LINDGREN, Jr.  
LT USNR

φ8-12 ANCHORED AS BEFORE. φ848 UNDERWAY FOR REARMING. φ857 <sup>9</sup>/CTO 137. <sup>9</sup>/STO 10 KNOTS. φ9φ4 <sup>9</sup>/CTO 1φ5. φ912 <sup>9</sup>/STO 22 KNOTS. φ931 <sup>9</sup>/CTO 113. φ934 BROUGHT 1B BOILER ON THE LINE AND SECURED FIRES UNDER 1A BOILER. φ935 <sup>9</sup>/CTO 11φ. 1φφ2 <sup>9</sup>/CTO 116. 1φφ7 <sup>9</sup>/STO 15 KNOTS. 1φ21 STATIONED THE REARMING DETAIL. 1φ26 <sup>9</sup>/CTO 122. 1φ36 MANUEVERING TO TAKE STATION ASTERN OF USS PARACUTIN (AE-18) 1φ41 ON STATION, REPLENISHMENT COURSE 310 SPEED 1φ KNOTS. 1φ45 COMMENCED APPROACH, EXECUTIVE OFFICER CONNING. 1φ46 ON STATION, ALONGSIDE STARBOARD SIDE OF PARACUTIN. 1φ48 FIRST LINE OVER. 1φ53 COMMENCED RECEIVING AMMUNITION. 1152 REARMING COMPLETED.

*F.O. Oyches*

F.O. OYCHES, LT, USN

300

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINIX (DD-944)DATE WEDNESDAY, 28 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1214 ALL LINES CLEAR. C/S TO 27 KTS. CLEARING AWAY FROM PARACUTIN. 1216 C/L TO 275°T. 1224 C/L TO 270°T. 1234 C/S TO 23 KTS. 1245 C/L TO 265°T. 1254 STATIONED THE ANCHOR DETAIL. STATIONED THE GUNFIRE SUPPORT TEAM. 1254 C/L TO 285°T. 1256 C/L TO 290°T. 1303 C/S TO 15 KTS. MANEUVERING FOR ANCHORAGE. 1316 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, IN VICINITY OF PT. ALLISON, REPUBLIC OF VIETNAM, ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 6800 YDS., NORTH RIVER 13,750 YDS., NOB 15,250 YDS., NHI THUONG 10,400 YDS. 1326 SECURED THE REARMING DETAIL, PROVIDING GUNFIRE SUPPORT.

S.F. Weston

S.F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1918 SET DARKENED SHIP. STATIONED THE SECURITY PATROL.

L.G. Lindgren, Jr.  
L.G. LINDGREN, Jr.  
LT USNR

20-24 ANCHORED AS BEFORE. 2015 UNDERWAY TO SHIFT ANCHORAGES. 2026 ANCHORED IN 9 FATHOMS OF WATER, MUD BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6930 YARDS, NORTH RIVER 14180 YARDS, NOB 15,460 YARDS, NHI THUONG 10700 YARDS.

F.D. Dyches  
F.D. DYCHES, LT, USN

EXAMINED:

R.M. Butterworth  
R.M. BUTTERWORTH, LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION -8H DATE THURSDAY, 29 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 ANCHORED VICINITY PT. ALLISON, DMZ, REPUBLIC OF VIETNAM, IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 6930 YDS., NORTH RIVER 14,180 YDS., NOB 15,460 YDS., NHI THUONG 10700 YDS. MATERIAL CONDITION YOKE, CONDITION OF READINESS II ARE SET AND SHIP IS DARKENED. 1A AND 2B BOILERS AND 2 AND 3 S/S GENERATORS ARE ON THE LINE. ENGINEERING DEPARTMENT ON ONE MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN EMBARKED THIS VESSEL PROVIDING GUNFIRE SUPPORT.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

04-08 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 0657 COMMENCED HEAVING AROUND ON THE ANCHOR. 0701 UNDERWAY. C/C 1230T, C/S 5 KTS. 0713 WALKING OUT THE STARBOARD ANCHOR. 0714 ANCHORED IN 9 FATHOMS OF WATER, MUD BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING BEARINGS: SOUTH RIVER 6690 YDS, NORTH RIVER 14,960 YDS, NOB 16,480 YDS, NHI THUONG 11,300 YDS. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR., LT, USNR

08-12 ANCHORED AS BEFORE. 1000 WENT TO GENERAL QUARTERS, SET MATERIAL CONDITION ZEBRA. 1035 SECURED FROM GENERAL QUARTERS. SET MATERIAL CONDITION YOKE. SET CONDITION OF READINESS III.

*F.D. Dyches*  
F.D. DYCHES, LT, USN

12-16 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. 1258 UNDERWAY TO SHIFT ANCHORAGE. 1330 ANCHORED IN 10 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 6700 YDS., HILL 10,840 YDS., NORTH RIVER 13,970 YDS., NOB 15,450 YDS.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLINWIX (DD944)DATE THURSDAY, 29 MAY, 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT.  
1921 SET DARKENED SHIP. STATIONED THE SECURITY PATROL.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USNR

20-24 ANCHORED AS BEFORE. 2149 UNDERWAY TO SHIFT ANCHORAGES. 2205 ANCHORED  
IN 9 FATHOMS OF WATER, MUD BOTTOM WITH 4.5 FATHOMS OF CHAIN ON DECK TO THE  
STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6400 YARDS, NORTH  
RIVER 15,000 YARDS, NOB 16350 YARDS, NHI THUONG 11,100 YARDS.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

EXAMINED:

*R. M. Butterworth*  
R. M. BUTTERWORTH, LT. (ig)

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINNIX (DD-944) ZONE DESCRIPTION -8H DATE FRIDAY, 30 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RVN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>16°53'.0 N</u>	BY <u>2</u>	
λ <u>107°34'.7 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

ΦΦ-Φ4 ANCHORED VICINITY PT. ALLISON, REPUBLIC OF VIETNAM, IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 64ΦΦ YDS., NORTH RIVER 15ΦΦΦ YDS., NOB 16, 35Φ YDS., NHZ THUONG 11,1ΦΦ YDS. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. SHIP IS DARKENED. ENGINEERING DEPARTMENT ~~ONE~~ <sup>8</sup> ON ONE MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING <sup>18</sup> BY <sup>3A</sup> LA AND <sup>3B</sup> BOILERS AND 2 AND 3 S/S GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN EMBARKED THIS VESSEL. PROVIDING GUNFIRE SUPPORT. Φ3Φ3 UNDERWAY TO SHIFT ANCHORAGE. Φ32Φ ANCHORED IN 9.5 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 7,16Φ YDS., HIU 1Φ,79Φ YDS., NORTH RIVER 14,Φ2Φ YDS., NOB 15,54Φ YDS.

S.F. Weston  
S.F. WESTON, LTJG, USN

Φ4-Φ8 ANCHORED AS BEFORE. PROVIDING GUNFIRE SUPPORT. Φ625 COMMENCED HEAVING AROUND ON THE ANCHOR. Φ63Φ UNDERWAY, C/C 1ΦΦ°T, C/S 1Φ KTS. Φ635 C/S 17 KTS. Φ729 STATIONED THE REFUELING DETAIL, C/C Φ7Φ°T. Φ73Φ C/C Φ6Φ°T. Φ734 C/S 2Φ KTS. Φ735 C/C Φ7Φ°T. Φ74Φ C/C 14Φ°T. Φ742 ON STATION 5ΦΦ YDS ASTERN OF U.S.S. NAVASOTA (AO 1Φ6). REPLENISHMENT COURSE 14Φ°T, SPEED 1Φ KTS. Φ746 COMMENCED APPROACH ON NAVASOTA'S STARBOARD SIDE. Φ747 ALONGSIDE. Φ747 FIRST LINE IS OVER. Φ758 COMMENCED RECEIVING FUEL.

L.G. Lindgren, Jr.  
L.G. LINDGREN, Jr.  
LT USNR

Φ8-12 UNDERWAY AS BEFORE. Φ759 COMMENCED RECEIVING AMMUNITION AMIDSHIPS. Φ817 COMPLETED FUELING. Φ834 COMPLETED RECEIVING AMMUNITION. Φ85Φ ALL LINES CLEAR. MANEUVERING TO CLEAR STARBOARD SIDE NAVASOTA. Φ851 CLEAR OF NAVASOTA. Φ851 °CTO 2Φ5. °S TO 18 KNOTS. Φ855 SECURED THE REFUELING DETAIL. °CTO 2Φ8. Φ856 STATIONED THE REPLENISHMENT DETAIL. Φ9Φ1 °CTO 34Φ. Φ9Φ2 MANEUVERING TO TAKE STATION ASTERN OF USS ZEUMA (AF-49). Φ9Φ9 COMMENCED APPROACH, REPLENISHMENT COURSE Φ3Φ SPEED 1Φ KNOTS. Φ911 ON STATION ALONGSIDE STARBOARD SIDE OF ZEUMA. Φ912 FIRST LINE OVER. Φ924 COMMENCED RECEIVING STORES. Φ95Φ REPLENISHMENT COMPLETED. Φ957 ALL LINES CLEAR, MANEUVERING TO CLEAR STARBOARD SIDE OF ZEUMA. Φ959 CLEAR OF ZEUMA. °CTO 27Φ. °S TO 18 KNOTS. 1Φ46 °CTO 28Φ. 1Φ49 °CTO 27Φ. SECURED REPLENISHMENT DETAIL. 11Φ1 °S TO 2Φ KNOTS. 1112 STATIONED THE GUN FIRE SUPPORT TEAM AND ANCHOR DETAIL. 1115 °CTO 29Φ.

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

0105 904 1020

USS MULLENNIX (DD-944)DATE FRIDAY, 30 MAY, 1969  
(Day) (Date) (Month)

## REMARKS—CONTINUED

0872 (CONT) 1116  $\frac{1}{2}$  CTG 287. 1122  $\frac{1}{2}$  STG 5 KNOTS. 1133  $\frac{1}{2}$  STG 10 KNOTS. 1136 MANEUVERING VARIOUS COURSES AND SPEEDS FOR ANCHORAGE. 1147 ANCHORED IN 9 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 6820 YARDS, NORTH RIVER 15,450 YARDS, NOB 16,950 YARDS, NHI THUONG 11750 YARDS.

J. D. Dyches  
F. D. DYCHES, LT, USN

12-16 ANCHORED AS BEFORE. 1500 WENT TO GENERAL QUARTERS FOR DC DRILLS. 1553 SECURED FROM GENERAL QUARTERS.

S. F. Weston  
S. F. WESTON, LTJG, USN

16-20 ANCHORED AS BEFORE. 1841 COMMENCED HEAVING AROUND ON THE ANCHOR. 1845 UNDERWAY, SHIFTING ANCHORAGE, C/C 305°T, C/S 5 KTS. 1858 WALKING OUT THE STARBOARD ANCHOR. 1859 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 6900 YDS, NORTH RIVER 14,100 YDS, NOB 15,650 YDS, NHI THUONG 10,850 YDS. 1920 DARKENED SHIP.

L. G. Lindgren, Jr.  
L. G. LINDGREN, JR.  
LT USNR

20-24 ANCHORED AS BEFORE. 2232 UNDERWAY TO SHIFT ANCHORAGES. 2250 ANCHORED IN 9 FATHOMS OF WATER, MUD BOTTOM WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR ON THE FOLLOWING ANCHORAGE RANGES: SOUTH RIVER 5950 YARDS, NORTH RIVER 16700 YARDS, NOB 18250 YARDS, NHI THUONG 12250 YARDS.

J. D. Dyches  
F. D. DYCHES, LT, USN

EXAMINED:

R. M. Butterworth

R. M. BUTTERWORTH, LT. (ig)

U. S. N. P. NAVIGATOR

DECK LOG—REMARKS SHEET

USS MULLINIX (DD-944) ZONE DESCRIPTION - 8H DATE SATURDAY, 31 MAY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM PT. ALLISON, DMZ, RUN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-0845 ANCHORED VICINITY PT. ALLISON, REPUBLIC OF VIETNAM, IN 9 FATHOMS OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN ON DECK TO THE STARBOARD ANCHOR, ON THE FOLLOWING RADAR RANGES: SOUTH RIVER 5950 YDS., NORTH RIVER 16,700 YDS., NOB 18,250 YDS., NHI THUONG 12,250 YDS. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. SHIP IS DARKENED. 1B AND 2A BOLLERS AND 2 AND 3 S/S GENERATORS ARE ON THE LINE. ENGINEERING DEPARTMENT ON ONE MINUTE NOTICE FOR GETTING UNDERWAY. ANCHOR DETAIL STANDING BY. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS COMDESRON FOURTEEN EMBARKED THIS VESSEL. PROVIDING GUNFIRE SUPPORT.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

0845-0858 ANCHORED AS BEFORE. ON STATION FOR GUNFIRE SUPPORT. 0830 COMMENCED HEAVING AROUND ON THE ANCHOR. 0437 UNDERWAY, C/C 0300T, C/S 5 KTS. 0442 C/C 0400T. 0447 WALKING OUT THE STARBOARD ANCHOR. 0450 ANCHORED IN 10.5 FATHOMS OF WATER, SAND BOTTOM, 45 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 7150 YDS, HILL 12,930 YDS, NORTH RIVER 16,580 YDS, NOB 18,040 YDS. 0745 MUSTERED THE CREW AT STATION'S. ABSENTEES: NONE.

*L.G. Lindgren, Jr.*  
L.G. LINDGREN, JR.  
LT USNR

0812 ANCHORED AS BEFORE.

*F.D. Oches*  
F.D. OCHES, LT, USN

0812-16 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. 1552 ANCHORS AWEIGH.

*S.F. Weston*  
S.F. WESTON, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

## DECK LOG—REMARKS SHEET

USS MULLINNIX (DD 944)DATE SATURDAY, 31 MAY 19 69  
(Day) (Date) (Month)

## REMARKS—CONTINUED

16-20 ANCHORED AS BEFORE, PROVIDING GUNFIRE SUPPORT. 1601 STATIONED THE HELO DETAIL. 1607 C/C 264°T. 1610 C/S 15 KTS. 1611 ALL STOP. 1620 HELO OVER THE FANTAIL. 1621 HELO IS CLEAR. SECURED THE HELO DETAIL. C/S 5 KTS. 1626 C/C 110°T, C/S 15 KTS. 1632 C/C 090°T. 1636 C/C 270°T. 1640 C/C 290°T, C/S 10 KTS. 1642 C/C 300°T. 1653 C/C 316°T, C/S 5 KTS. 1700 C/C 000°T. 1703 WALKING OUT THE STARBOARD ANCHOR. 1705 ANCHORED IN 9 FATHOMS OF WATER, SAND BOTTOM, 30 FATHOMS OF CHAIN ON DECK, ON THE FOLLOWING RANGES: SOUTH RIVER 6870 YDS, HILL 10700 YDS, NORTH RIVER 14040 YDS, NOB 15600 YDS. 1919 DARKENED SHIP.

*L. G. Lindgren, Jr.*  
L. G. LINDGREN, JR.  
LT USN12

20-24 ANCHORED AS BEFORE.

*F. D. Dyches*  
F. D. DYCHES, LT, USN

EXAMINED:

*R. M. Butterworth*  
R. M. BUTTERWORTH, LT. (ig)

U. S. N. R. NAVIGATOR